

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsanlage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
1er [E81/E87]	66 - 145	X	alle Varianten	6,5 x 16	46	5	120	X65164651125..	Serie	✓			195/55, 205/55	
Typ 187, 1K2, 1K4 [Facelift 2007]	66 - 145	S	alle Varianten	7,0 x 16	34	5	120	S70163451126..	07	✓				195/55 (max. 105 kW), 205/55,...
	66 - 145	W	alle Varianten	7,0 x 16	35	5	120	W70163551125..	07	✓				195/55 (max. 105 kW), 205/55,...
	66 - 145	K	alle Varianten	7,0 x 16	40	5	120	K70164051125..	Serie	✓			195/55	205/55, 225/50
	66 - 145	S	alle Varianten	7,0 x 16	44	5	120	S70164451125..	Serie	✓			195/55, 205/55, 225/50 HA	
	66 - 145	Y	alle Varianten	7,0 x 16	44	5	120	Y70164451125..	07	✓			195/55, 205/55, 225/50 HA	
	66 - 195	K	alle Varianten	7,5 x 17	32	5	120	K75173251125..	Serie	✓				205/50, 215/45, 225/45
	66 - 195	E	alle Varianten	7,5 x 17	34	5	120	E7573451125..	07	✓				205/50, 215/45, 225/45
	66 - 195	K	alle Varianten	7,5 x 17	34	5	120	K75173451125..	Serie	✓				205/50, 215/45, 225/45
	66 - 195	Y	alle Varianten	7,5 x 17	34	5	120	Y75173451125..	07	✓				205/50, 215/45, 225/45
	66 - 195	K	alle Varianten	7,5 x 17	37	5	120	K75173751125..	Serie	✓				205/50, 215/45, 225/45
	66 - 195	F	Schwarz matt	7,5 x 17	43	5	120	F7517435112522	07	✓				205/50, 215/45, 225/45
	66 - 195	H	alle Varianten	7,5 x 17	43	5	120	H75174351126..	07	✓				205/50, 215/45, 225/45
	66 - 195	K	alle Varianten	7,5 x 17	43	5	120	K75174351125..	Serie	✓				205/50, 215/45, 225/45
	66 - 195	S	alle Varianten	7,5 x 17	43	5	120	S75174351126..	07	✓				205/50, 215/45, 225/45
	66 - 195	B	Silber	7,5 x 17	45	5	120	B757455112518	07	✓			215/45	205/50, 225/45
	66 - 195	D	alle Varianten	7,5 x 17	45	5	120	D75174551126..	07	✓			215/45	205/50, 225/45
	66 - 195	W	alle Varianten	7,5 x 17	45	5	120	W75174551125..	07	✓			215/45	205/50, 225/45
	66 - 195	K	alle Varianten	8,0 x 17	30	5	120	K80173051125..	Serie	✓				215/45, 225/45, 235/40 HA,...
	66 - 195	V	alle Varianten	8,0 x 17	30	5	120	V80173051125..	07	✓				215/45, 225/45, 235/40 HA,...
	66 - 195	K	alle Varianten	8,0 x 17	34	5	120	K80173451125..	Serie	✓				215/45, 225/45, 235/40,...
	66 - 195	S	alle Varianten	7,5 x 18	38	5	120	S75183851126..	07	✓				205/45, 215/40, 225/40
	66 - 195	E	alle Varianten	8,0 x 18	30	5	120	E8083051125..	07	✓				205/45 MF, 215/40, 225/40,...
	66 - 195	K	alle Varianten	8,0 x 18	30	5	120	K80183051125..	Serie	✓				205/45 MF, 215/40, 225/40,...
	66 - 195	Z	Silber	8,0 x 18	30	5	120	Z8018305112518	07	✓				205/45 MF, 215/40, 225/40,...
	66 - 195	Za	Anthrazit matt	8,0 x 18	30	5	120	Z8018305112515	07	✓				205/45 MF, 215/40, 225/40,...
	66 - 195	K	alle Varianten	8,0 x 18	34	5	120	K80183451125..	Serie	✓				205/45 MF, 215/40, 225/40,...
	66 - 195	Y	alle Varianten	8,0 x 18	35	5	120	Y80183551125..	07	✓				205/45 MF, 215/40, 225/40,...
	66 - 195	H	alle Varianten	8,0 x 18	43	5	120	H80184351126..	07	✓			205/45 MF	215/40, 225/40, 245/35 HA
	66 - 195	K	alle Varianten	8,0 x 18	43	5	120	K80184351125..	Serie	✓			205/45 MF	215/40, 225/40, 245/35 HA
	66 - 195	O	alle Varianten	8,0 x 18	43	5	120	O80184351126..	07	✓			205/45 MF	215/40, 225/40, 245/35 HA
	66 - 195	D	alle Varianten	8,0 x 18	45	5	120	D80184551126..	07	✓			205/45 MF, 225/40 HA	215/40, 225/40 VA, 245/35 HA
	66 - 195	W	alle Varianten	8,0 x 18	45	5	120	W80184551126..	07	✓			205/45 MF, 225/40 HA	215/40, 225/40 VA, 245/35 HA
	66 - 195	V	alle Varianten	8,5 x 18	35	5	120	V85183551126..	07	✓				215/40, 225/40, 245/35 HA,...
	66 - 195	X	alle Varianten	8,5 x 18	42	5	120	X85184251126..	07	✓				215/40, 225/40, 245/35 HA,...
	66 - 195	O	alle Varianten	8,0 x 19	45	5	120	O80194551126..	07	✓				215/35 (max. 125 kW), 225/35
													AUTEC in 20": <a href="http://www.autec-wheels.de">www.autec-wheels.de</a>	
1er Coupé [E82]	100 - 160	X	alle Varianten	6,5 x 16	46	5	120	X65164651125..	Serie	✓			195/55, 205/55	
1er Cabrio [E88]	100 - 160	K	alle Varianten	7,0 x 16	31	5	120	K70163151125..	Serie	✓				205/55 (max. 145 kW),...
Typ 182, 1C	100 - 160	S	alle Varianten	7,0 x 16	34	5	120	S70163451126..	07	✓				195/55 (max. 105 kW),...
	100 - 160	K	alle Varianten	7,0 x 16	40	5	120	K70164051125..	Serie	✓			195/55	205/55 (max. 145 kW),...
	100 - 160	S	alle Varianten	7,0 x 16	44	5	120	S70164451125..	Serie	✓			195/55, 205/55, 225/50 HA	
	100 - 160	Y	alle Varianten	7,0 x 16	44	5	120	Y70164451125..	07	✓			195/55, 205/55, 225/50 HA	
	100 - 240	K	alle Varianten	7,5 x 17	32	5	120	K75173251125..	Serie	✓				205/50, 215/45 (max. 160 kW),...
	100 - 240	E	alle Varianten	7,5 x 17	34	5	120	E7573451125..	07	✓				205/50, 215/45 (max. 160 kW),...
	100 - 240	K	alle Varianten	7,5 x 17	34	5	120	K75173451125..	Serie	✓				205/50, 215/45 (max. 160 kW),...
	100 - 240	Y	alle Varianten	7,5 x 17	34	5	120	Y75173451125..	07	✓				205/50, 215/45 (max. 160 kW),...
	100 - 240	K	alle Varianten	7,5 x 17	37	5	120	K75173751125..	Serie	✓				205/50, 215/45 (max. 160 kW),...
	100 - 240	F	Schwarz matt	7,5 x 17	43	5	120	F7517435112522	07	✓				205/50, 215/45 (max. 160 kW),...

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsanlage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	100 - 240 H		alle Varianten	7,5 x 17	43	5	120	H75174351126..	07	✓				205/50, 215/45 (max. 160 kW),...
	100 - 240 K		alle Varianten	7,5 x 17	43	5	120	K75174351125..	Serie	✓				205/50, 215/45 (max. 160 kW),...
	100 - 240 S		alle Varianten	7,5 x 17	43	5	120	S75174351126..	07	✓				205/50, 215/45 (max. 160 kW),...
	100 - 240 B		Silber	7,5 x 17	45	5	120	B757455112518	07	✓		215/45		205/50, 225/45
	100 - 240 D		alle Varianten	7,5 x 17	45	5	120	D75174551126..	07	✓		215/45		205/50, 225/45
	100 - 240 W		alle Varianten	7,5 x 17	45	5	120	W75174551125..	07	✓		215/45 (1.200 kg)		205/50 (1.200 kg),...
	100 - 240 K		alle Varianten	8,0 x 17	30	5	120	K80173051125..	Serie	✓				215/45, 225/45, 235/40 HA,...
	100 - 240 V		alle Varianten	8,0 x 17	30	5	120	V80173051125..	07	✓				215/45, 225/45, 235/40 HA,...
	100 - 240 K		alle Varianten	8,0 x 17	34	5	120	K80173451125..	Serie	✓				215/45, 225/45, 235/40,...
	100 - 240 S		alle Varianten	7,5 x 18	38	5	120	S75183851126..	07	✓				205/45, 215/40 (max. 160 kW),...
	100 - 240 E		alle Varianten	8,0 x 18	30	5	120	E8083051125..	07	✓				205/45 MF, 215/40, 225/40,...
	100 - 240 K		alle Varianten	8,0 x 18	30	5	120	K80183051125..	Serie	✓				205/45 MF, 215/40, 225/40,...
	100 - 240 Z		Silber	8,0 x 18	30	5	120	Z8018305112518	07	✓				205/45 MF, 215/40, 225/40,...
	100 - 240 Za		Anthrazit matt	8,0 x 18	30	5	120	Z8018305112515	07	✓				205/45 MF, 215/40, 225/40,...
	100 - 240 K		alle Varianten	8,0 x 18	34	5	120	K80183451125..	Serie	✓				205/45 MF, 215/40, 225/40,...
	100 - 240 Y		alle Varianten	8,0 x 18	35	5	120	Y80183551125..	07	✓				205/45 MF, 215/40, 225/40,...
	100 - 240 H		alle Varianten	8,0 x 18	43	5	120	H80184351126..	07	✓		205/45 MF		215/40, 225/40, 245/35 HA
	100 - 240 K		alle Varianten	8,0 x 18	43	5	120	K80184351125..	Serie	✓		205/45 MF		215/40, 225/40, 245/35 HA
	100 - 240 O		alle Varianten	8,0 x 18	43	5	120	O80184351126..	07	✓		205/45 MF		215/40, 225/40, 245/35 HA
	100 - 240 D		alle Varianten	8,0 x 18	45	5	120	D80184551126..	07	✓		205/45 MF, 225/40 HA		215/40, 225/40 VA, 245/35 HA
	100 - 240 W		alle Varianten	8,0 x 18	45	5	120	W80184551126..	07	✓		205/45 MF, 225/40 HA		215/40, 225/40 VA, 245/35 HA
	100 - 240 V		alle Varianten	8,5 x 18	35	5	120	V85183551126..	07	✓				215/40, 225/40, 245/35 HA,...
	100 - 240 X		alle Varianten	8,5 x 18	42	5	120	X85184251126..	07	✓				215/40, 225/40, 245/35 HA,...
	100 - 240 O		alle Varianten	8,0 x 19	45	5	120	O80194551126..	07	✓				215/35 (max. 160 kW), 225/35
													AUTEC in 20": <a href="http://www.autec-wheels.de">www.autec-wheels.de</a>	
<b>1er [F20/F21]</b>	70 - 175 K		alle Varianten	7,0 x 16	31	5	120	K70163151125..	Serie	✓	B01			205/50 (max. 135 kW),...
<b>1er xDrive [F20/F21]</b>	70 - 175 S		alle Varianten	7,0 x 16	34	5	120	S70163451126..	107	✓	B01		195/55 (max. 151 kW)	205/50 (max. 130 kW),...
Typ 1K4, 1K2	70 - 175 W		alle Varianten	7,0 x 16	35	5	120	W70163551125..	107	✓	*		195/55 (1.200 kg) (max. 151 kW)	...
	70 - 175 K		alle Varianten	7,0 x 16	40	5	120	K70164051125..	Serie	✓	*		195/55 (max. 151 kW), 205/50 (max. 151 kW), 205/55,...	215/55 (max. 151 kW),...
	70 - 175 SE		alle Varianten	7,0 x 16	40	5	120	SE70164051125..	Serie	✓		a	205/55	
	70 - 175 S		alle Varianten	7,0 x 16	44	5	120	S70164451125..	Serie	✓	*		195/55 (max. 151 kW), 205/50 (max. 151 kW), 205/55,...	225/50 HA (max. 151 kW)
	70 - 175 Y		alle Varianten	7,0 x 16	44	5	120	Y70164451125..	107	✓	*		195/55 (max. 151 kW), 205/50 (max. 151 kW), 205/55,...	225/50 HA (max. 151 kW)
	70 - 175 K		alle Varianten	7,5 x 17	32	5	120	K75173251125..	Serie	✓	BW7			205/50, 215/45, 225/45,...
	70 - 175 E		alle Varianten	7,5 x 17	34	5	120	E7573451125..	107	✓	BW7			205/50, 215/45, 225/45,...
	70 - 175 K		alle Varianten	7,5 x 17	34	5	120	K75173451125..	Serie	✓	BW7			205/50, 215/45, 225/45,...
	70 - 175 Y		alle Varianten	7,5 x 17	34	5	120	Y75173451125..	107	✓	BW7			205/50, 215/45, 225/45,...
	70 - 175 K		alle Varianten	7,5 x 17	37	5	120	K75173751125..	Serie	✓	BW7			205/50, 215/45, 225/45,...
	70 - 175 F		Schwarz matt	7,5 x 17	43	5	120	F7517435112522	107	✓	BW7		205/50, 215/45, 225/45	
	70 - 175 H		alle Varianten	7,5 x 17	43	5	120	H75174351126..	107	✓	BW7		205/50, 215/45, 225/45	
	70 - 175 K		alle Varianten	7,5 x 17	43	5	120	K75174351125..	Serie	✓	*		205/50, 215/45, 225/45	
	70 - 175 S		alle Varianten	7,5 x 17	43	5	120	S75174351126..	107	✓	BW7		205/50, 215/45, 225/45	
	70 - 175 B		Silber	7,5 x 17	45	5	120	B757455112518	107	✓	BW7		205/50, 215/45, 225/45	
	70 - 175 D		alle Varianten	7,5 x 17	45	5	120	D75174551126..	107	✓	*		205/50, 215/45, 225/45	
	70 - 175 W		alle Varianten	7,5 x 17	45	5	120	W75174551125..	107	✓	BW7		205/50 (1.200 kg), 215/45 (1.200 kg), 225/45 (1.200 kg)	
	70 - 175 K		alle Varianten	8,0 x 17	30	5	120	K80173051125..	Serie	✓	BW7			205/50 MF, 215/45, 225/45,...
	70 - 175 V		alle Varianten	8,0 x 17	30	5	120	V80173051125..	107	✓	BW7			205/50 MF, 215/45, 225/45,...
	70 - 175 K		alle Varianten	8,0 x 17	34	5	120	K80173451125..	Serie	✓	BW7			205/50 MF, 215/45, 225/45,...
	70 - 175 S		alle Varianten	7,5 x 18	38	5	120	S75183851126..	107	✓		205/45		215/40, 225/40
	70 - 175 E		alle Varianten	8,0 x 18	30	5	120	E8083051125..	107	✓				215/40, 225/40, 235/35,...

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsanlage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	70 - 175	K	alle Varianten	8,0 x 18	30	5	120	K80183051125..	Serie	✓				215/40, 225/40, 235/35,...
	70 - 175	Z	Silber	8,0 x 18	30	5	120	Z8018305112518	107	✓				215/40, 225/40, 235/35,...
	70 - 175	Za	Anthrazit matt	8,0 x 18	30	5	120	Z8018305112515	107	✓				215/40, 225/40, 235/35,...
	70 - 175	K	alle Varianten	8,0 x 18	34	5	120	K80183451125..	Serie	✓				215/40, 225/40, 235/35,...
	70 - 175	Y	alle Varianten	8,0 x 18	35	5	120	Y80183551125..	107	✓				215/40, 225/40, 235/35,...
	70 - 175	H	alle Varianten	8,0 x 18	43	5	120	H80184351126..	107	✓			215/40	225/40, 245/35 HA
	70 - 175	K	alle Varianten	8,0 x 18	43	5	120	K80184351125..	Serie	✓			215/40	225/40, 245/35 HA
	70 - 175	O	alle Varianten	8,0 x 18	43	5	120	O80184351126..	107	✓			215/40	225/40, 245/35 HA
	70 - 175	D	alle Varianten	8,0 x 18	45	5	120	D80184551126..	107	✓	AuT		215/40, 225/40	245/35 HA
	70 - 175	W	alle Varianten	8,0 x 18	45	5	120	W80184551126..	107	✓			215/40, 225/40	245/35 HA
	70 - 175	V	alle Varianten	8,5 x 18	35	5	120	V85183551126..	107	✓				215/40, 225/40, 235/35,...
	70 - 175	X	alle Varianten	8,5 x 18	42	5	120	X85184251126..	107	✓				215/40, 225/40, 245/35 HA,...
	70 - 175	K	alle Varianten	8,0 x 19	36	5	120	K80193651125..	Serie	✓				225/35, 235/35, 245/30
	70 - 175	D	alle Varianten	8,0 x 19	45	5	120	D80194551126..	107	✓	AuT		225/35	245/30 HA
	70 - 175	K	alle Varianten	8,0 x 19	45	5	120	K80194551125..	Serie	✓			225/35	245/30 HA
	70 - 175	O	alle Varianten	8,0 x 19	45	5	120	O80194551126..	107	✓			225/35	245/30 HA
	70 - 175	S	alle Varianten	8,0 x 19	45	5	120	S80194551126..	107	✓			225/35	245/30 HA
	70 - 175	W	alle Varianten	8,0 x 19	45	5	120	W80194551126..	107	✓			225/35	245/30 HA
	70 - 175	V	Kristallsilber	8,5 x 19	35	5	120	V8519355112625	107	✓				225/35, 235/35, 245/30 HA
	70 - 175	R	alle Varianten	8,5 x 19	38	5	120	R85193851126..	107	✓				225/35, 235/35, 245/30 HA,...
	70 - 175	U	alle Varianten	8,5 x 19	38	5	120	U85193851125..	Serie	✓				225/35, 235/35, 245/30 HA,...
	70 - 175	X	alle Varianten	8,5 x 19	38	5	120	X85193851125..	107	✓				225/35, 235/35, 245/30 HA,...
<b>M135i [F20/F21]</b>	235	F	Schwarz matt	7,5 x 17	43	5	120	F7517435112522	107	✓	BW7		205/50 M+S, 215/45 M+S, 225/45 M+S	
<b>M135i xDrive [F20/F21]</b>	235	H	alle Varianten	7,5 x 17	43	5	120	H75174351126..	107	✓	BW7		205/50 M+S, 215/45 M+S, 225/45 M+S	
Typ 1K2, 1K4	235	S	alle Varianten	7,5 x 17	43	5	120	S75174351126..	107	✓	BW7		205/50 M+S, 215/45 M+S, 225/45 M+S	
	235	B	Silber	7,5 x 17	45	5	120	B757455112518	107	✓	BW7		205/50 M+S, 215/45 M+S, 225/45 M+S	
	235	W	alle Varianten	7,5 x 17	45	5	120	W75174551125..	107	✓	BW7		205/50 M+S, 215/45 M+S, 225/45 M+S	
	235	E	alle Varianten	8,0 x 18	30	5	120	E8083051125..	107	✓				225/40 VA, 245/35 HA
	235	K	alle Varianten	8,0 x 18	30	5	120	K80183051125..	Serie	✓				225/40 VA, 245/35 HA
	235	Z	Silber	8,0 x 18	30	5	120	Z8018305112518	107	✓				225/40 VA, 245/35 HA
	235	Za	Anthrazit matt	8,0 x 18	30	5	120	Z8018305112515	107	✓				225/40 VA, 245/35 HA
	235	K	alle Varianten	8,0 x 18	34	5	120	K80183451125..	Serie	✓				225/40 VA, 245/35 HA
	235	D	Weiß rot elox	8,0 x 18	35	5	120	D8018355112631	107	✓				225/40 VA, 245/35
	235	D	alle Varianten	8,0 x 18	35	5	120	D80183551126..	107	✓				225/40 VA, 245/35
	235	Y	alle Varianten	8,0 x 18	35	5	120	Y80183551125..	107	✓				225/40 VA, 245/35
	235	H	alle Varianten	8,0 x 18	43	5	120	H80184351126..	107	✓			215/40 M+S	225/40 VA, 245/35 HA
	235	K	alle Varianten	8,0 x 18	43	5	120	K80184351125..	Serie	✓			215/40 M+S	225/40 VA, 245/35 HA
	235	O	alle Varianten	8,0 x 18	43	5	120	O80184351126..	107	✓			215/40 M+S	225/40 VA, 245/35 HA
	235	W	alle Varianten	8,0 x 18	45	5	120	W80184551126..	107	✓			215/40 M+S, 225/40 M+S	225/40 VA, 245/35 HA
	235	V	alle Varianten	8,5 x 18	35	5	120	V85183551126..	107	✓				225/40 VA, 245/35 HA
	235	X	alle Varianten	8,5 x 18	42	5	120	X85184251126..	107	✓				225/40 VA, 245/35 HA,...
	235	K	alle Varianten	8,0 x 19	36	5	120	K80193651125..	Serie	✓				225/35 VA, 245/30
	235	D	alle Varianten	8,0 x 19	45	5	120	D80194551126..	107	✓	AuT			225/35 VA, 245/30 HA
	235	K	alle Varianten	8,0 x 19	45	5	120	K80194551125..	Serie	✓			225/35 VA	245/30 HA
	235	O	alle Varianten	8,0 x 19	45	5	120	O80194551126..	107	✓				225/35 VA, 245/30 HA
	235	S	alle Varianten	8,0 x 19	45	5	120	S80194551126..	107	✓				225/35 VA, 245/30 HA
	235	W	alle Varianten	8,0 x 19	45	5	120	W80194551126..	107	✓				225/35 VA, 245/30 HA
	235	V	Kristallsilber	8,5 x 19	35	5	120	V8519355112625	107	✓				225/35 VA, 245/30 HA
	235	R	alle Varianten	8,5 x 19	38	5	120	R85193851126..	107	✓				225/35 VA, 235/35 VA,...

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsanlage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	235	U	alle Varianten	8,5 x 19	38	5	120	U85193851125..	Serie	✓				225/35 VA, 235/35 VA,...
	235	X	alle Varianten	8,5 x 19	38	5	120	X85193851125..	107	✓				225/35 VA, 235/35 VA,...
<b>M140i [F20/F21]</b>	250	F	Schwarz matt	7,5 x 17	43	5	120	F7517435112522	107	✓	BW7		205/50 M+S, 215/45 M+S, 225/45 M+S	
<b>M140i xDrive [F20/F21]</b>	250	H	alle Varianten	7,5 x 17	43	5	120	H75174351126..	107	✓	BW7		205/50 M+S, 215/45 M+S, 225/45 M+S	
Typ 1K2, 1K4	250	S	alle Varianten	7,5 x 17	43	5	120	S75174351126..	107	✓	BW7		205/50 M+S, 215/45 M+S, 225/45 M+S	
	250	B	Silber	7,5 x 17	45	5	120	B757455112518	107	✓	BW7		205/50 M+S, 215/45 M+S, 225/45 M+S	
	250	W	alle Varianten	7,5 x 17	45	5	120	W75174551125..	107	✓	BW7		205/50 M+S, 215/45 M+S, 225/45 M+S	
	250	E	alle Varianten	8,0 x 18	30	5	120	E8083051125..	107	✓				225/40 VA, 245/35 HA
	250	K	alle Varianten	8,0 x 18	30	5	120	K80183051125..	Serie	✓				225/40 VA, 245/35 HA
	250	Z	Silber	8,0 x 18	30	5	120	Z8018305112518	107	✓				225/40 VA, 245/35 HA
	250	Za	Anthrazit matt	8,0 x 18	30	5	120	Z8018305112515	107	✓				225/40 VA, 245/35 HA
	250	K	alle Varianten	8,0 x 18	34	5	120	K80183451125..	Serie	✓				225/40 VA, 245/35 HA
	250	O	alle Varianten	8,0 x 18	34	5	120	O80183451126..	107	✓				225/40 VA, 245/35 HA
	250	D	Weiß rot elox	8,0 x 18	35	5	120	D8018355112631	107	✓				225/40 VA, 245/35
	250	D	alle Varianten	8,0 x 18	35	5	120	D80183551126..	107	✓				225/40 VA, 245/35
	250	W	alle Varianten	8,0 x 18	35	5	120	W80183551126..	107	✓				225/40 VA, 245/35
	250	Y	alle Varianten	8,0 x 18	35	5	120	Y80183551125..	107	✓				225/40 VA, 245/35
	250	H	alle Varianten	8,0 x 18	43	5	120	H80184351126..	107	✓			215/40 M+S	225/40 VA, 245/35 HA
	250	K	alle Varianten	8,0 x 18	43	5	120	K80184351125..	Serie	✓			215/40 M+S	225/40 VA, 245/35 HA
	250	O	alle Varianten	8,0 x 18	43	5	120	O80184351126..	107	✓			215/40 M+S	225/40 VA, 245/35 HA
	250	W	alle Varianten	8,0 x 18	45	5	120	W80184551126..	107	✓			215/40 M+S, 225/40 M+S	225/40 VA, 245/35 HA
	250	V	alle Varianten	8,5 x 18	35	5	120	V85183551126..	107	✓				225/40 VA, 245/35 HA
	250	X	alle Varianten	8,5 x 18	42	5	120	X85184251126..	107	✓				225/40 VA, 245/35 HA,...
	250	O	alle Varianten	8,0 x 19	35	5	120	O80193551126..	107	✓				225/35 VA, 245/30
	250	W	alle Varianten	8,0 x 19	35	5	120	W80193551126..	107	✓				225/35 VA, 245/30
	250	K	alle Varianten	8,0 x 19	36	5	120	K80193651125..	Serie	✓				225/35 VA, 245/30
	250	D	alle Varianten	8,0 x 19	45	5	120	D80194551126..	107	✓	AuT			225/35 VA, 245/30 HA
	250	K	alle Varianten	8,0 x 19	45	5	120	K80194551125..	Serie	✓			225/35 VA	245/30 HA
	250	O	alle Varianten	8,0 x 19	45	5	120	O80194551126..	107	✓				225/35 VA, 245/30 HA
	250	S	alle Varianten	8,0 x 19	45	5	120	S80194551126..	107	✓				225/35 VA, 245/30 HA
	250	W	alle Varianten	8,0 x 19	45	5	120	W80194551126..	107	✓				225/35 VA, 245/30 HA
	250	V	Kristallsilber	8,5 x 19	35	5	120	V8519355112625	107	✓				225/35 VA, 245/30 HA
	250	R	alle Varianten	8,5 x 19	38	5	120	R85193851126..	107	✓				225/35 VA, 235/35 VA,...
	250	U	alle Varianten	8,5 x 19	38	5	120	U85193851125..	Serie	✓				225/35 VA, 235/35 VA,...
	250	X	alle Varianten	8,5 x 19	38	5	120	X85193851125..	107	✓				225/35 VA, 235/35 VA,...
<b>2er Coupé [F22]</b>	100 - 151 K		alle Varianten	7,0 x 16	31	5	120	K70163151125..	Serie	✓	B01			205/55, 215/55, 225/50
<b>2er Coupé xDrive [F22]</b>	100 - 151 S		alle Varianten	7,0 x 16	34	5	120	S70163451126..	107	✓	B01			205/55, 215/55, 225/50
<b>2er Cabrio [F23]</b>	100 - 151 W		alle Varianten	7,0 x 16	35	5	120	W70163551125..	107	✓	*			205/55 (1.200 kg),...
Typ 1C	100 - 151 K		alle Varianten	7,0 x 16	40	5	120	K70164051125..	Serie	✓	*		205/55 (1.260 kg)	215/55 (1.260 kg),...
	100 - 151 SE		alle Varianten	7,0 x 16	40	5	120	SE70164051125..	Serie	✓		a	205/55	
	100 - 151 S		alle Varianten	7,0 x 16	44	5	120	S70164451125..	Serie	✓	*		205/55 (1.230 kg)	225/50 HA (1.230 kg)
	100 - 151 Y		alle Varianten	7,0 x 16	44	5	120	Y70164451125..	107	✓	*		205/55	225/50 HA
	100 - 185 K		alle Varianten	7,5 x 17	32	5	120	K75173251125..	Serie	✓	BW7			205/50, 215/45, 225/45,...
	100 - 185 E		alle Varianten	7,5 x 17	34	5	120	E7573451125..	107	✓	BW7			205/50, 215/45, 225/45,...
	100 - 185 K		alle Varianten	7,5 x 17	34	5	120	K75173451125..	Serie	✓	BW7			205/50, 215/45, 225/45,...
	100 - 185 Y		alle Varianten	7,5 x 17	34	5	120	Y75173451125..	107	✓	BW7			205/50, 215/45, 225/45,...
	100 - 180 K		alle Varianten	7,5 x 17	37	5	120	K75173751125..	Serie	✓	BW7			205/50, 215/45, 225/45,...
	100 - 185 F		Schwarz matt	7,5 x 17	43	5	120	F7517435112522	107	✓	BW7		205/50, 215/45, 225/45	
	100 - 185 H		alle Varianten	7,5 x 17	43	5	120	H75174351126..	107	✓	BW7		205/50, 215/45, 225/45	

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	100 - 160 K		alle Varianten	7,5 x 17	43	5	120	K75174351125..	Serie	✓	*		205/50, 215/45, 225/45	
	100 - 185 S		alle Varianten	7,5 x 17	43	5	120	S75174351126..	107	✓	BW7		205/50, 215/45, 225/45	
	100 - 160 B		Silber	7,5 x 17	45	5	120	B757455112518	107	✓	BW7		205/50, 215/45, 225/45	
	100 - 160 D		alle Varianten	7,5 x 17	45	5	120	D75174551126..	107	✓	*		205/50, 215/45, 225/45	
	100 - 185 W		alle Varianten	7,5 x 17	45	5	120	W75174551125..	107	✓	BW7		205/50 (1.200 kg), 215/45 (1.200 kg), 225/45 (1.200 kg)	
	100 - 185 K		alle Varianten	8,0 x 17	30	5	120	K80173051125..	Serie	✓	BW7			205/50 MF, 215/45, 225/45,...
	100 - 180 V		alle Varianten	8,0 x 17	30	5	120	V80173051125..	107	✓	BW7			205/50 MF, 215/45, 225/45,...
	100 - 185 K		alle Varianten	8,0 x 17	34	5	120	K80173451125..	Serie	✓	BW7			205/50 MF, 215/45, 225/45,...
	100 - 185 S		alle Varianten	7,5 x 18	38	5	120	S75183851126..	107	✓		205/45		215/40, 225/40
	100 - 180 E		alle Varianten	8,0 x 18	30	5	120	E8083051125..	107	✓				215/40, 225/40, 235/35,...
	100 - 185 K		alle Varianten	8,0 x 18	30	5	120	K80183051125..	Serie	✓				215/40, 225/40, 235/35,...
	100 - 185 Z		Silber	8,0 x 18	30	5	120	Z8018305112518	107	✓				215/40, 225/40, 235/35,...
	100 - 185 Za		Anthrazit matt	8,0 x 18	30	5	120	Z8018305112515	107	✓				215/40, 225/40, 235/35,...
	100 - 185 K		alle Varianten	8,0 x 18	34	5	120	K80183451125..	Serie	✓				215/40, 225/40, 235/35,...
	100 - 180 Y		alle Varianten	8,0 x 18	35	5	120	Y80183551125..	107	✓				215/40, 225/40, 235/35,...
	100 - 185 H		alle Varianten	8,0 x 18	43	5	120	H80184351126..	107	✓		215/40		225/40, 245/35 HA
	100 - 185 K		alle Varianten	8,0 x 18	43	5	120	K80184351125..	Serie	✓		215/40		225/40, 245/35 HA
	100 - 185 O		alle Varianten	8,0 x 18	43	5	120	O80184351126..	107	✓		215/40		225/40, 245/35 HA
	100 - 160 D		alle Varianten	8,0 x 18	45	5	120	D80184551126..	107	✓	AuT		215/40, 225/40	245/35 HA
	100 - 185 W		alle Varianten	8,0 x 18	45	5	120	W80184551126..	107	✓			215/40, 225/40	245/35 HA
	100 - 180 V		alle Varianten	8,5 x 18	35	5	120	V85183551126..	107	✓				215/40, 225/40, 235/35,...
	100 - 180 X		alle Varianten	8,5 x 18	42	5	120	X85184251126..	107	✓				215/40, 225/40, 245/35 HA,...
	100 - 185 K		alle Varianten	8,0 x 19	36	5	120	K80193651125..	Serie	✓				225/35, 235/35, 245/30
	100 - 160 D		alle Varianten	8,0 x 19	45	5	120	D80194551126..	107	✓	AuT		225/35	245/30 HA
	100 - 185 K		alle Varianten	8,0 x 19	45	5	120	K80194551125..	Serie	✓			225/35	245/30 HA
	100 - 185 O		alle Varianten	8,0 x 19	45	5	120	O80194551126..	107	✓			225/35	245/30 HA
	100 - 185 S		alle Varianten	8,0 x 19	45	5	120	S80194551126..	107	✓			225/35	245/30 HA
	100 - 185 W		alle Varianten	8,0 x 19	45	5	120	W80194551126..	107	✓			225/35	245/30 HA
	100 - 180 V		Kristallsilber	8,5 x 19	35	5	120	V8519355112625	107	✓				225/35, 235/35, 245/30 HA
	100 - 185 R		alle Varianten	8,5 x 19	38	5	120	R85193851126..	107	✓				225/35, 235/35, 245/30 HA,...
	100 - 185 U		alle Varianten	8,5 x 19	38	5	120	U85193851125..	Serie	✓				225/35, 235/35, 245/30 HA,...
	100 - 185 X		alle Varianten	8,5 x 19	38	5	120	X85193851125..	Serie	✓				225/35, 235/35, 245/30 HA,...
<b>M235i Coupé [F22]</b>	240	F	Schwarz matt	7,5 x 17	43	5	120	F7517435112522	107	✓	BW7		205/50 M+S, 215/45 M+S, 225/45 M+S	
<b>M235i Coupé xDrive [F22]</b>	240	H	alle Varianten	7,5 x 17	43	5	120	H75174351126..	107	✓	BW7		205/50 M+S, 215/45 M+S, 225/45 M+S	
<b>M235i Cabrio [F23]</b>	240	S	alle Varianten	7,5 x 17	43	5	120	S75174351126..	107	✓	BW7		205/50 M+S, 215/45 M+S, 225/45 M+S	
<b>M235i Cabrio xDrive [F22]</b>	240	B	Silber	7,5 x 17	45	5	120	B757455112518	107	✓	BW7		205/50 M+S, 215/45 M+S, 225/45 M+S	
Typ 1C	240	W	alle Varianten	7,5 x 17	45	5	120	W75174551125..	107	✓	BW7		205/50 M+S, 215/45 M+S, 225/45 M+S	
	240	E	alle Varianten	8,0 x 18	30	5	120	E8083051125..	107	✓				225/40 VA, 245/35 HA
	240	K	alle Varianten	8,0 x 18	30	5	120	K80183051125..	Serie	✓				225/40 VA, 245/35 HA
	240	Z	Silber	8,0 x 18	30	5	120	Z8018305112518	107	✓				225/40 VA, 245/35 HA
	240	Za	Anthrazit matt	8,0 x 18	30	5	120	Z8018305112515	107	✓				225/40 VA, 245/35 HA
	240	K	alle Varianten	8,0 x 18	34	5	120	K80183451125..	Serie	✓				225/40 VA, 245/35 HA
	240	D	Weiß rot elox	8,0 x 18	35	5	120	D8018355112631	107	✓				225/40 VA, 245/35
	240	D	alle Varianten	8,0 x 18	35	5	120	D80183551126..	107	✓				225/40 VA, 245/35
	240	Y	alle Varianten	8,0 x 18	35	5	120	Y80183551125..	107	✓				225/40 VA, 245/35
	240	H	alle Varianten	8,0 x 18	43	5	120	H80184351126..	107	✓		215/40 M+S		225/40 VA, 245/35 HA
	240	K	alle Varianten	8,0 x 18	43	5	120	K80184351125..	Serie	✓		215/40 M+S		225/40 VA, 245/35 HA
	240	O	alle Varianten	8,0 x 18	43	5	120	O80184351126..	107	✓		215/40 M+S		225/40 VA, 245/35 HA
	240	W	alle Varianten	8,0 x 18	45	5	120	W80184551126..	107	✓		215/40 M+S, 225/40 M+S		225/40 VA, 245/35 HA

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsanlage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	240	V	alle Varianten	8,5 x 18	35	5	120	V85183551126..	107	✓				225/40 VA, 245/35 HA
	240	X	alle Varianten	8,5 x 18	42	5	120	X85184251126..	107	✓				225/40 VA, 245/35 HA,...
	240	K	alle Varianten	8,0 x 19	36	5	120	K80193651125..	Serie	✓				225/35 VA, 245/30
	240	D	alle Varianten	8,0 x 19	45	5	120	D80194551126..	107	✓	AuT			225/35 VA, 245/30 HA
	240	K	alle Varianten	8,0 x 19	45	5	120	K80194551125..	Serie	✓		225/35 VA		245/30 HA
	240	O	alle Varianten	8,0 x 19	45	5	120	O80194551126..	107	✓				225/35 VA, 245/30 HA
	240	S	alle Varianten	8,0 x 19	45	5	120	S80194551126..	107	✓				225/35 VA, 245/30 HA
	240	W	alle Varianten	8,0 x 19	45	5	120	W80194551126..	107	✓				225/35 VA, 245/30 HA
	240	V	Kristallsilber	8,5 x 19	35	5	120	V8519355112625	107	✓				225/35 VA, 245/30 HA
	240	R	alle Varianten	8,5 x 19	38	5	120	R85193851126..	107	✓				225/35 VA, 235/35 VA,...
	240	U	alle Varianten	8,5 x 19	38	5	120	U85193851125..	Serie	✓				225/35 VA, 235/35 VA,...
	240	X	alle Varianten	8,5 x 19	38	5	120	X85193851125..	Serie	✓				225/35 VA, 235/35 VA,...
M240i Coupé [F22]	250	F	Schwarz matt	7,5 x 17	43	5	120	F7517435112522	107	✓	BW7		205/50 M+S, 215/45 M+S, 225/45 M+S	
M240i Coupé xDrive [F22]	250	H	alle Varianten	7,5 x 17	43	5	120	H75174351126..	107	✓	BW7		205/50 M+S, 215/45 M+S, 225/45 M+S	
M240i Cabrio [F23]	250	S	alle Varianten	7,5 x 17	43	5	120	S75174351126..	107	✓	BW7		205/50 M+S, 215/45 M+S, 225/45 M+S	
M240i Cabrio xDrive [F22]	250	B	Silber	7,5 x 17	45	5	120	B757455112518	107	✓	BW7		205/50 M+S, 215/45 M+S, 225/45 M+S	
Typ 1C	250	W	alle Varianten	7,5 x 17	45	5	120	W75174551125..	107	✓	BW7		205/50 M+S, 215/45 M+S, 225/45 M+S	
	250	E	alle Varianten	8,0 x 18	30	5	120	E8083051125..	107	✓				225/40 VA, 245/35 HA
	250	K	alle Varianten	8,0 x 18	30	5	120	K80183051125..	Serie	✓				225/40 VA, 245/35 HA
	250	Z	Silber	8,0 x 18	30	5	120	Z8018305112518	107	✓				225/40 VA, 245/35 HA
	250	Za	Anthrazit matt	8,0 x 18	30	5	120	Z8018305112515	107	✓				225/40 VA, 245/35 HA
	250	K	alle Varianten	8,0 x 18	34	5	120	K80183451125..	Serie	✓				225/40 VA, 245/35 HA
	250	O	alle Varianten	8,0 x 18	34	5	120	O80183451126..	107	✓				225/40 VA, 245/35 HA
	250	D	Weiß rot elox	8,0 x 18	35	5	120	D8018355112631	107	✓				225/40 VA, 245/35
	250	D	alle Varianten	8,0 x 18	35	5	120	D80183551126..	107	✓				225/40 VA, 245/35
	250	W	alle Varianten	8,0 x 18	35	5	120	W80183551126..	107	✓				225/40 VA, 245/35
	250	Y	alle Varianten	8,0 x 18	35	5	120	Y80183551125..	107	✓				225/40 VA, 245/35
	250	H	alle Varianten	8,0 x 18	43	5	120	H80184351126..	107	✓			215/40 M+S	225/40 VA, 245/35 HA
	250	K	alle Varianten	8,0 x 18	43	5	120	K80184351125..	Serie	✓			215/40 M+S	225/40 VA, 245/35 HA
	250	O	alle Varianten	8,0 x 18	43	5	120	O80184351126..	107	✓			215/40 M+S	225/40 VA, 245/35 HA
	250	W	alle Varianten	8,0 x 18	45	5	120	W80184551126..	107	✓			215/40 M+S, 225/40 M+S	225/40 VA, 245/35 HA
	250	V	alle Varianten	8,5 x 18	35	5	120	V85183551126..	107	✓				225/40 VA, 245/35 HA
	250	X	alle Varianten	8,5 x 18	42	5	120	X85184251126..	107	✓				225/40 VA, 245/35 HA,...
	250	O	alle Varianten	8,0 x 19	35	5	120	O80193551126..	107	✓				225/35 VA, 245/30
	250	W	alle Varianten	8,0 x 19	35	5	120	W80193551126..	107	✓				225/35 VA, 245/30
	250	K	alle Varianten	8,0 x 19	36	5	120	K80193651125..	Serie	✓				225/35 VA, 245/30
	250	D	alle Varianten	8,0 x 19	45	5	120	D80194551126..	107	✓	AuT			225/35 VA, 245/30 HA
	250	K	alle Varianten	8,0 x 19	45	5	120	K80194551125..	Serie	✓		225/35 VA		245/30 HA
	250	O	alle Varianten	8,0 x 19	45	5	120	O80194551126..	107	✓				225/35 VA, 245/30 HA
	250	S	alle Varianten	8,0 x 19	45	5	120	S80194551126..	107	✓				225/35 VA, 245/30 HA
	250	W	alle Varianten	8,0 x 19	45	5	120	W80194551126..	107	✓				225/35 VA, 245/30 HA
	250	V	Kristallsilber	8,5 x 19	35	5	120	V8519355112625	107	✓				225/35 VA, 245/30 HA
	250	R	alle Varianten	8,5 x 19	38	5	120	R85193851126..	107	✓				225/35 VA, 235/35 VA,...
	250	U	alle Varianten	8,5 x 19	38	5	120	U85193851125..	Serie	✓				225/35 VA, 235/35 VA,...
	250	X	alle Varianten	8,5 x 19	38	5	120	X85193851125..	Serie	✓				225/35 VA, 235/35 VA,...
2er Active Tourer [F45]	85 - 141	N	Graphit matt	7,0 x 16	36	5	112	N706365072129	111	✓	B33			205/60, 215/55, 215/60,...
2er Active Tourer	85 - 141	W	alle Varianten	7,0 x 16	38	5	112	W70163850721..	111	✓	B33			205/60, 215/55, 215/60,...
xDrive [F45]	85 - 141	Y	alle Varianten	7,0 x 16	38	5	112	Y70163850721..	111	✓	B33			205/60, 215/55, 215/60,...
Typ UKL-L, F2AT	85 - 141	B	Silber	7,0 x 16	40	5	112	B706405072118	111	✓	B33			nicht alle Fzg.: 205/60,...

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsanlage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
70 - 141 H		H	alle Varianten	7,0 x 16	47	5	112	H70164750721..	111	✓	B29		195/65 M+S wS	205/60, 215/55, 215/60,...
70 - 141 E		E	Silber	7,0 x 16	48	5	112	E706485072118	111	✓	B29		195/65 M+S wS, 205/60	215/55, 215/60, 225/55
70 - 141 F		F	Schwarz matt	7,0 x 16	48	5	112	F7016485072122	111	✓	B29		195/65 M+S wS (max. 100 kW), 205/60	215/55, 215/60, 225/55
70 - 141 N		N	alle Varianten	7,0 x 16	48	5	112	N7064850721..	111	✓	B29		195/65 M+S wS (max. 100 kW), 205/60	215/55, 215/60, 225/55
70 - 141 S		S	alle Varianten	7,0 x 16	48	5	112	S70164850721..	111	✓	B29		195/65 M+S wS, 205/60	215/55, 215/60, 225/55
70 - 141 W		W	alle Varianten	7,0 x 16	48	5	112	W70164850721..	111	✓	B29		195/65 M+S wS, 205/60	215/55, 215/60, 225/55
70 - 141 Y		Y	alle Varianten	7,0 x 16	48	5	112	Y70164850721..	111	✓	B29		195/65 M+S wS, 205/60	215/55, 215/60, 225/55
70 - 141 Z		Z	Silber	7,0 x 16	48	5	112	Z7016485072118	111	✓	B29		195/65 M+S wS, 205/60	215/55, 215/60, 225/55
70 - 141 Za		Za	Anthrazit matt	7,0 x 16	48	5	112	Z7016485072115	111	✓	B29		195/65 M+S wS, 205/60	215/55, 215/60, 225/55
70 - 141 K		K	alle Varianten	7,0 x 16	52	5	112	K70165250746..	Serie	✓	*		195/65 M+S wS, 205/60, 215/55, 215/60	225/55
85 - 141 X		X	alle Varianten	7,0 x 17	38	5	112	X70173850721..	111	✓				nicht alle Fzg.: 205/50,...
70 - 170 P		P	Silber	7,0 x 17	48	5	112	P7017485072118	111	✓			195/55 M+S	205/50 (max. 141 kW),...
70 - 170 X		X	alle Varianten	7,0 x 17	50	5	112	X70175050721..	111	✓			195/55 M+S, 205/50, 205/55	215/50 (max. 141 kW),...
70 - 170 S		S	alle Varianten	7,0 x 17	54	5	112	S70175450721..	111	✓			195/55 M+S, 205/50, 205/55, 215/50, 215/55	225/50 (max. 141 kW)
85 - 141 Y		Y	alle Varianten	7,5 x 17	35	5	112	Y75173550721..	111	✓				205/50, 205/55, 215/50,...
85 - 141 N		N	alle Varianten	7,5 x 17	38	5	112	N7573850721..	111	✓				205/50, 205/55, 215/50,...
85 - 141 W		W	alle Varianten	7,5 x 17	38	5	112	W75173850721..	111	✓				205/50, 205/55, 215/50,...
70 - 170 D		D	alle Varianten	7,5 x 17	45	5	112	D75174550721..	111	✓				205/50, 205/55, 215/50,...
70 - 170 N		N	alle Varianten	7,5 x 17	47	5	112	N7574750721..	111	✓			195/55 M+S MF	205/50, 205/55, 215/50,...
70 - 170 W		W	alle Varianten	7,5 x 17	47	5	112	W75174750721..	111	✓			195/55 M+S MF	205/50, 205/55, 215/50,...
70 - 170 Y		Y	alle Varianten	7,5 x 17	47	5	112	Y75174750721..	111	✓				205/50, 205/55, 215/50,...
70 - 170 Z		Z	Silber	7,5 x 17	47	5	112	Z7517475072118	111	✓			195/55 M+S MF	205/50, 205/55, 215/50,...
70 - 170 Za		Za	Anthrazit matt	7,5 x 17	47	5	112	Z7517475072115	111	✓			195/55 M+S MF	205/50, 205/55, 215/50,...
85 - 141 B		B	Silber	7,5 x 17	50	5	112	B757505072118	111	✓			195/55 M+S MF	205/50, 205/55, 215/50,...
70 - 170 E		E	alle Varianten	7,5 x 17	50	5	112	E7575050721..	111	✓			195/55 M+S MF	205/50, 205/55, 215/50,...
70 - 170 H		H	alle Varianten	7,5 x 17	51	5	112	H75175150721..	111	✓			195/55 M+S MF, 205/50, 205/55	215/50, 215/55, 225/50,...
70 - 170 K		K	alle Varianten	7,5 x 17	52	5	112	K75175250746..	Serie	✓			195/55 M+S MF, 205/50, 205/55	215/50, 215/55, 225/50,...
70 - 170 KX		KX	Schwarz	7,5 x 17	52	5	112	KX7517525074633	Serie	✓			195/55 M+S MF, 205/50, 205/55	215/50, 215/55, 225/50,...
70 - 170 KX		KX	Silber	7,5 x 17	52	5	112	KX7517525074618	Serie	✓			195/55 M+S MF, 205/50, 205/55	215/50, 215/55, 225/50,...
70 - 141 K		K	alle Varianten	7,5 x 17	54	5	112	K75175450746..	Serie	✓	B33		195/55 M+S MF, 205/50, 205/55	215/50, 215/55, 235/45
70 - 170 KX		KX	Schwarz	7,5 x 17	54	5	112	KX7517545074633	Serie	✓			195/55 M+S MF, 205/50, 205/55	215/50, 215/55, 235/45
70 - 170 KX		KX	Silber	7,5 x 17	54	5	112	KX7517545074618	Serie	✓			195/55 M+S MF, 205/50, 205/55	215/50, 215/55, 235/45
85 - 141 V		V	alle Varianten	8,0 x 17	50	5	112	V80175050721..	111	✓				205/55 MF, 225/50, 235/45,...
70 - 170 S		S	alle Varianten	7,5 x 18	49	5	112	S75184950721..	111	✓			205/45, 215/45	225/40, 225/45, 235/45
70 - 170 P		P	Silber	7,5 x 18	51	5	112	P7518515072118	111	✓			205/45, 215/45	225/40, 225/45, 235/45
85 - 141 Z		Z	Silber	8,0 x 18	38	5	112	Z8018385072118	111	✓				215/45, 225/40, 225/45,...
85 - 141 Za		Za	Anthrazit matt	8,0 x 18	38	5	112	Z8018385072115	111	✓				215/45, 225/40, 225/45,...
70 - 170 D		D	alle Varianten	8,0 x 18	45	5	112	D80184550721..	111	✓				215/45, 225/40, 225/45,...
70 - 170 W		W	alle Varianten	8,0 x 18	45	5	112	W80184550721..	111	✓				215/45, 225/40, 225/45,...
85 - 141 Y		Y	alle Varianten	8,0 x 18	45	5	112	Y80184550721..	111	✓				215/45, 225/40, 225/45,...
70 - 170 H		H	alle Varianten	8,0 x 18	48	5	112	H80184850721..	111	✓				215/45, 225/40, 225/45,...
70 - 170 O		O	alle Varianten	8,0 x 18	48	5	112	O80184850721..	111	✓				215/45, 225/40, 225/45,...
70 - 170 Z		Z	Silber	8,0 x 18	48	5	112	Z8018485072118	111	✓				215/45, 225/40, 225/45,...
70 - 170 Za		Za	Anthrazit matt	8,0 x 18	48	5	112	Z8018485072115	111	✓				215/45, 225/40, 225/45,...
70 - 170 E		E	alle Varianten	8,0 x 18	50	5	112	E8085050721..	111	✓				215/45, 225/40, 225/45,...
70 - 170 K		K	alle Varianten	8,0 x 18	50	5	112	K80185050746..	Serie	✓				215/45, 225/40, 225/45,...
85 - 141 V		V	Kristallsilber	8,5 x 18	45	5	112	V8518455072125	111	✓				225/40, 225/45, 235/40,...
70 - 170 X		X	alle Varianten	8,5 x 18	48	5	112	X85184850721..	111	✓				225/40, 225/45, 235/40,...
70 - 170 D		D	alle Varianten	8,0 x 19	45	5	112	D80194550721..	111	✓				225/35, 225/40, 235/35,...

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsanlage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	70 - 170	K	alle Varianten	8,0 x 19	47	5	112	K80194750746..	Serie	✓				225/35, 225/40, 235/35,...
	70 - 170	O	alle Varianten	8,0 x 19	48	5	112	O80194850721..	111	✓				225/35, 225/40, 235/35,...
	70 - 170	S	alle Varianten	8,0 x 19	48	5	112	S80194850721..	111	✓				225/35, 225/40, 235/35,...
	70 - 170	W	alle Varianten	8,0 x 19	48	5	112	W80194850721..	111	✓				225/35, 225/40, 235/35,...
	85 - 141	V	Kristallsilber	8,5 x 19	45	5	112	V8519455072125	111	✓				225/35, 225/40, 235/35,...
	70 - 170	R	alle Varianten	8,5 x 19	48	5	112	R85194850721..	111	✓				225/35, 225/40, 235/35,...
	85 - 141	D	alle Varianten	8,5 x 20	48	5	112	D85204850721..	111	✓	B33			225/35, 235/30, 245/30
	70 - 170	R	alle Varianten	8,5 x 20	48	5	112	R85204850721..	111	✓				225/35, 235/30, 245/30
<b>2er Active Tourer</b>	100	P	Silber	7,0 x 17	48	5	112	P7017485072118	111	✓			195/55 M+S	
<b>xDrive Hybrid [F45]</b>	100	X	alle Varianten	7,0 x 17	50	5	112	X70175050721..	111	✓			195/55 M+S, 205/50 M+S, 205/55 M+S	
Typ UKL-L, F2AT	100	S	alle Varianten	7,0 x 17	54	5	112	S70175450721..	111	✓			195/55 M+S, 205/50 M+S, 205/55 M+S, 215/50 M+S, 215/55 M+S	
	100	Y	alle Varianten	7,5 x 17	35	5	112	Y75173550721..	111	✓				205/50, 205/55
	100	H	alle Varianten	7,5 x 17	42	5	112	H75174250721..	111	✓				205/50, 205/55, 215/50,...
	100	D	alle Varianten	7,5 x 17	45	5	112	D75174550721..	111	✓				205/50, 205/55, 215/50,...
	100	N	alle Varianten	7,5 x 17	47	5	112	N7574750721..	111	✓			195/55 M+S MF	205/50, 205/55, 215/50,...
	100	W	alle Varianten	7,5 x 17	47	5	112	W75174750721..	111	✓			195/55 M+S MF	205/50, 205/55, 215/50,...
	100	Y	alle Varianten	7,5 x 17	47	5	112	Y75174750721..	111	✓				205/50, 205/55, 215/50,...
	100	Z	Silber	7,5 x 17	47	5	112	Z7517475072118	111	✓			195/55 M+S MF	205/50, 205/55, 215/50,...
	100	Za	Anthrazit matt	7,5 x 17	47	5	112	Z7517475072115	111	✓			195/55 M+S MF	205/50, 205/55, 215/50,...
	100	B	Silber	7,5 x 17	50	5	112	B757505072118	111	✓			195/55 M+S MF	205/50, 205/55, 215/50,...
	100	E	alle Varianten	7,5 x 17	50	5	112	E7575050721..	111	✓			195/55 M+S MF	205/50, 205/55, 215/50,...
	100	H	alle Varianten	7,5 x 17	51	5	112	H75175150721..	111	✓			195/55 M+S MF, 205/50, 205/55	215/50, 215/55, 225/50,...
	100	K	alle Varianten	7,5 x 17	52	5	112	K75175250746..	Serie	✓			195/55 M+S MF, 205/50, 205/55	215/50, 215/55, 225/50,...
	100	KX	Schwarz	7,5 x 17	52	5	112	KX7517525074633	Serie	✓			195/55 M+S MF, 205/50, 205/55	215/50, 215/55, 225/50,...
	100	KX	Silber	7,5 x 17	52	5	112	KX7517525074618	Serie	✓			195/55 M+S MF, 205/50, 205/55	215/50, 215/55, 225/50,...
	100	KX	Schwarz	7,5 x 17	54	5	112	KX7517545074633	Serie	✓			195/55 M+S MF, 205/50, 205/55	215/50, 215/55, 235/45
	100	KX	Silber	7,5 x 17	54	5	112	KX7517545074618	Serie	✓			195/55 M+S MF, 205/50, 205/55	215/50, 215/55, 235/45
	100	V	alle Varianten	8,0 x 17	50	5	112	V80175050721..	111	✓				205/55 MF, 225/50, 235/45,...
	100	P	Silber	7,5 x 18	42	5	112	P7518425072118	111	✓				205/45, 215/45, 225/40,...
	100	S	alle Varianten	7,5 x 18	49	5	112	S75184950721..	111	✓			205/45, 215/45	225/40, 225/45, 235/45
	100	P	Silber	7,5 x 18	51	5	112	P7518515072118	111	✓			205/45, 215/45	225/40, 225/45, 235/45
	100	Z	Silber	8,0 x 18	38	5	112	Z8018385072118	111	✓				215/45, 225/40, 225/45
	100	Za	Anthrazit matt	8,0 x 18	38	5	112	Z8018385072115	111	✓				215/45, 225/40, 225/45
	100	D	alle Varianten	8,0 x 18	45	5	112	D80184550721..	111	✓				215/45, 225/40, 225/45,...
	100	W	alle Varianten	8,0 x 18	45	5	112	W80184550721..	111	✓				215/45, 225/40, 225/45,...
	100	Y	alle Varianten	8,0 x 18	45	5	112	Y80184550721..	111	✓				215/45, 225/40, 225/45,...
	100	H	alle Varianten	8,0 x 18	48	5	112	H80184850721..	111	✓				215/45, 225/40, 225/45,...
	100	O	alle Varianten	8,0 x 18	48	5	112	O80184850721..	111	✓				215/45, 225/40, 225/45,...
	100	Z	Silber	8,0 x 18	48	5	112	Z8018485072118	111	✓				215/45, 225/40, 225/45,...
	100	Za	Anthrazit matt	8,0 x 18	48	5	112	Z8018485072115	111	✓				215/45, 225/40, 225/45,...
	100	E	alle Varianten	8,0 x 18	50	5	112	E8085050721..	111	✓				215/45, 225/40, 225/45,...
	100	K	alle Varianten	8,0 x 18	50	5	112	K80185050746..	Serie	✓				215/45, 225/40, 225/45,...
	100	V	Kristallsilber	8,5 x 18	45	5	112	V8518455072125	111	✓				225/40, 225/45, 235/40,...
	100	X	alle Varianten	8,5 x 18	48	5	112	X85184850721..	111	✓				225/40, 225/45, 235/40,...
	100	P	Silber	7,5 x 19	50	5	112	P7519505072118	111	✓				225/40
	100	D	alle Varianten	8,0 x 19	45	5	112	D80194550721..	111	✓				225/40, 235/35
	100	K	alle Varianten	8,0 x 19	47	5	112	K80194750746..	Serie	✓				225/40, 235/35, 245/35
	100	O	alle Varianten	8,0 x 19	48	5	112	O80194850721..	111	✓				225/40, 235/35, 245/35
	100	S	alle Varianten	8,0 x 19	48	5	112	S80194850721..	111	✓				225/40, 235/35, 245/35



Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsanlage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	100	W	alle Varianten	8,0 x 19	48	5	112	W80194850721..	111	✓				225/40, 235/35, 245/35
	100	V	Kristallsilber	8,5 x 19	45	5	112	V8519455072125	111	✓				225/40, 235/35
	100	R	alle Varianten	8,5 x 19	48	5	112	R85194850721..	111	✓				225/40, 235/35, 245/35
	100	D	alle Varianten	8,5 x 20	48	5	112	D85204850721..	111	✓				225/35, 245/30
	100	R	alle Varianten	8,5 x 20	48	5	112	R85204850721..	111	✓				225/35, 245/30
<b>2er Gran Tourer [F46]</b>	70 - 110	N	Graphit matt	7,0 x 16	36	5	112	N706365072129	111	✓	B33			nicht alle Fzg.: 205/60,...
<b>2er Gran Tourer</b>	70 - 110	Z	Silber	7,0 x 16	36	5	112	Z7016365072118	111	✓	B33			nicht alle Fzg.: 205/60,...
<b>xDrive [F46]</b>	70 - 110	Za	Anthrazit matt	7,0 x 16	36	5	112	Z7016365072115	111	✓	B33			nicht alle Fzg.: 205/60,...
Typ UKL-L, F2AT	70 - 110	E	Silber	7,0 x 16	38	5	112	E706385072118	111	✓	B33			nicht alle Fzg.: 205/60,...
	70 - 110	Y	alle Varianten	7,0 x 16	38	5	112	Y70163850721..	111	✓	B33			nicht alle Fzg.: 205/60,...
	70 - 110	B	Silber	7,0 x 16	40	5	112	B706405072118	111	✓	B33			nicht alle Fzg.: 205/60,...
	70 - 110	H	alle Varianten	7,0 x 16	47	5	112	H70164750721..	111	✓	B29		195/65 M+S wS	205/60, 215/55, 215/60,...
	70 - 110	E	Silber	7,0 x 16	48	5	112	E706485072118	111	✓	B29		195/65 M+S wS, 205/60	215/55, 215/60, 225/55
	70 - 110	F	Schwarz matt	7,0 x 16	48	5	112	F7016485072122	111	✓	B29		205/60	215/55, 215/60, 225/55
	70 - 110	N	alle Varianten	7,0 x 16	48	5	112	N7064850721..	111	✓	B29		205/60	215/55, 215/60 (1.340 kg),...
	70 - 110	S	alle Varianten	7,0 x 16	48	5	112	S70164850721..	111	✓	B29		195/65 M+S wS, 205/60	215/55, 215/60, 225/55
	70 - 110	W	alle Varianten	7,0 x 16	48	5	112	W70164850721..	111	✓	B29		195/65 M+S wS (1.200 kg), 205/60 (1.200 kg)	215/55 (1.200 kg),...
	70 - 110	Y	alle Varianten	7,0 x 16	48	5	112	Y70164850721..	111	✓	B29		195/65 M+S wS, 205/60	215/55, 215/60, 225/55
	70 - 110	Z	Silber	7,0 x 16	48	5	112	Z7016485072118	111	✓	B29		195/65 M+S wS, 205/60	215/55, 215/60, 225/55
	70 - 110	Za	Anthrazit matt	7,0 x 16	48	5	112	Z7016485072115	111	✓	B29		195/65 M+S wS, 205/60	215/55, 215/60, 225/55
	70 - 110	K	alle Varianten	7,0 x 16	52	5	112	K70165250746..	Serie	✓	*		195/65 M+S wS (1.250 kg), 205/60 (1.260 kg), 215/55 (1.260 kg),...	225/55 (1.260 kg)
	70 - 141	X	alle Varianten	7,0 x 17	38	5	112	X70173850721..	111	✓				nicht alle Fzg.: 205/50,...
	70 - 141	P	Silber	7,0 x 17	48	5	112	P7017485072118	111	✓			195/55 M+S	205/50 (max. 110 kW),...
	70 - 141	X	alle Varianten	7,0 x 17	50	5	112	X70175050721..	111	✓			195/55 M+S, 205/50, 205/55	215/50 (max. 110 kW),...
	70 - 141	S	alle Varianten	7,0 x 17	54	5	112	S70175450721..	111	✓			195/55 M+S, 205/50, 205/55, 215/50, 215/55 (1.340 kg)	225/50 (max. 110 kW)
	70 - 141	E	alle Varianten	7,5 x 17	35	5	112	E7573550721..	111	✓				205/50, 205/55, 215/50,...
	70 - 141	Y	alle Varianten	7,5 x 17	35	5	112	Y75173550721..	111	✓				205/50, 205/55, 215/50,...
	70 - 141	N	alle Varianten	7,5 x 17	38	5	112	N7573850721..	111	✓				205/50, 205/55, 215/50,...
	70 - 141	D	alle Varianten	7,5 x 17	42	5	112	D75174250721..	111	✓				205/50, 205/55, 215/50,...
	70 - 141	D	alle Varianten	7,5 x 17	45	5	112	D75174550721..	111	✓				205/50, 205/55, 215/50,...
	70 - 141	N	alle Varianten	7,5 x 17	47	5	112	N7574750721..	111	✓			195/55 M+S MF	205/50, 205/55, 215/50,...
	70 - 141	W	alle Varianten	7,5 x 17	47	5	112	W75174750721..	111	✓			195/55 M+S MF (1.200 kg)	205/50 (1.200 kg),...
	70 - 141	Y	alle Varianten	7,5 x 17	47	5	112	Y75174750721..	111	✓				205/50, 205/55, 215/50,...
	70 - 141	Z	Silber	7,5 x 17	47	5	112	Z7517475072118	111	✓			195/55 M+S MF	205/50, 205/55, 215/50,...
	70 - 141	Za	Anthrazit matt	7,5 x 17	47	5	112	Z7517475072115	111	✓			195/55 M+S MF	205/50, 205/55, 215/50,...
	70 - 141	B	Silber	7,5 x 17	50	5	112	B757505072118	111	✓			195/55 M+S MF	205/50, 205/55, 215/50,...
	70 - 141	E	alle Varianten	7,5 x 17	50	5	112	E7575050721..	111	✓			195/55 M+S MF	205/50, 205/55, 215/50,...
	70 - 141	H	alle Varianten	7,5 x 17	51	5	112	H75175150721..	111	✓			195/55 M+S MF, 205/50, 205/55	215/50, 215/55, 225/50,...
	70 - 141	K	alle Varianten	7,5 x 17	52	5	112	K75175250746..	Serie	✓			195/55 M+S MF (1.260 kg), 205/50 (1.260 kg), 205/55 (1.260 kg)	215/50 (1.260 kg),...
	70 - 141	KX	Schwarz	7,5 x 17	52	5	112	KX7517525074633	Serie	✓			195/55 M+S MF, 205/50, 205/55	215/50, 215/55, 225/50,...
	70 - 141	KX	Silber	7,5 x 17	52	5	112	KX7517525074618	Serie	✓			195/55 M+S MF, 205/50, 205/55	215/50, 215/55, 225/50,...
	70 - 110	K	alle Varianten	7,5 x 17	54	5	112	K75175450746..	Serie	✓	B33		195/55 M+S MF (1.260 kg), 205/50 (1.260 kg), 205/55 (1.250 kg)	215/50 (1.260 kg),...
	70 - 141	KX	Schwarz	7,5 x 17	54	5	112	KX7517545074633	Serie	✓			195/55 M+S MF, 205/50, 205/55	215/50, 215/55, 235/45
	70 - 141	KX	Silber	7,5 x 17	54	5	112	KX7517545074618	Serie	✓			195/55 M+S MF, 205/50, 205/55	215/50, 215/55, 235/45
	70 - 141	V	alle Varianten	8,0 x 17	50	5	112	V80175050721..	111	✓				205/55 MF, 225/50, 235/45,...
	70 - 141	S	alle Varianten	7,5 x 18	49	5	112	S75184950721..	111	✓			205/45, 215/45	225/40, 225/45, 235/45
	70 - 141	P	Silber	7,5 x 18	51	5	112	P7518515072118	111	✓			205/45, 215/45	225/40, 225/45, 235/45
	70 - 141	Z	Silber	8,0 x 18	38	5	112	Z8018385072118	111	✓				215/45, 225/40, 225/45,...
	70 - 141	Za	Anthrazit matt	8,0 x 18	38	5	112	Z8018385072115	111	✓				215/45, 225/40, 225/45,...

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsanlage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	70 - 141	D	alle Varianten	8,0 x 18	42	5	112	D80184250721..	111	✓				215/45, 225/40, 225/45,...
	70 - 141	E	alle Varianten	8,0 x 18	42	5	112	E8084250721..	111	✓				215/45, 225/40, 225/45,...
	70 - 141	D	alle Varianten	8,0 x 18	45	5	112	D80184550721..	111	✓				215/45, 225/40, 225/45,...
	70 - 141	W	alle Varianten	8,0 x 18	45	5	112	W80184550721..	111	✓				215/45 (1.300 kg),...
	70 - 141	Y	alle Varianten	8,0 x 18	45	5	112	Y80184550721..	111	✓				215/45, 225/40, 225/45,...
	70 - 141	H	alle Varianten	8,0 x 18	48	5	112	H80184850721..	111	✓				215/45, 225/40, 225/45,...
	70 - 141	O	alle Varianten	8,0 x 18	48	5	112	O80184850721..	111	✓				215/45, 225/40, 225/45,...
	70 - 141	Z	Silber	8,0 x 18	48	5	112	Z8018485072118	111	✓				215/45, 225/40, 225/45,...
	70 - 141	Za	Anthrazit matt	8,0 x 18	48	5	112	Z8018485072115	111	✓				215/45, 225/40, 225/45,...
	70 - 141	E	alle Varianten	8,0 x 18	50	5	112	E8085050721..	111	✓				215/45, 225/40, 225/45,...
	70 - 141	K	alle Varianten	8,0 x 18	50	5	112	K80185050746..	Serie	✓				215/45, 225/40, 225/45,...
	70 - 141	V	Kristallsilber	8,5 x 18	45	5	112	V8518455072125	111	✓				225/40, 225/45, 235/40,...
	70 - 141	X	alle Varianten	8,5 x 18	48	5	112	X85184850721..	111	✓				225/40, 225/45, 235/40,...
	70 - 141	D	Schw. matt rot elox	8,0 x 19	40	5	112	D8019405072132	111	✓				225/35, 225/40, 235/35,...
	70 - 141	D	alle Varianten	8,0 x 19	40	5	112	D80194050721..	111	✓				225/35, 225/40, 235/35,...
	70 - 141	D	alle Varianten	8,0 x 19	45	5	112	D80194550721..	111	✓				225/35, 225/40, 235/35,...
	70 - 141	K	alle Varianten	8,0 x 19	47	5	112	K80194750746..	Serie	✓				225/35, 225/40, 235/35,...
	70 - 141	O	alle Varianten	8,0 x 19	48	5	112	O80194850721..	111	✓				225/35, 225/40, 235/35,...
	70 - 141	S	alle Varianten	8,0 x 19	48	5	112	S80194850721..	111	✓				225/35, 225/40, 235/35,...
	70 - 141	W	alle Varianten	8,0 x 19	48	5	112	W80194850721..	111	✓				225/35 (1.320 kg),...
	70 - 141	V	Kristallsilber	8,5 x 19	45	5	112	V8519455072125	111	✓				225/35, 225/40, 235/35,...
	70 - 141	R	alle Varianten	8,5 x 19	48	5	112	R85194850721..	111	✓				225/35, 225/40, 235/35,...
	70 - 110	D	alle Varianten	8,5 x 20	48	5	112	D85204850721..	111	✓	B33			nicht alle Fzg.: 225/35,...
	70 - 141	R	alle Varianten	8,5 x 20	48	5	112	R85204850721..	111	✓				225/35, 235/30, 245/30
<b>3er Limousine [E90]</b>	85 - 160	K	alle Varianten	7,0 x 16	31	5	120	K70163151125..	Serie	✓	B29		205/55, 225/50	
<b>3er Touring [E91]</b>	85 - 160	SE	alle Varianten	7,0 x 16	31	5	120	SE70163151125..	Serie	✓		✓	205/55	
Typ 390L, 390X, 3L,	85 - 160	S	alle Varianten	7,0 x 16	34	5	120	S70163451126..	07	✓	B29		205/55, 225/50	
3K, 3K-N1	85 - 160	Y	alle Varianten	7,0 x 16	34	5	120	Y70163451125..	07	✓	B29		205/55, 225/50	
[Facelift 2008]	85 - 160	K	alle Varianten	7,0 x 16	31	5	120	K70163151125..	Serie	✓	B29		205/55, 225/50	
	85 - 160	SE	alle Varianten	7,0 x 16	31	5	120	SE70163151125..	Serie	✓		✓	205/55	
	85 - 160	K	alle Varianten	7,5 x 17	34	5	120	K75173451125..	Serie	✓			205/50, 225/45	
	85 - 160	Y	alle Varianten	7,5 x 17	34	5	120	Y75173451125..	07	✓			205/50, 225/45	
	85 - 160	D	alle Varianten	7,5 x 17	35	5	120	D75173551126..	07	✓			205/50, 225/45	
	85 - 160	H	alle Varianten	7,5 x 17	37	5	120	H75173751126..	07	✓			205/50, 225/45	
	85 - 160	K	alle Varianten	7,5 x 17	37	5	120	K75173751125..	Serie	✓			205/50, 225/45	
	85 - 160	S	alle Varianten	7,5 x 17	37	5	120	S75173751126..	07	✓			205/50, 225/45	
	85 - 240	K	alle Varianten	8,0 x 17	30	5	120	K80173051125..	Serie	✓			225/45, 235/45	245/40
	85 - 240	V	alle Varianten	8,0 x 17	30	5	120	V80173051125..	07	✓			225/45, 235/45	245/40
	85 - 240	K	alle Varianten	8,0 x 17	34	5	120	K80173451125..	Serie	✓			225/45, 235/45, 245/40 HA	
	85 - 240	B	Silber	8,0 x 17	38	5	120	B807385112518	07	✓			225/45, 235/45, 245/40 HA	
	85 - 160	S	alle Varianten	7,5 x 18	38	5	120	S75183851126..	07	✓			225/40	
	85 - 240	E	alle Varianten	8,0 x 18	30	5	120	E8083051125..	07	✓			225/40, 235/40	245/35
	85 - 240	K	alle Varianten	8,0 x 18	30	5	120	K80183051125..	Serie	✓			225/40, 235/40	245/35
	85 - 240	Z	Silber	8,0 x 18	30	5	120	Z8018305112518	07	✓			225/40, 235/40	245/35
	85 - 240	Za	Anthrazit matt	8,0 x 18	30	5	120	Z8018305112515	07	✓			225/40, 235/40	245/35
	85 - 240	H	alle Varianten	8,0 x 18	34	5	120	H80183451126..	07	✓			225/40, 235/40, 245/35 HA	
	85 - 240	K	alle Varianten	8,0 x 18	34	5	120	K80183451125..	Serie	✓			225/40, 235/40, 245/35 HA	
	85 - 240	O	alle Varianten	8,0 x 18	34	5	120	O80183451126..	07	✓			225/40, 235/40, 245/35 HA	
	85 - 240	D	Weiß rot elox	8,0 x 18	35	5	120	D8018355112631	07	✓			225/40, 235/40, 245/35 HA	

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsanlage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	85 - 240	D	alle Varianten	8,0 x 18	35	5	120	D80183551126..	07	✓			225/40, 235/40, 245/35 HA	
	85 - 240	W	alle Varianten	8,0 x 18	35	5	120	W80183551126..	07	✓			225/40 (1.300 kg), 235/40 (1.300 kg), 245/35 HA (1.300 kg)	
	85 - 240	Y	alle Varianten	8,0 x 18	35	5	120	Y80183551125..	07	✓			225/40, 235/40, 245/35 HA	
	85 - 240	V	alle Varianten	8,5 x 18	35	5	120	V85183551126..	07	✓			225/40, 235/40	245/35 HA, 255/35 HA
	85 - 240	D	alle Varianten	8,0 x 19	30	5	120	D80193051126..	07	✓			nicht alle Fzg.: 225/35	nicht alle Fzg.: 245/30
	85 - 240	S	alle Varianten	8,0 x 19	34	5	120	S80193451126..	07	✓			nicht alle Fzg.: 225/35	
	85 - 240	O	alle Varianten	8,0 x 19	35	5	120	O80193551126..	07	✓			nicht alle Fzg.: 225/35	
	85 - 240	W	alle Varianten	8,0 x 19	35	5	120	W80193551126..	07	✓			nicht alle Fzg.: 225/35	
	85 - 240	K	alle Varianten	8,0 x 19	36	5	120	K80193651125..	Serie	✓			nicht alle Fzg.: 225/35	
	85 - 240	V	Kristallsilber	8,5 x 19	35	5	120	V8519355112625	07	✓			nicht alle Fzg.: 225/35	255/30 HA
	85 - 240	R	alle Varianten	8,5 x 19	38	5	120	R85193851126..	07	✓			nicht alle Fzg.: 225/35, 255/30 HA	
	85 - 240	U	alle Varianten	8,5 x 19	38	5	120	U85193851125..	Serie	✓			nicht alle Fzg.: 225/35, 255/30 HA	
	85 - 240	X	alle Varianten	8,5 x 19	38	5	120	X85193851125..	Serie	✓			nicht alle Fzg.: 225/35, 255/30 HA	
													AUTEC in 20": www.autec-wheels.de	
<b>3er Coupé [E92]</b>	90 - 147	K	alle Varianten	7,0 x 16	31	5	120	K70163151125..	Serie	✓	B29		205/55 M+S	
<b>3er Cabrio [E93]</b>	90 - 147	SE	alle Varianten	7,0 x 16	31	5	120	SE70163151125..	Serie	✓		✓	205/55 M+S	
Typ 392C, 390X, 3C	90 - 147	S	alle Varianten	7,0 x 16	34	5	120	S70163451126..	07	✓	B29		205/55 M+S, 225/50 M+S	
	90 - 147	Y	alle Varianten	7,0 x 16	34	5	120	Y70163451125..	07	✓	B29		205/55 M+S (1.320 kg), 225/50 M+S (1.320 kg)	
	90 - 147	W	alle Varianten	7,0 x 16	35	5	120	W70163551125..	07	✓	B29		205/55 M+S (1.200 kg), 225/50 M+S (1.200 kg)	
	90 - 147	K	alle Varianten	7,5 x 17	32	5	120	K75173251125..	Serie	✓			205/50 M+S, 225/45 M+S	
	90 - 147	E	alle Varianten	7,5 x 17	34	5	120	E7573451125..	07	✓			205/50 M+S, 225/45 M+S	
	90 - 147	F	Schwarz matt	7,5 x 17	34	5	120	F7517345112522	07	✓			205/50 M+S, 225/45 M+S	
	90 - 147	K	alle Varianten	7,5 x 17	34	5	120	K75173451125..	Serie	✓			205/50 M+S, 225/45 M+S	
	90 - 147	Y	alle Varianten	7,5 x 17	34	5	120	Y75173451125..	07	✓			205/50 M+S (1.320 kg), 225/45 M+S (1.320 kg)	
	90 - 147	D	alle Varianten	7,5 x 17	35	5	120	D75173551126..	07	✓			205/50 M+S, 225/45 M+S	
	90 - 147	H	alle Varianten	7,5 x 17	37	5	120	H75173751126..	07	✓			205/50 M+S, 225/45 M+S	
	90 - 147	K	alle Varianten	7,5 x 17	37	5	120	K75173751125..	Serie	✓			205/50 M+S, 225/45 M+S	
	90 - 147	S	alle Varianten	7,5 x 17	37	5	120	S75173751126..	07	✓			205/50 M+S, 225/45 M+S	
	90 - 240	K	alle Varianten	8,0 x 17	30	5	120	K80173051125..	Serie	✓			245/40 HA	225/45, 235/45, 245/40 VA
	90 - 240	V	alle Varianten	8,0 x 17	30	5	120	V80173051125..	07	✓			245/40 HA	225/45, 235/45, 245/40 VA
	90 - 240	K	alle Varianten	8,0 x 17	34	5	120	K80173451125..	Serie	✓			225/45, 235/45, 245/40 HA	245/40 VA
	90 - 240	B	Silber	8,0 x 17	38	5	120	B807385112518	07	✓			225/45, 235/45, 245/40 HA	
	90 - 147	S	alle Varianten	7,5 x 18	38	5	120	S75183851126..	07	✓			225/40 M+S	
	90 - 240	E	alle Varianten	8,0 x 18	30	5	120	E8083051125..	07	✓				225/40, 235/40, 245/35
	90 - 240	K	alle Varianten	8,0 x 18	30	5	120	K80183051125..	Serie	✓				225/40, 235/40, 245/35
	90 - 240	Z	Silber	8,0 x 18	30	5	120	Z8018305112518	07	✓				225/40, 235/40, 245/35
	90 - 240	Za	Anthrazit matt	8,0 x 18	30	5	120	Z8018305112515	07	✓				225/40, 235/40, 245/35
	90 - 240	H	alle Varianten	8,0 x 18	34	5	120	H80183451126..	07	✓			225/40, 235/40, 245/35 HA	245/35 VA
	90 - 240	K	alle Varianten	8,0 x 18	34	5	120	K80183451125..	Serie	✓			225/40, 235/40, 245/35 HA	245/35 VA
	90 - 240	O	alle Varianten	8,0 x 18	34	5	120	O80183451126..	07	✓			225/40, 235/40, 245/35 HA	245/35 VA
	90 - 240	D	Weiß rot elox	8,0 x 18	35	5	120	D8018355112631	07	✓			225/40, 235/40, 245/35 HA	245/35 VA
	90 - 240	D	alle Varianten	8,0 x 18	35	5	120	D80183551126..	07	✓			225/40, 235/40, 245/35 HA	245/35 VA
	90 - 240	W	alle Varianten	8,0 x 18	35	5	120	W80183551126..	07	✓			225/40 (1.300 kg), 235/40 (1.300 kg), 245/35 HA (1.300 kg)	245/35 VA (1.300 kg)
	90 - 240	Y	alle Varianten	8,0 x 18	35	5	120	Y80183551125..	07	✓			225/40, 235/40, 245/35 HA	245/35 VA
	90 - 240	V	alle Varianten	8,5 x 18	35	5	120	V85183551126..	07	✓			225/40, 245/35 HA, 255/35 HA	235/40
	90 - 240	D	alle Varianten	8,0 x 19	30	5	120	D80193051126..	07	✓				225/35, 245/30
	90 - 240	S	alle Varianten	8,0 x 19	34	5	120	S80193451126..	07	✓			225/35	245/30
	90 - 240	O	alle Varianten	8,0 x 19	35	5	120	O80193551126..	07	✓			225/35	245/30
	90 - 240	W	alle Varianten	8,0 x 19	35	5	120	W80193551126..	07	✓			225/35 (1.320 kg)	245/30 (1.320 kg)

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	90 - 240	K	alle Varianten	8,0 x 19	36	5	120	K80193651125..	Serie	✓			nicht alle Fzg.: 225/35	
	90 - 240	V	Kristallsilber	8,5 x 19	35	5	120	V8519355112625	07	✓			225/35, 255/30 HA	
	90 - 240	R	alle Varianten	8,5 x 19	38	5	120	R85193851126..	07	✓			225/35, 255/30 HA	
	90 - 240	U	alle Varianten	8,5 x 19	38	5	120	U85193851125..	Serie	✓			225/35, 255/30 HA	
	90 - 240	X	alle Varianten	8,5 x 19	38	5	120	X85193851125..	Serie	✓			225/35, 255/30 HA	
AUTEC in 20": www.autec-wheels.de														
<b>3er Limousine [F30]</b>	85 - 151	K	alle Varianten	7,0 x 16	31	5	120	K70163151125..	Serie	✓	B01		205/60, 215/55, 215/60	
<b>3er Limousine</b>	85 - 151	SE	alle Varianten	7,0 x 16	31	5	120	SE70163151125..	Serie	✓		✓	205/60	
<b>xDrive [F30]</b>	85 - 151	S	alle Varianten	7,0 x 16	34	5	120	S70163451126..	107	✓	B01		205/60, 215/55, 215/60, 225/55	
<b>Typ 3L</b>	85 - 151	Y	alle Varianten	7,0 x 16	34	5	120	Y70163451125..	107	✓	B01		205/60 (1.320 kg), 215/55 (1.320 kg), 215/60 (1.320 kg),...	
	85 - 151	W	alle Varianten	7,0 x 16	35	5	120	W70163551125..	107	✓	B01		205/60 (1.200 kg), 215/55 (1.200 kg), 215/60 (1.200 kg),...	
	85 - 265	K	alle Varianten	7,5 x 17	32	5	120	K75173251125..	Serie	✓	BW7		205/50 (max. 151 kW), 205/55 (max. 151 kW), 225/45	
	85 - 250	B	Silber	7,5 x 17	34	5	120	B757345112518	107	✓	BW7		205/50 (max. 147 kW), 205/55 (max. 147 kW), 215/50 (max. 147 kW),...	
	85 - 265	E	alle Varianten	7,5 x 17	34	5	120	E7573451125..	107	✓	BW7		205/50 (max. 151 kW), 205/55 (max. 151 kW), 215/50 (max. 151 kW),...	
	85 - 250	F	Schwarz matt	7,5 x 17	34	5	120	F7517345112522	107	✓	BW7		205/50 (max. 147 kW), 205/55 (max. 147 kW), 215/50 (max. 147 kW),...	
	85 - 265	K	alle Varianten	7,5 x 17	34	5	120	K75173451125..	Serie	✓	BW7		205/50 (max. 151 kW), 205/55 (max. 151 kW), 215/50 (max. 151 kW),...	
	85 - 265	Y	alle Varianten	7,5 x 17	34	5	120	Y75173451125..	107	✓	BW7		205/50 (1.320 kg) (max. 151 kW), 205/55 (1.320 kg) (max. 151 kW),...	
	85 - 265	D	alle Varianten	7,5 x 17	35	5	120	D75173551126..	107	✓	BW7		205/50 (max. 151 kW), 205/55 (max. 151 kW), 215/50 (max. 151 kW),...	
	85 - 265	H	alle Varianten	7,5 x 17	37	5	120	H75173751126..	107	✓	BW7		205/50 (max. 151 kW), 205/55 (max. 151 kW), 215/50 (max. 151 kW),...	
	85 - 265	K	alle Varianten	7,5 x 17	37	5	120	K75173751125..	Serie	✓	BW7		205/50 (max. 151 kW), 205/55 (max. 151 kW), 215/50 (max. 151 kW),...	
	85 - 265	S	alle Varianten	7,5 x 17	37	5	120	S75173751126..	107	✓	BW7		205/50 (max. 151 kW), 205/55 (max. 151 kW), 215/50 (max. 151 kW),...	
	85 - 265	K	alle Varianten	8,0 x 17	30	5	120	K80173051125..	Serie	✓	BW7		225/45, 225/50, 235/45,...	
	85 - 265	V	alle Varianten	8,0 x 17	30	5	120	V80173051125..	107	✓	BW7		225/45, 225/50, 235/45,...	
	85 - 265	K	alle Varianten	8,0 x 17	34	5	120	K80173451125..	Serie	✓	BW7		225/45	
	85 - 265	S	alle Varianten	7,5 x 18	38	5	120	S75183851126..	107	✓	BW7		205/45 (max. 151 kW), 215/45 (max. 151 kW), 225/40, 225/45	
	85 - 265	E	alle Varianten	8,0 x 18	30	5	120	E8083051125..	107	✓			215/45 (max. 151 kW)	
	85 - 265	K	alle Varianten	8,0 x 18	30	5	120	K80183051125..	Serie	✓			215/45 (max. 151 kW)	
	85 - 265	Z	Silber	8,0 x 18	30	5	120	Z8018305112518	107	✓			215/45 (max. 151 kW)	
	85 - 265	Za	Anthrazit matt	8,0 x 18	30	5	120	Z8018305112515	107	✓			215/45 (max. 151 kW)	
	85 - 265	H	alle Varianten	8,0 x 18	34	5	120	H80183451126..	107	✓			215/45 (max. 151 kW), 225/40, 225/45	
	85 - 265	K	alle Varianten	8,0 x 18	34	5	120	K80183451125..	Serie	✓			215/45 (max. 151 kW), 225/40, 225/45	
	85 - 265	O	alle Varianten	8,0 x 18	34	5	120	O80183451126..	107	✓			215/45 (max. 151 kW), 225/40, 225/45	
	85 - 265	D	Weiß rot elox	8,0 x 18	35	5	120	D8018355112631	107	✓			215/45 (max. 151 kW), 225/40, 225/45	
	85 - 265	D	alle Varianten	8,0 x 18	35	5	120	D80183551126..	107	✓			215/45 (max. 151 kW), 225/40, 225/45	
	85 - 265	W	alle Varianten	8,0 x 18	35	5	120	W80183551126..	107	✓			215/45 (1.300 kg) (max. 151 kW), 225/40 (1.300 kg),...	
	85 - 265	Y	alle Varianten	8,0 x 18	35	5	120	Y80183551125..	107	✓			215/45 (max. 151 kW), 225/40, 225/45	
	85 - 265	V	alle Varianten	8,5 x 18	35	5	120	V85183551126..	107	✓			225/40, 225/45	
	85 - 265	D	alle Varianten	8,0 x 19	30	5	120	D80193051126..	107	✓			225/40, 235/35, 245/35	
	85 - 265	S	alle Varianten	8,0 x 19	34	5	120	S80193451126..	107	✓			225/40	
	85 - 265	O	alle Varianten	8,0 x 19	35	5	120	O80193551126..	107	✓			225/40	
	85 - 265	W	alle Varianten	8,0 x 19	35	5	120	W80193551126..	107	✓			225/40 (1.320 kg)	
	85 - 265	K	alle Varianten	8,0 x 19	36	5	120	K80193651125..	Serie	✓			225/40, 235/35	
	85 - 265	V	Kristallsilber	8,5 x 19	35	5	120	V8519355112625	107	✓			225/35 VA, 225/40	
	85 - 265	R	alle Varianten	8,5 x 19	38	5	120	R85193851126..	107	✓			225/35 VA, 225/40, 235/35	
	85 - 265	U	alle Varianten	8,5 x 19	38	5	120	U85193851125..	Serie	✓			225/35 VA, 225/40, 235/35	
	85 - 265	X	alle Varianten	8,5 x 19	38	5	120	X85193851125..	Serie	✓			225/35 VA, 225/40, 235/35	
AUTEC in 20": www.autec-wheels.de														
<b>3er Touring [F31]</b>	85 - 151	K	alle Varianten	7,0 x 16	31	5	120	K70163151125..	Serie	✓	B01		205/60 (1.360 kg), 215/55 (1.360 kg), 215/60 (1.360 kg)	
<b>3er Touring xDrive [F31]</b>	85 - 151	SE	alle Varianten	7,0 x 16	31	5	120	SE70163151125..	Serie	✓		✓	205/60	

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsanlage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
Typ 3K, 3K-N1	85 - 151	S	alle Varianten	7,0 x 16	34	5	120	S70163451126..	107	✓	B01		205/60 (1.360 kg), 215/55 (1.360 kg), 215/60 (1.340 kg),...	235/50 (1.360 kg),...
	85 - 151	Y	alle Varianten	7,0 x 16	34	5	120	Y70163451125..	107	✓	B01		205/60 (1.320 kg), 215/55 (1.320 kg), 215/60 (1.320 kg),...	235/50 (1.320 kg),...
	85 - 151	W	alle Varianten	7,0 x 16	35	5	120	W70163551125..	107	✓	B01		205/60 (1.200 kg), 215/55 (1.200 kg), 215/60 (1.200 kg),...	235/50 (1.200 kg),...
	85 - 265	K	alle Varianten	7,5 x 17	32	5	120	K75173251125..	Serie	✓	BW7		205/50 (1.360 kg) (max. 151 kW), 205/55 (1.360 kg) (max. 151 kW),...	...
	85 - 250	B	Silber	7,5 x 17	34	5	120	B757345112518	107	✓	BW7		205/50 (max. 147 kW), 205/55 (max. 147 kW), 215/50 (max. 147 kW),...	225/50, 235/50, 245/45
	85 - 265	E	alle Varianten	7,5 x 17	34	5	120	E7573451125..	107	✓	BW7		205/50 (max. 151 kW), 205/55 (max. 151 kW), 215/50 (max. 151 kW),...	225/50, 235/50, 245/45
	85 - 250	F	Schwarz matt	7,5 x 17	34	5	120	F7517345112522	107	✓	BW7		205/50 (max. 147 kW), 205/55 (max. 147 kW), 215/50 (max. 147 kW),...	225/50, 235/50, 245/45
	85 - 265	K	alle Varianten	7,5 x 17	34	5	120	K75173451125..	Serie	✓	BW7		205/50 (1.360 kg) (max. 151 kW), 205/55 (1.360 kg) (max. 151 kW),...	225/50 (1.360 kg),...
	85 - 265	Y	alle Varianten	7,5 x 17	34	5	120	Y75173451125..	107	✓	BW7		205/50 (1.320 kg) (max. 151 kW), 205/55 (1.320 kg) (max. 151 kW),...	225/50 (1.320 kg),...
	85 - 265	D	alle Varianten	7,5 x 17	35	5	120	D75173551126..	107	✓	BW7		205/50 (max. 151 kW), 205/55 (max. 151 kW), 215/50 (max. 151 kW),...	225/50, 235/50, 245/45
	85 - 265	H	alle Varianten	7,5 x 17	37	5	120	H75173751126..	107	✓	BW7		205/50 (max. 151 kW), 205/55 (max. 151 kW), 215/50 (max. 151 kW),...	235/50
	85 - 265	K	alle Varianten	7,5 x 17	37	5	120	K75173751125..	Serie	✓	BW7		205/50 (1.360 kg) (max. 151 kW), 205/55 (1.360 kg) (max. 151 kW),...	235/50 (1.360 kg)
	85 - 265	S	alle Varianten	7,5 x 17	37	5	120	S75173751126..	107	✓	BW7		205/50 (1.340 kg) (max. 151 kW), 205/55 (1.340 kg) (max. 151 kW),...	235/50 (1.340 kg)
	85 - 265	K	alle Varianten	8,0 x 17	30	5	120	K80173051125..	Serie	✓	BW7			225/45, 225/50, 235/45,...
	85 - 265	V	alle Varianten	8,0 x 17	30	5	120	V80173051125..	107	✓	BW7			225/45, 225/50, 235/45,...
	85 - 265	K	alle Varianten	8,0 x 17	34	5	120	K80173451125..	Serie	✓	BW7		225/45	225/50, 235/45, 235/50,...
	85 - 265	S	alle Varianten	7,5 x 18	38	5	120	S75183851126..	107	✓	BW7		205/45 (1.340 kg) (max. 151 kW), 215/45 (1.340 kg) (max. 151 kW),...	
	85 - 265	E	alle Varianten	8,0 x 18	30	5	120	E8083051125..	107	✓			215/45 (max. 151 kW)	225/40, 225/45, 235/40,...
	85 - 265	K	alle Varianten	8,0 x 18	30	5	120	K80183051125..	Serie	✓			215/45 (max. 151 kW)	225/40, 225/45, 235/40,...
	85 - 265	Z	Silber	8,0 x 18	30	5	120	Z8018305112518	107	✓			215/45 (max. 151 kW)	225/40, 225/45, 235/40,...
	85 - 265	Za	Anthrazit matt	8,0 x 18	30	5	120	Z8018305112515	107	✓			215/45 (max. 151 kW)	225/40, 225/45, 235/40,...
	85 - 265	H	alle Varianten	8,0 x 18	34	5	120	H80183451126..	107	✓			215/45 (max. 151 kW), 225/40, 225/45	235/40, 245/40
	85 - 265	K	alle Varianten	8,0 x 18	34	5	120	K80183451125..	Serie	✓			215/45 (max. 151 kW), 225/40, 225/45	235/40, 245/40
	85 - 265	O	alle Varianten	8,0 x 18	34	5	120	O80183451126..	107	✓			215/45 (max. 151 kW), 225/40, 225/45	235/40, 245/40
	85 - 265	D	Weiß rot elox	8,0 x 18	35	5	120	D8018355112631	107	✓			215/45 (max. 151 kW), 225/40, 225/45	235/40, 245/40
	85 - 265	D	alle Varianten	8,0 x 18	35	5	120	D80183551126..	107	✓			215/45 (max. 151 kW), 225/40, 225/45	235/40, 245/40
	85 - 265	W	alle Varianten	8,0 x 18	35	5	120	W80183551126..	107	✓			215/45 (1.300 kg) (max. 151 kW), 225/40 (1.300 kg),...	235/40 (1.300 kg),...
	85 - 265	Y	alle Varianten	8,0 x 18	35	5	120	Y80183551125..	107	✓			215/45 (max. 151 kW), 225/40, 225/45	235/40, 245/40
	85 - 265	V	alle Varianten	8,5 x 18	35	5	120	V85183551126..	107	✓			225/40, 225/45	235/40, 245/40, 255/35 HA,...
	85 - 265	D	alle Varianten	8,0 x 19	30	5	120	D80193051126..	107	✓				225/40, 235/35, 245/35
	85 - 265	S	alle Varianten	8,0 x 19	34	5	120	S80193451126..	107	✓			225/40	235/35, 245/35
	85 - 265	O	alle Varianten	8,0 x 19	35	5	120	O80193551126..	107	✓			225/40	235/35, 245/35
	85 - 265	W	alle Varianten	8,0 x 19	35	5	120	W80193551126..	107	✓			225/40 (1.320 kg)	235/35 (1.320 kg),...
	85 - 265	K	alle Varianten	8,0 x 19	36	5	120	K80193651125..	Serie	✓			225/40, 235/35	245/35
	85 - 265	V	Kristallsilber	8,5 x 19	35	5	120	V8519355112625	107	✓			225/35 VA, 225/40	235/35, 245/35, 255/30 HA,...
	85 - 265	R	alle Varianten	8,5 x 19	38	5	120	R85193851126..	107	✓			225/35 VA, 225/40, 235/35	245/35, 255/30 HA, 255/35 HA
	85 - 265	U	alle Varianten	8,5 x 19	38	5	120	U85193851125..	Serie	✓			225/35 VA, 225/40, 235/35	245/35, 255/30 HA, 255/35 HA
	85 - 265	X	alle Varianten	8,5 x 19	38	5	120	X85193851125..	Serie	✓			225/35 VA, 225/40, 235/35	245/35, 255/30 HA, 255/35 HA
AUTEC in 20": <a href="http://www.autec-wheels.de">www.autec-wheels.de</a>														
<b>3er GT [F34]</b>	100 - 250	K	alle Varianten	8,0 x 17	30	5	120	K80173051125..	Serie	✓	BW7		225/55	235/50, 235/55, 245/50,...
<b>3er GT xDrive [F34]</b>	100 - 250	V	alle Varianten	8,0 x 17	30	5	120	V80173051125..	107	✓	BW7		225/55	235/50, 235/55, 245/50,...
Typ 3-V, 3K-N1	100 - 250	K	alle Varianten	8,0 x 17	34	5	120	K80173451125..	Serie	✓	BW7		225/55, 235/50, 235/55	245/50 HA, 255/50 HA
	100 - 250	E	alle Varianten	8,0 x 18	30	5	120	E8083051125..	107	✓			225/50, 235/45, 245/45	235/50, 255/45
	100 - 250	K	alle Varianten	8,0 x 18	30	5	120	K80183051125..	Serie	✓			225/50, 235/45, 245/45	235/50, 255/45
	100 - 250	Z	Silber	8,0 x 18	30	5	120	Z8018305112518	107	✓			225/50, 235/45, 245/45	235/50, 255/45
	100 - 250	Za	Anthrazit matt	8,0 x 18	30	5	120	Z8018305112515	107	✓			225/50, 235/45, 245/45	235/50, 255/45
	100 - 250	H	alle Varianten	8,0 x 18	34	5	120	H80183451126..	107	✓			225/50, 235/45, 235/50, 245/45, 255/45	
	100 - 250	K	alle Varianten	8,0 x 18	34	5	120	K80183451125..	Serie	✓			225/50, 235/45, 235/50, 245/45, 255/45	
	100 - 250	O	alle Varianten	8,0 x 18	34	5	120	O80183451126..	107	✓			225/50, 235/45, 235/50, 245/45, 255/45	

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsanlage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	100 - 250 D		Weiß rot elox	8,0 x 18	35	5	120	D8018355112631	107	✓			225/50, 235/45, 235/50, 245/45, 255/45	
	100 - 250 D		alle Varianten	8,0 x 18	35	5	120	D80183551126..	107	✓			225/50, 235/45, 235/50, 245/45, 255/45	
	100 - 250 W		alle Varianten	8,0 x 18	35	5	120	W80183551126..	107	✓			225/50 (1.300 kg), 235/45 (1.300 kg), 235/50 (1.290 kg),...	
	100 - 250 Y		alle Varianten	8,0 x 18	35	5	120	Y80183551125..	107	✓			225/50, 235/45, 235/50, 245/45, 255/45	
	100 - 250 V		alle Varianten	8,5 x 18	35	5	120	V85183551126..	107	✓			225/50 MF, 235/45, 245/45	235/50, 255/45
	100 - 250 D		alle Varianten	8,0 x 19	30	5	120	D80193051126..	107	✓			225/45, 235/40, 245/40	
	100 - 250 S		alle Varianten	8,0 x 19	34	5	120	S80193451126..	107	✓			225/45, 235/40, 245/40	
	100 - 250 O		alle Varianten	8,0 x 19	35	5	120	O80193551126..	107	✓			225/45, 235/40, 245/40	
	100 - 250 W		alle Varianten	8,0 x 19	35	5	120	W80193551126..	107	✓			225/45 (1.320 kg), 235/40 (1.320 kg), 245/40 (1.320 kg)	
	100 - 250 V		Kristallsilber	8,5 x 19	35	5	120	V8519355112625	107	✓			225/45, 235/40, 245/40	255/40
	100 - 250 D		alle Varianten	8,5 x 20	35	5	120	D85203551126..	107	✓			235/35, 245/35	255/35
	100 - 250 R		alle Varianten	8,5 x 20	35	5	120	R85203551126..	107	✓			235/35, 245/35	255/35
	100 - 250 V		Kristallsilber	9,0 x 20	30	5	120	V9020305112625	107					235/35, 245/35, 255/35,...
4er Coupé [F32]	100 - 250 K		alle Varianten	7,5 x 17	32	5	120	K75173251125..	Serie	✓	BW7		225/45, 235/45	225/50, 235/50, 245/45
4er Coupé xDrive [F32]	100 - 250 E		alle Varianten	7,5 x 17	34	5	120	E7573451125..	107	✓	BW7		225/45, 225/50, 235/45	235/50, 245/45
4er Cabrio [F33]	120 - 250 F		Schwarz matt	7,5 x 17	34	5	120	F7517345112522	107	✓	BW7		225/45, 225/50, 235/45	235/50, 245/45
4er Cabrio xDrive [F33]	100 - 250 K		alle Varianten	7,5 x 17	34	5	120	K75173451125..	Serie	✓	BW7		225/45, 225/50, 235/45	235/50, 245/45
Typ 3C	100 - 250 Y		alle Varianten	7,5 x 17	34	5	120	Y75173451125..	107	✓	BW7		225/45 (1.320 kg), 225/50 (1.320 kg), 235/45 (1.320 kg)	235/50 (1.320 kg),...
	100 - 250 D		alle Varianten	7,5 x 17	35	5	120	D75173551126..	107	✓	BW7		225/45, 225/50, 235/45, 245/45	235/50
	100 - 250 H		alle Varianten	7,5 x 17	37	5	120	H75173751126..	107	✓	BW7		225/45, 225/50, 235/45, 245/45	235/50
	100 - 250 K		alle Varianten	7,5 x 17	37	5	120	K75173751125..	Serie	✓	BW7		225/45, 225/50, 235/45, 245/45	235/50
	100 - 250 S		alle Varianten	7,5 x 17	37	5	120	S75173751126..	107	✓	BW7		225/45 (1.340 kg), 225/50 (1.340 kg), 235/45 (1.340 kg),...	235/50 (1.340 kg)
	100 - 250 K		alle Varianten	8,0 x 17	30	5	120	K80173051125..	Serie	✓	BW7		225/45	225/50, 235/45, 235/50,...
	100 - 250 V		alle Varianten	8,0 x 17	30	5	120	V80173051125..	107	✓	BW7		225/45	225/50, 235/45, 235/50,...
	100 - 250 K		alle Varianten	8,0 x 17	34	5	120	K80173451125..	Serie	✓	BW7		225/45, 235/45	225/50, 235/50, 245/45,...
	120 - 250 B		Silber	8,0 x 17	38	5	120	B807385112518	107	✓	BW7		225/45, 225/50, 235/45, 245/45	235/50, 255/45 HA
	100 - 250 S		alle Varianten	7,5 x 18	38	5	120	S75183851126..	107	✓	BW7		225/40 (1.340 kg), 225/45 (1.340 kg)	
	100 - 250 E		alle Varianten	8,0 x 18	30	5	120	E8083051125..	107	✓			225/40, 225/45	235/40, 245/40
	100 - 250 K		alle Varianten	8,0 x 18	30	5	120	K80183051125..	Serie	✓			225/40, 225/45	235/40, 245/40
	100 - 250 Z		Silber	8,0 x 18	30	5	120	Z8018305112518	107	✓			225/40, 225/45	235/40, 245/40
	100 - 250 Za		Anthrazit matt	8,0 x 18	30	5	120	Z8018305112515	107	✓			225/40, 225/45	235/40, 245/40
	100 - 250 H		alle Varianten	8,0 x 18	34	5	120	H80183451126..	107	✓			225/40, 225/45, 235/40	245/40
	100 - 250 K		alle Varianten	8,0 x 18	34	5	120	K80183451125..	Serie	✓			225/40, 225/45, 235/40	245/40
	100 - 250 O		alle Varianten	8,0 x 18	34	5	120	O80183451126..	107	✓			225/40, 225/45, 235/40	245/40
	100 - 250 D		Weiß rot elox	8,0 x 18	35	5	120	D8018355112631	107	✓			225/40, 225/45, 235/40	245/40
	100 - 250 D		alle Varianten	8,0 x 18	35	5	120	D80183551126..	107	✓			225/40, 225/45, 235/40	245/40
	100 - 250 W		alle Varianten	8,0 x 18	35	5	120	W80183551126..	107	✓			225/40 (1.300 kg), 225/45 (1.300 kg), 235/40 (1.300 kg)	245/40 (1.300 kg)
	100 - 250 Y		alle Varianten	8,0 x 18	35	5	120	Y80183551125..	107	✓			225/40, 225/45, 235/40	245/40
	100 - 250 V		alle Varianten	8,5 x 18	35	5	120	V85183551126..	107	✓			225/40, 225/45, 235/40	245/40, 255/35, 255/40
	100 - 250 D		alle Varianten	8,0 x 19	30	5	120	D80193051126..	107	✓			225/35, 225/40	235/35, 245/35
	100 - 250 S		alle Varianten	8,0 x 19	34	5	120	S80193451126..	107	✓			225/35, 225/40, 235/35	245/35
	100 - 250 O		alle Varianten	8,0 x 19	35	5	120	O80193551126..	107	✓			225/35, 225/40, 235/35	245/35
	100 - 250 W		alle Varianten	8,0 x 19	35	5	120	W80193551126..	107	✓			225/35 (1.320 kg), 225/40 (1.320 kg), 235/35 (1.320 kg)	245/35 (1.320 kg)
	100 - 250 K		alle Varianten	8,0 x 19	36	5	120	K80193651125..	Serie	✓			nicht alle Fzg.: 225/35, 225/40, 235/35, 245/35	
	100 - 250 V		Kristallsilber	8,5 x 19	35	5	120	V8519355112625	107	✓			225/35, 225/40, 235/35	245/35, 255/30, 255/35
	100 - 250 R		alle Varianten	8,5 x 19	38	5	120	R85193851126..	107	✓			225/35, 225/40, 235/35	245/35, 255/30 HA, 255/35 HA
	100 - 250 U		alle Varianten	8,5 x 19	38	5	120	U85193851125..	Serie	✓			225/35, 225/40, 235/35	245/35, 255/30 HA, 255/35 HA
	100 - 250 X		alle Varianten	8,5 x 19	38	5	120	X85193851125..	Serie	✓			225/35, 225/40, 235/35	245/35, 255/30 HA, 255/35 HA
	100 - 250 D		alle Varianten	8,5 x 20	35	5	120	D85203551126..	107	✓			225/35, 235/30	245/30, 255/30

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsanlage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	100 - 250 R		alle Varianten	8,5 x 20	35	5	120	R85203551126..	107	✓			225/35, 235/30	245/30, 255/30
	120 - 250 V		Kristallsilber	9,0 x 20	30	5	120	V9020305112625	107	✓				235/30 MF, 245/30, 255/30
<b>4er Gran Coupé [F36]</b>	100, 105 K		alle Varianten	7,0 x 16	31	5	120	K70163151125..	Serie	✓	B01		nicht alle Fzg.: 205/60, 215/55, 215/60, 225/55	nicht alle Fzg.: 235/50
<b>4er Gran Coupé xDrive [F36]</b>	100, 105 S		alle Varianten	7,0 x 16	34	5	120	S70163451126..	107	✓	B01		nicht alle Fzg.: 205/60, 215/55, 215/60 (1.340 kg), 225/55	nicht alle Fzg.: 235/50
	100, 105 Y		alle Varianten	7,0 x 16	34	5	120	Y70163451125..	107	✓	B01		nicht alle Fzg.: 205/60 (1.320 kg), 215/55 (1.320 kg),...	...
Typ 3C	100, 105 W		alle Varianten	7,0 x 16	35	5	120	W70163551125..	107	✓	B01		nicht alle Fzg.: 205/60 (1.200 kg), 215/55 (1.200 kg),...	...
	100 - 250 K		alle Varianten	7,5 x 17	32	5	120	K75173251125..	Serie	✓	BW7		205/50 (max. 105 kW), 205/55 (max. 105 kW), 215/50 (max. 105 kW),...	225/50, 235/50, 245/45
	100 - 250 B		Silber	7,5 x 17	34	5	120	B757345112518	107	✓	BW7		215/50 (max. 105 kW), 215/55 (max. 105 kW), 225/45, 225/50, 235/45	235/50, 245/45
	100 - 250 E		alle Varianten	7,5 x 17	34	5	120	E7573451125..	107	✓	BW7		205/50 (max. 105 kW), 205/55 (max. 105 kW), 215/50 (max. 105 kW),...	235/50, 245/45
	100 - 250 F		Schwarz matt	7,5 x 17	34	5	120	F7517345112522	107	✓	BW7		205/50 (max. 105 kW), 205/55 (max. 105 kW), 215/50 (max. 105 kW),...	235/50, 245/45
	100 - 250 K		alle Varianten	7,5 x 17	34	5	120	K75173451125..	Serie	✓	BW7		205/50 (max. 105 kW), 205/55 (max. 105 kW), 215/50 (max. 105 kW),...	235/50, 245/45
	100 - 250 Y		alle Varianten	7,5 x 17	34	5	120	Y75173451125..	107	✓	BW7		205/50 (1.320 kg) (max. 105 kW), 205/55 (1.320 kg) (max. 105 kW),...	235/50 (1.320 kg),...
	100 - 250 D		alle Varianten	7,5 x 17	35	5	120	D75173551126..	107	✓	BW7		205/50 (max. 105 kW), 205/55 (max. 105 kW), 215/50 (max. 105 kW),...	235/50
	100 - 250 H		alle Varianten	7,5 x 17	37	5	120	H75173751126..	107	✓	BW7		205/50 (max. 105 kW), 205/55 (max. 105 kW), 215/50 (max. 105 kW),...	235/50
	100 - 250 K		alle Varianten	7,5 x 17	37	5	120	K75173751125..	Serie	✓	BW7		205/50 (max. 105 kW), 205/55 (max. 105 kW), 215/50 (max. 105 kW),...	235/50
	100 - 250 S		alle Varianten	7,5 x 17	37	5	120	S75173751126..	107	✓	BW7		205/50 (1.340 kg) (max. 105 kW), 205/55 (1.340 kg) (max. 105 kW),...	235/50 (1.340 kg)
	100 - 250 K		alle Varianten	8,0 x 17	30	5	120	K80173051125..	Serie	✓	BW7		225/45	225/50, 235/45, 235/50,...
	100 - 250 V		alle Varianten	8,0 x 17	30	5	120	V80173051125..	107	✓	BW7		225/45	225/50, 235/45, 235/50,...
	100 - 250 K		alle Varianten	8,0 x 17	34	5	120	K80173451125..	Serie	✓	BW7		225/45, 235/45	225/50, 235/50, 245/45,...
	100 - 250 S		alle Varianten	7,5 x 18	38	5	120	S75183851126..	107	✓	BW7		205/45 (1.340 kg) (max. 105 kW), 215/45 (1.340 kg) (max. 105 kW),...	
	100 - 250 E		alle Varianten	8,0 x 18	30	5	120	E8083051125..	107	✓			215/45 (max. 105 kW), 225/40, 225/45	235/40, 245/40
	100 - 250 K		alle Varianten	8,0 x 18	30	5	120	K80183051125..	Serie	✓			215/45 (max. 105 kW), 225/40, 225/45	235/40, 245/40
	100 - 250 Z		Silber	8,0 x 18	30	5	120	Z8018305112518	107	✓			215/45 (max. 105 kW), 225/40, 225/45	235/40, 245/40
	100 - 250 Za		Anthrazit matt	8,0 x 18	30	5	120	Z8018305112515	107	✓			215/45 (max. 105 kW), 225/40, 225/45	235/40, 245/40
	100 - 250 H		alle Varianten	8,0 x 18	34	5	120	H80183451126..	107	✓			215/45 (max. 110 kW), 225/40, 225/45, 235/40	245/40
	100 - 250 K		alle Varianten	8,0 x 18	34	5	120	K80183451125..	Serie	✓			215/45 (max. 105 kW), 225/40, 225/45, 235/40	245/40
	100 - 250 O		alle Varianten	8,0 x 18	34	5	120	O80183451126..	107	✓			215/45 (max. 105 kW), 225/40, 225/45, 235/40	245/40
	100 - 250 D		Weiß rot elox	8,0 x 18	35	5	120	D8018355112631	107	✓			215/45 (max. 105 kW), 225/40, 225/45, 235/40	245/40
	100 - 250 D		alle Varianten	8,0 x 18	35	5	120	D80183551126..	107	✓			215/45 (max. 105 kW), 225/40, 225/45, 235/40	245/40
	100 - 250 W		alle Varianten	8,0 x 18	35	5	120	W80183551126..	107	✓			215/45 (1.300 kg) (max. 105 kW), 225/40 (1.300 kg),...	245/40 (1.300 kg)
	100 - 250 Y		alle Varianten	8,0 x 18	35	5	120	Y80183551125..	107	✓			215/45 (max. 105 kW), 225/40, 225/45, 235/40	245/40
	100 - 250 V		alle Varianten	8,5 x 18	35	5	120	V85183551126..	107	✓			225/40, 225/45, 235/40	245/40, 255/35, 255/40
	100 - 250 D		alle Varianten	8,0 x 19	30	5	120	D80193051126..	107	✓			225/40	235/35, 245/35
	100 - 250 S		alle Varianten	8,0 x 19	34	5	120	S80193451126..	107	✓			225/40, 235/35	245/35
	100 - 250 O		alle Varianten	8,0 x 19	35	5	120	O80193551126..	107	✓			225/40, 235/35	245/35
	100 - 250 W		alle Varianten	8,0 x 19	35	5	120	W80193551126..	107	✓			225/40 (1.320 kg), 235/35 (1.320 kg)	245/35 (1.320 kg)
	100 - 250 K		alle Varianten	8,0 x 19	36	5	120	K80193651125..	Serie	✓			225/40, 235/35, 245/35	
	100 - 250 V		Kristallsilber	8,5 x 19	35	5	120	V8519355112625	107	✓			225/35 VA, 225/40, 235/35	245/35, 255/30, 255/35
	100 - 250 R		alle Varianten	8,5 x 19	38	5	120	R85193851126..	107	✓			225/35 VA, 225/40, 235/35	245/35, 255/30 HA, 255/35 HA
	100 - 250 U		alle Varianten	8,5 x 19	38	5	120	U85193851125..	Serie	✓			225/35 VA, 225/40, 235/35	245/35, 255/30 HA, 255/35 HA
	100 - 250 X		alle Varianten	8,5 x 19	38	5	120	X85193851125..	Serie	✓			225/35 VA, 225/40, 235/35	245/35, 255/30 HA, 255/35 HA
	100 - 250 D		alle Varianten	8,5 x 20	35	5	120	D85203551126..	107	✓			225/35	245/30 (max. 135 kW), 255/30
	100 - 250 R		alle Varianten	8,5 x 20	35	5	120	R85203551126..	107	✓			225/35	245/30 (max. 135 kW), 255/30
	100 - 250 V		Kristallsilber	9,0 x 20	30	5	120	V9020305112625	107	✓				245/30 (max. 135 kW), 255/30
<b>5er Limousine [F10]</b>	100 - 240 K		alle Varianten	8,0 x 17	30	5	120	K80173051125..	Serie	✓			nicht alle Fzg.: 225/55	nicht alle Fzg.: 235/50,...
<b>5er Touring [F11]</b>	100 - 240 V		alle Varianten	8,0 x 17	30	5	120	V80173051125..	88	✓	BW1		nicht alle Fzg.: 225/55	nicht alle Fzg.: 235/50,...
<b>Typ 5K, K-N1, 5L</b>	100 - 330 E		alle Varianten	8,0 x 18	30	5	120	E8083051125..	88	✓			225/50 (max. 240 kW), 235/45 (max. 240 kW), 245/45	
[inkl. Allradlenkung]	100 - 330 K		alle Varianten	8,0 x 18	30	5	120	K80183051125..	Serie	✓			nicht alle Fzg.: 225/50 (max. 240 kW), 235/45 (max. 240 kW), 245/45	
	100 - 330 Z		Silber	8,0 x 18	30	5	120	Z8018305112518	88	✓			225/50 (1.450 kg) (max. 240 kW), 235/45 (1.460 kg) (max. 240 kW),...	

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	100 - 330 Za		Anthrazit matt	8,0 x 18	30	5	120	Z8018305112515	88	✓			225/50 (1.450 kg) (max. 240 kW), 235/45 (1.460 kg) (max. 240 kW),...	
	100 - 330 H		alle Varianten	8,0 x 18	34	5	120	H80183451126..	88	✓			225/50 (1.460 kg) (max. 240 kW), 235/45 (1.460 kg) (max. 240 kW),...	
	100 - 330 K		alle Varianten	8,0 x 18	34	5	120	K80183451125..	Serie	✓			nicht alle Fzg.: 225/50 (max. 240 kW), 235/45 (max. 240 kW), 245/45	
	100 - 330 O		alle Varianten	8,0 x 18	34	5	120	O80183451126..	88	✓			225/50 (1.460 kg) (max. 240 kW), 235/45 (1.460 kg) (max. 240 kW),...	
	100 - 240 D		Weiß rot elox	8,0 x 18	35	5	120	D8018355112631	88	✓	BW1		nicht alle Fzg.: 225/50, 235/45, 245/45	
	100 - 240 D		alle Varianten	8,0 x 18	35	5	120	D80183551126..	88	✓	BW1		nicht alle Fzg.: 225/50, 235/45, 245/45	
	100 - 240 Y		alle Varianten	8,0 x 18	35	5	120	Y80183551125..	88	✓	BW1		nicht alle Fzg.: 225/50, 235/45, 245/45	
	100 - 240 V		alle Varianten	8,5 x 18	35	5	120	V85183551126..	88	✓	BW1		nicht alle Fzg.: 235/45, 245/45, 255/40 HA	
	100 - 330 D		alle Varianten	8,0 x 19	30	5	120	D80193051126..	88	✓			nicht alle Fzg.: 225/45 (max. 240 kW), 235/40 (max. 240 kW), 245/40	
	100 - 330 S		alle Varianten	8,0 x 19	34	5	120	S80193451126..	88	✓			225/45 (1.460 kg) (max. 240 kW), 235/40 (1.460 kg) (max. 240 kW),...	
	100 - 330 O		alle Varianten	8,0 x 19	35	5	120	O80193551126..	88	✓			225/45 (1.460 kg) (max. 240 kW), 235/40 (1.460 kg) (max. 240 kW),...	
	100 - 330 W		alle Varianten	8,0 x 19	35	5	120	W80193551126..	88	✓			nicht alle Fzg.: 225/45 (1.320 kg) (max. 240 kW),...	
	100 - 330 V		Kristallsilber	8,5 x 19	35	5	120	V8519355112625	88	✓			nicht alle Fzg.: 225/45 (max. 240 kW), 235/40 (max. 240 kW), 245/40	
	100 - 330 D		alle Varianten	8,5 x 20	35	5	120	D85203551126..	88	✓			nicht alle Fzg.: 245/35	
	100 - 330 R		alle Varianten	8,5 x 20	35	5	120	R85203551126..	88	✓			nicht alle Fzg.: 245/35	
	100 - 330 V		Kristallsilber	9,0 x 20	30	5	120	V9020305112625	88	✓			nicht alle Fzg.: 245/35,...	
<b>5er Limousine</b>													Nähere Informationen in unserem Konfigurator unter: <a href="http://www.autec-wheels.de">www.autec-wheels.de</a>	
<b>ActiveHybrid [F10]</b>													Further information in our configurator at: <a href="http://www.autec-wheels.de">www.autec-wheels.de</a>	
Typ HY														
<b>5er GT [F07]</b>													245/45, 245/50, 255/45	
Typ GT, K-N1													245/45 (1.560 kg), 245/50 (1.530 kg), 255/45 (1.560 kg)	
[inkl. Allradlenkung]														
	120 - 330 Z		Silber	8,0 x 18	30	5	120	Z8018305112518	88	✓			245/45 (1.460 kg)	
	120 - 330 Za		Anthrazit matt	8,0 x 18	30	5	120	Z8018305112515	88	✓			245/45 (1.460 kg)	
	120 - 330 D		alle Varianten	8,0 x 19	30	5	120	D80193051126..	88	✓			245/40 (1.560 kg), 245/45 (1.560 kg)	
	120 - 330 V		Kristallsilber	9,0 x 20	30	5	120	V9020305112625	88	✓			245/40 275/35 HA (max. 300 kW)	
<b>5er Limousine [G30]</b>													225/55 (1.460 kg), 235/50 (1.460 kg)	
<b>5er Limousine</b>													245/50 (1.460 kg)	
<b>xDrive [G30]</b>													225/55 (1.450 kg), 235/50 (1.450 kg)	
Typ G5L													245/50 (1.340 kg)	
	120 - 265 Z		Silber	7,5 x 17	25	5	112	Z7517255072118	111	✓			225/55 (1.340 kg), 235/50 (1.350 kg)	
	120 - 265 Za		Anthrazit matt	7,5 x 17	25	5	112	Z7517255072115	111	✓			225/55 (1.340 kg), 235/50 (1.350 kg)	
	120 - 265 KX		Schwarz	7,5 x 17	27	5	112	KX7517275074633	Serie	✓			245/50 HA	
	120 - 265 KX		Silber	7,5 x 17	27	5	112	KX7517275074618	Serie	✓			245/50 HA	
	120 - 265 K		alle Varianten	8,0 x 17	27	5	112	K80172750746..	Serie	✓			235/50, 245/50 HA, 255/45	
	120 - 265 H		alle Varianten	8,0 x 18	30	5	112	H80183050721..	111	✓			225/45 (1.460 kg), 225/50 (1.460 kg), 235/45 (1.460 kg),...	
	120 - 265 K		alle Varianten	8,0 x 18	30	5	112	K80183050746..	Serie	✓			225/45, 225/50, 235/45, 245/45, 255/45 HA	
	120 - 265 O		alle Varianten	8,0 x 18	30	5	112	O80183050721..	111	✓	Y95		225/45, 225/50, 235/45, 245/45, 255/45 HA	
	120 - 265 V		Schw. matt d. c.	8,5 x 18	25	5	112	V8518255072124	111	✓	Y95		225/45, 235/45 245/45, 255/40, 255/45	
	120 - 265 E		alle Varianten	8,5 x 18	30	5	112	E8583050721..	111	✓			225/45, 235/45, 245/45, 255/40 HA	
	120 - 265 D		alle Varianten	8,0 x 19	25	5	112	D80192550721..	111	✓	*		225/40, 225/45, 235/40, 245/40	
	120 - 265 K		alle Varianten	8,0 x 19	30	5	112	K80193050746..	Serie	✓	B74		225/40, 225/45, 235/40, 245/40	
	120 - 265 O		alle Varianten	8,0 x 19	30	5	112	O80193050721..	111	✓	B74		225/40, 225/45, 235/40, 245/40	
	120 - 265 S		alle Varianten	8,0 x 19	30	5	112	S80193050721..	111	✓	B74		225/40 (1.460 kg), 225/45 (1.460 kg), 235/40 (1.460 kg),...	
	120 - 265 V		alle Varianten	8,5 x 19	25	5	112	V85192550721..	111	✓	*		225/40, 225/45, 235/40 245/40, 255/35, 255/40	
	120 - 265 E		alle Varianten	8,5 x 19	30	5	112	E8593050721..	111	✓	B74		225/40, 225/45, 235/40, 245/40, 255/35 HA, 255/40 HA	
	120 - 265 R		alle Varianten	8,5 x 19	30	5	112	R85193050721..	111	✓	B74		225/40, 225/45, 235/40, 245/40, 255/35 HA, 255/40 HA	
	120 - 265 D		alle Varianten	8,5 x 20	30	5	112	D85203050721..	111	✓	*		245/35	
	120 - 265 R		alle Varianten	8,5 x 20	30	5	112	R85203050721..	111	✓	B74		245/35	
<b>5er Touring [G31]</b>													225/55 (1.460 kg), 235/50 (1.460 kg)	
<b>5er Touring</b>													245/50 (1.460 kg)	
<b>xDrive [G31]</b>													225/55 (1.450 kg), 235/50 (1.450 kg)	
	120 - 265 KX		Schwarz	7,5 x 17	27	5	112	KX7517275074633	Serie	✓			245/50 HA	



Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
Typ G5K	120 - 265 KX		Silber	7,5 x 17	27	5	112	KX7517275074618	Serie	✓			225/55, 235/50	245/50 HA
	120 - 265 K		alle Varianten	8,0 x 17	27	5	112	K80172750746..	Serie	✓			225/55	235/50, 245/50 HA, 255/45
	120 - 265 H		alle Varianten	8,0 x 18	30	5	112	H80183050721..	111	✓			225/50 (1.460 kg), 235/45 (1.460 kg), 245/45 (1.460 kg),...	
	120 - 265 K		alle Varianten	8,0 x 18	30	5	112	K80183050746..	Serie	✓			225/50 (1.560 kg), 235/45 (1.560 kg), 245/45 (1.560 kg),...	
	120 - 265 O		alle Varianten	8,0 x 18	30	5	112	O80183050721..	111	✓	Y95		225/50 (1.460 kg), 235/45 (1.460 kg), 245/45 (1.460 kg),...	
	120 - 265 V		Schw. matt d. c.	8,5 x 18	25	5	112	V8518255072124	111	✓	Y95		235/45 (1.560 kg)	225/45 VA (1.560 kg),...
	120 - 265 E		alle Varianten	8,5 x 18	30	5	112	E8583050721..	111	✓			235/45, 245/45, 255/40 HA	225/45 VA
	120 - 265 D		alle Varianten	8,0 x 19	25	5	112	D80192550721..	111	✓	*		225/45 (1.560 kg), 235/40 (1.560 kg), 245/40 (1.560 kg)	
	120 - 265 K		alle Varianten	8,0 x 19	30	5	112	K80193050746..	Serie	✓	B74		225/45, 235/40, 245/40	
	120 - 265 O		alle Varianten	8,0 x 19	30	5	112	O80193050721..	111	✓	B74		225/45 (1.460 kg), 235/40 (1.460 kg), 245/40 (1.460 kg)	
	120 - 265 S		alle Varianten	8,0 x 19	30	5	112	S80193050721..	111	✓	B74		225/45 (1.460 kg), 235/40 (1.460 kg), 245/40 (1.460 kg)	
	120 - 265 V		alle Varianten	8,5 x 19	25	5	112	V85192550721..	111	✓	*		225/45 (1.530 kg), 235/40 (1.560 kg)	225/40 VA (1.560 kg),...
	120 - 265 E		alle Varianten	8,5 x 19	30	5	112	E8593050721..	111	✓	B74		225/40 VA, 225/45, 235/40, 245/40, 255/35 HA, 255/40 HA	
M550d Limousine xDrive [G30]	294	H	alle Varianten	8,0 x 18	30	5	112	H80183050721..	111	✓			245/45 M+S (1.460 kg)	
	294	K	alle Varianten	8,0 x 18	30	5	112	K80183050746..	Serie	✓			245/45 M+S	
M550i Limousine xDrive [G30]	294	O	alle Varianten	8,0 x 18	30	5	112	O80183050721..	111	✓			245/45 M+S	
	294	E	alle Varianten	8,5 x 18	30	5	112	E8583050721..	111	✓			245/45 M+S	
Typ G5L	294	D	alle Varianten	8,0 x 19	25	5	112	D80192550721..	111	✓	B74		245/40 M+S	
	294	K	alle Varianten	8,0 x 19	30	5	112	K80193050746..	Serie	✓	B74		245/40 M+S	
	294	O	alle Varianten	8,0 x 19	30	5	112	O80193050721..	111	✓	B74		245/40 M+S	
	294	S	alle Varianten	8,0 x 19	30	5	112	S80193050721..	111	✓	B74		245/40 M+S (1.460 kg)	
	340	R	Schw. metallic pol.	8,5 x 19	30	5	112	R8519305072135	111	✓	B74		nicht alle Fzg.: 245/40 M+S	
	340	R	Titansilber matt pol.	8,5 x 19	30	5	112	R8519305072136	111	✓	B74		nicht alle Fzg.: 245/40 M+S	
	294	V	alle Varianten	8,5 x 19	25	5	112	V85192550721..	111	✓	B74			
	294	E	alle Varianten	8,5 x 19	30	5	112	E8593050721..	111	✓	B74		245/40 M+S	
	294	R	alle Varianten	8,5 x 20	30	5	112	R85203050721..	111	✓	B74		245/35 M+S	
7er [G11]	155 - 240 H		alle Varianten	7,5 x 17	25	5	112	H75172550721..	111	✓			225/60 (1.460 kg), 235/55 (1.460 kg), 245/55 (1.460 kg)	
Typ 7L [inkl. Allradlenkung]	155 - 240 S		alle Varianten	7,5 x 17	25	5	112	S75172550721..	111	✓			225/60 (1.450 kg), 235/55 (1.450 kg), 245/55 (1.450 kg)	
	155 - 240 Z		Silber	7,5 x 17	25	5	112	Z7517255072118	111	✓			235/55 (1.320 kg)	
	155 - 240 Za		Anthrazit matt	7,5 x 17	25	5	112	Z7517255072115	111	✓			235/55 (1.320 kg)	
	155 - 240 KX		Schwarz	7,5 x 17	27	5	112	KX7517275074633	Serie	✓			225/60 (1.570 kg), 235/55 (1.600 kg), 245/55 (1.570 kg)	
	155 - 240 KX		Silber	7,5 x 17	27	5	112	KX7517275074618	Serie	✓			225/60 (1.570 kg), 235/55 (1.600 kg), 245/55 (1.570 kg)	
	155 - 240 K		alle Varianten	8,0 x 17	27	5	112	K80172750746..	Serie	✓			225/60 (1.570 kg), 235/55 (1.600 kg)	
	155 - 330 H		alle Varianten	8,0 x 18	30	5	112	H80183050721..	111	✓			245/50 (1.460 kg), 255/45 (1.460 kg)	
	155 - 330 K		alle Varianten	8,0 x 18	30	5	112	K80183050746..	Serie	✓			245/50 (1.530 kg), 255/45 (1.560 kg)	
	155 - 330 O		alle Varianten	8,0 x 18	30	5	112	O80183050721..	111	✓			245/50 (1.460 kg), 255/45 (1.460 kg)	
	155 - 240 V		Schw. matt d. c.	8,5 x 18	25	5	112	V8518255072124	111	✓			245/50 (1.490 kg),...	
	155 - 240 D		alle Varianten	8,0 x 19	25	5	112	D80192550721..	111	✓			245/45 (1.560 kg)	
	155 - 330 K		alle Varianten	8,0 x 19	30	5	112	K80193050746..	Serie	✓	B74		245/45 (1.570 kg)	
	155 - 330 O		alle Varianten	8,0 x 19	30	5	112	O80193050721..	111	✓	B74		245/45 (1.490 kg)	
	155 - 330 S		alle Varianten	8,0 x 19	30	5	112	S80193050721..	111	✓	B74		245/45 (1.460 kg)	
	155 - 240 V		alle Varianten	8,5 x 19	25	5	112	V85192550721..	111	✓			245/45	255/40
	155 - 330 E		alle Varianten	8,5 x 19	30	5	112	E8593050721..	111	✓	B74		245/45, 255/40	
	155 - 330 R		alle Varianten	8,5 x 19	30	5	112	R85193050721..	111	✓	B74		245/45 (1.530 kg), 255/40 (1.560 kg)	
	155 - 330 R		alle Varianten	8,5 x 20	30	5	112	R85203050721..	111	✓	B74		245/40 (1.530 kg), 255/35 (1.570 kg)	
X1 [E84]	85 - 190 K		alle Varianten	7,5 x 17	32	5	120	K75173251125..	Serie	✓			225/50, 235/45, 245/45	
Typ X1, X-N1	85 - 190 B		Silber	7,5 x 17	34	5	120	B757345112518	07	✓			225/50, 235/45, 245/45 HA	
	85 - 190 E		alle Varianten	7,5 x 17	34	5	120	E7573451125..	07	✓			225/50, 235/45, 245/45 HA	
	85 - 190 F		Schwarz matt	7,5 x 17	34	5	120	F7517345112522	07	✓			225/50, 235/45, 245/45 HA	

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsanlage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	85 - 190	K	alle Varianten	7,5 x 17	34	5	120	K75173451125..	Serie	✓			225/50, 235/45, 245/45 HA	
	85 - 190	Y	alle Varianten	7,5 x 17	34	5	120	Y75173451125..	07	✓			225/50, 235/45, 245/45 HA	
	85 - 190	D	alle Varianten	7,5 x 17	35	5	120	D75173551126..	07	✓			225/50, 235/45, 245/45 HA	
	85 - 190	K	alle Varianten	8,0 x 17	30	5	120	K80173051125..	Serie	✓			235/45	225/50, 245/45, 255/45 HA
	85 - 190	V	alle Varianten	8,0 x 17	30	5	120	V80173051125..	07	✓			235/45	225/50, 245/45, 255/45 HA
	85 - 190	K	alle Varianten	8,0 x 17	34	5	120	K80173451125..	Serie	✓			225/50, 235/45, 255/45 HA	
	85 - 190	E	alle Varianten	8,0 x 18	30	5	120	E8083051125..	07	✓			225/45, 235/40	245/40
	85 - 190	K	alle Varianten	8,0 x 18	30	5	120	K80183051125..	Serie	✓			225/45, 235/40	245/40
	85 - 190	Z	Silber	8,0 x 18	30	5	120	Z8018305112518	07	✓			225/45, 235/40	245/40
	85 - 190	Za	Anthrazit matt	8,0 x 18	30	5	120	Z8018305112515	07	✓			225/45, 235/40	245/40
	85 - 190	H	alle Varianten	8,0 x 18	34	5	120	H80183451126..	07	✓			225/45, 235/40, 245/40 HA	
	85 - 190	K	alle Varianten	8,0 x 18	34	5	120	K80183451125..	Serie	✓			225/45, 235/40, 245/40 HA	
	85 - 190	O	alle Varianten	8,0 x 18	34	5	120	O80183451126..	07	✓			225/45, 235/40, 245/40 HA	
	85 - 190	D	Weiß rot elox	8,0 x 18	35	5	120	D8018355112631	07	✓			225/45, 235/40, 245/40 HA	
	85 - 190	D	alle Varianten	8,0 x 18	35	5	120	D80183551126..	07	✓			225/45, 235/40, 245/40 HA	
	85 - 190	W	alle Varianten	8,0 x 18	35	5	120	W80183551126..	07	✓			225/45, 235/40, 245/40 HA	
	85 - 190	Y	alle Varianten	8,0 x 18	35	5	120	Y80183551125..	07	✓			225/45, 235/40, 245/40 HA	
	85 - 190	V	alle Varianten	8,5 x 18	35	5	120	V85183551126..	07	✓			225/45, 245/40 HA	255/40 HA
	85 - 190	D	alle Varianten	8,0 x 19	30	5	120	D80193051126..	07	✓			225/40, 235/35	245/35
	85 - 190	S	alle Varianten	8,0 x 19	34	5	120	S80193451126..	07	✓			225/40, 235/35	
	85 - 190	O	alle Varianten	8,0 x 19	35	5	120	O80193551126..	07	✓			225/40, 235/35	
	85 - 190	W	alle Varianten	8,0 x 19	35	5	120	W80193551126..	07	✓			225/40, 235/35	
	85 - 190	V	Kristallsilber	8,5 x 19	35	5	120	V8519355112625	07	✓			225/40	255/35 HA
													AUTEC in 20": <a href="http://www.autec-wheels.de">www.autec-wheels.de</a>	
<b>X1 [F48]</b>	85 - 170	X	alle Varianten	7,0 x 17	38	5	112	X70173850721..	111	✓				205/60 M+S, 215/55 M+S,...
Typ UKL-L, F1X	85 - 170	Z	Silber	7,0 x 17	46	5	112	Z7017465072118	111	✓			205/60 M+S, 215/55 M+S, 215/60 M+S	
	85 - 170	Za	Anthrazit matt	7,0 x 17	46	5	112	Z7017465072115	111	✓			205/60 M+S, 215/55 M+S, 215/60 M+S	
	85 - 170	P	Silber	7,0 x 17	48	5	112	P7017485072118	111	✓			205/60 M+S, 215/55 M+S, 215/60 M+S	
	85 - 170	S	alle Varianten	7,0 x 17	49	5	112	S70174950721..	111	✓			205/60 M+S, 215/55 M+S, 215/60 M+S, 225/55 M+S	
	85 - 170	X	alle Varianten	7,0 x 17	50	5	112	X70175050721..	111	✓			205/60 M+S, 215/55 M+S, 215/60 M+S, 225/55 M+S	
	85 - 170	E	alle Varianten	7,5 x 17	35	5	112	E7573550721..	111	✓				225/55, 235/50, 235/55,...
	85 - 170	Y	alle Varianten	7,5 x 17	35	5	112	Y75173550721..	111	✓				225/55, 235/50, 235/55,...
	85 - 170	N	alle Varianten	7,5 x 17	38	5	112	N7573850721..	111	✓				225/55, 235/50, 235/55,...
	85 - 170	W	alle Varianten	7,5 x 17	38	5	112	W75173850721..	111	✓				225/55 (1.170 kg),...
	85 - 170	D	alle Varianten	7,5 x 17	42	5	112	D75174250721..	111	✓				225/55, 235/50, 235/55,...
	85 - 170	D	alle Varianten	7,5 x 17	45	5	112	D75174550721..	111	✓			205/60 M+S	225/55, 235/50, 235/55,...
	85 - 170	N	alle Varianten	7,5 x 17	47	5	112	N7574750721..	111	✓			205/60 M+S	225/55, 235/50, 235/55
	85 - 170	W	alle Varianten	7,5 x 17	47	5	112	W75174750721..	111	✓			205/60 M+S (1.180 kg)	225/55 (1.170 kg),...
	85 - 170	Y	alle Varianten	7,5 x 17	47	5	112	Y75174750721..	111	✓			205/60 M+S	225/55, 235/50, 235/55
	85 - 170	B	Silber	7,5 x 17	50	5	112	B757505072118	111	✓			205/60 M+S, 215/55 M+S, 215/60 M+S, 225/55	
	85 - 170	E	alle Varianten	7,5 x 17	50	5	112	E7575050721..	111	✓			205/60 M+S, 215/55 M+S, 215/60 M+S, 225/55	
	85 - 170	H	alle Varianten	7,5 x 17	51	5	112	H75175150721..	111	✓			205/60 M+S, 215/55 M+S, 215/60 M+S, 225/55	
	85 - 170	K	alle Varianten	7,5 x 17	52	5	112	K75175250746..	Serie	✓			205/60 M+S, 215/55 M+S, 215/60 M+S, 225/55	
	85 - 170	KX	Schwarz	7,5 x 17	52	5	112	KX7517525074633	Serie	✓			205/60 M+S, 215/55 M+S, 215/60 M+S, 225/55	
	85 - 170	KX	Silber	7,5 x 17	52	5	112	KX7517525074618	Serie	✓			205/60 M+S, 215/55 M+S, 215/60 M+S, 225/55	
	85 - 170	PE	Silber	7,5 x 17	52	5	112	PE7517525074618	Serie	✓		a	225/55	
	85 - 170	V	alle Varianten	8,0 x 17	50	5	112	V80175050721..	111	✓				225/55
	85 - 170	S	alle Varianten	7,5 x 18	49	5	112	S75184950721..	111	✓			215/50 M+S, 235/45	225/50, 245/45
	85 - 170	P	Silber	7,5 x 18	51	5	112	P7518515072118	111	✓			215/50 M+S, 225/50, 235/45, 245/45	

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
85 - 170 Z		Z	Silber	8,0 x 18	38	5	112	Z8018385072118	111	✓				225/50, 235/45, 245/45,...
85 - 170 Za		Za	Anthrazit matt	8,0 x 18	38	5	112	Z8018385072115	111	✓				225/50, 235/45, 245/45,...
85 - 170 D		D	alle Varianten	8,0 x 18	42	5	112	D80184250721..	111	✓				225/50, 235/45, 245/45,...
85 - 170 E		E	alle Varianten	8,0 x 18	42	5	112	E8084250721..	111	✓				225/50, 235/45, 245/45,...
85 - 170 D		D	alle Varianten	8,0 x 18	45	5	112	D80184550721..	111	✓				225/50, 235/45, 245/45,...
85 - 170 W		W	alle Varianten	8,0 x 18	45	5	112	W80184550721..	111	✓				225/50, 235/45, 245/45,...
85 - 170 Y		Y	alle Varianten	8,0 x 18	45	5	112	Y80184550721..	111	✓				225/50, 235/45, 245/45,...
85 - 170 H		H	alle Varianten	8,0 x 18	48	5	112	H80184850721..	111	✓				225/50, 235/45, 245/45
85 - 170 O		O	alle Varianten	8,0 x 18	48	5	112	O80184850721..	111	✓				225/50, 235/45, 245/45
85 - 170 Z		Z	Silber	8,0 x 18	48	5	112	Z8018485072118	111	✓				225/50, 235/45, 245/45
85 - 170 Za		Za	Anthrazit matt	8,0 x 18	48	5	112	Z8018485072115	111	✓				225/50, 235/45, 245/45
85 - 170 E		E	alle Varianten	8,0 x 18	50	5	112	E8085050721..	111	✓			235/45	225/50, 245/45
85 - 170 K		K	alle Varianten	8,0 x 18	50	5	112	K80185050746..	Serie	✓			235/45	225/50, 245/45
85 - 170 V		V	Kristallsilber	8,5 x 18	45	5	112	V8518455072125	111	✓				225/50 MF, 235/45, 245/45
85 - 170 X		X	alle Varianten	8,5 x 18	48	5	112	X85184850721..	111	✓				225/50 MF, 235/45
85 - 170 D		D	Schw. matt rot elox	8,0 x 19	40	5	112	D8019405072132	111	✓				225/45, 235/40, 245/40
85 - 170 D		D	alle Varianten	8,0 x 19	40	5	112	D80194050721..	111	✓				225/45, 235/40, 245/40
85 - 170 D		D	alle Varianten	8,0 x 19	45	5	112	D80194550721..	111	✓				225/45, 235/40, 245/40
85 - 170 K		K	alle Varianten	8,0 x 19	47	5	112	K80194750746..	Serie	✓			225/45	235/40, 245/40
85 - 170 O		O	alle Varianten	8,0 x 19	48	5	112	O80194850721..	111	✓			225/45	235/40, 245/40
85 - 170 S		S	alle Varianten	8,0 x 19	48	5	112	S80194850721..	111	✓			225/45	235/40, 245/40
85 - 170 W		W	alle Varianten	8,0 x 19	48	5	112	W80194850721..	111	✓			225/45	235/40, 245/40
85 - 170 X		X	alle Varianten	8,5 x 19	36	5	112	X85193650721..	111	✓				225/45, 235/40, 245/40
85 - 170 V		V	Kristallsilber	8,5 x 19	45	5	112	V8519455072125	111	✓				225/45, 235/40, 245/40
85 - 170 R		R	alle Varianten	8,5 x 19	48	5	112	R85194850721..	111	✓				225/45, 235/40
85 - 170 D		D	alle Varianten	8,5 x 20	48	5	112	D85204850721..	111	✓	B33			225/35, 235/35
85 - 170 R		R	alle Varianten	8,5 x 20	48	5	112	R85204850721..	111	✓				225/35, 235/35
85 - 170 U		U	alle Varianten	9,0 x 20	40	5	112	U90204050746..	Serie	✓				225/35, 235/35, 245/35,...
85 - 170 X		X	alle Varianten	9,0 x 20	40	5	112	X90204050721..	111	✓				225/35, 235/35, 245/35,...
<b>X3 [E83]</b>													Nähere Informationen in unserem Konfigurator unter: <a href="http://www.autec-wheels.de">www.autec-wheels.de</a>	
Typ X83													Further information in our configurator at: <a href="http://www.autec-wheels.de">www.autec-wheels.de</a>	
<b>X3 [F25]</b>														
Typ X3, X-N1														
100 - 210 K			alle Varianten	7,5 x 17	32	5	120	K75173251125..	Serie	✓	B90		205/65 M+S (1.360 kg), 215/60 M+S (1.360 kg), 225/60 (1.360 kg),...	245/55 (1.360 kg)
100 - 190 B			Silber	7,5 x 17	34	5	120	B757345112518	88	✓	B90		205/65 M+S, 215/60 M+S, 225/60, 235/55	245/55
100 - 210 E			alle Varianten	7,5 x 17	34	5	120	E7573451125..	88	✓	B90		205/65 M+S (1.440 kg), 215/60 M+S (1.440 kg), 225/60 (1.440 kg),...	245/55 (1.440 kg)
100 - 210 F			Schwarz matt	7,5 x 17	34	5	120	F7517345112522	88	✓	B90		205/65 M+S (1.440 kg), 215/60 M+S (1.440 kg), 225/60 (1.440 kg),...	245/55 (1.440 kg)
100 - 210 K			alle Varianten	7,5 x 17	34	5	120	K75173451125..	Serie	✓	B90		205/65 M+S (1.360 kg), 215/60 M+S (1.360 kg), 225/60 (1.360 kg),...	245/55 (1.360 kg)
100 - 210 Y			alle Varianten	7,5 x 17	34	5	120	Y75173451125..	88	✓	B90		205/65 M+S (1.310 kg), 215/60 M+S (1.320 kg), 225/60 (1.300 kg),...	245/55 (1.300 kg)
100 - 210 K			alle Varianten	7,5 x 17	37	5	120	K75173751125..	Serie	✓	B90		205/65 M+S (1.360 kg), 215/60 M+S (1.360 kg), 225/60 (1.360 kg),...	
100 - 210 H			alle Varianten	7,5 x 17	43	5	120	H75174351126..	88	✓	B90		205/65 M+S (1.460 kg), 215/60 M+S (1.460 kg), 225/60 (1.460 kg),...	
100 - 210 S			alle Varianten	7,5 x 17	43	5	120	S75174351126..	88	✓	B90		205/65 M+S (1.340 kg), 215/60 M+S (1.340 kg), 225/60 (1.340 kg),...	
100 - 210 D			alle Varianten	7,5 x 17	45	5	120	D75174551126..	88	✓	B90		205/65 M+S (1.440 kg), 215/60 M+S (1.440 kg), 225/60 (1.440 kg),...	
100 - 210 K			alle Varianten	8,0 x 17	30	5	120	K80173051125..	Serie	✓	B90		225/60	235/55, 245/55, 255/50
100 - 210 V			alle Varianten	8,0 x 17	30	5	120	V80173051125..	88	✓	B90		225/60	235/55, 245/55, 255/50
100 - 210 K			alle Varianten	8,0 x 17	34	5	120	K80173451125..	Serie	✓	B90		225/60	235/55, 245/55, 255/50
100 - 230 E			alle Varianten	8,0 x 18	30	5	120	E8083051125..	88	✓	B90		225/50 (max. 210 kW), 225/55 (max. 210 kW)	235/50 (max. 210 kW), 245/50,...
100 - 230 K			alle Varianten	8,0 x 18	30	5	120	K80183051125..	Serie	✓	B90		225/50 (max. 210 kW), 225/55 (max. 210 kW)	235/50 (max. 210 kW), 245/50,...
100 - 230 Z			Silber	8,0 x 18	30	5	120	Z8018305112518	88	✓	B90		225/50 (1.450 kg) (max. 210 kW), 225/55 (1.410 kg) (max. 210 kW)	...
100 - 230 Za			Anthrazit matt	8,0 x 18	30	5	120	Z8018305112515	88	✓	B90		225/50 (1.450 kg) (max. 210 kW), 225/55 (1.410 kg) (max. 210 kW)	...
100 - 230 K			alle Varianten	8,0 x 18	34	5	120	K80183451125..	Serie	✓	B90		225/50 (max. 210 kW), 225/55 (max. 210 kW)	235/50 (max. 210 kW), 245/50,...

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsanlage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	100 - 230 Y		alle Varianten	8,0 x 18	35	5	120	Y80183551125..	88	✓	B90		225/50 (max. 210 kW), 225/55 (max. 210 kW), 235/50 (max. 210 kW),...	245/50
	100 - 230 H		alle Varianten	8,0 x 18	43	5	120	H80184351126..	88	✓	B90		225/50 (1.460 kg) (max. 210 kW), 225/55 (1.460 kg) (max. 210 kW),...	
	100 - 230 K		alle Varianten	8,0 x 18	43	5	120	K80184351125..	Serie	✓	B90		225/50 (max. 210 kW), 225/55 (max. 210 kW), 235/50 (max. 210 kW),...	
	100 - 230 O		alle Varianten	8,0 x 18	43	5	120	O80184351126..	88	✓	B90		225/50 (1.460 kg) (max. 210 kW), 225/55 (1.460 kg) (max. 210 kW),...	
	100 - 230 D		alle Varianten	8,0 x 18	45	5	120	D80184551126..	88	✓	B90		225/50 (max. 210 kW), 225/55 (max. 210 kW), 235/50 (max. 210 kW),...	
	100 - 230 V		alle Varianten	8,5 x 18	35	5	120	V85183551126..	88	✓	B90			235/50 (max. 210 kW), 245/50,...
	100 - 230 X		alle Varianten	8,5 x 18	42	5	120	X85184251126..	88	✓	B90		235/50 (max. 210 kW), 245/50, 255/45	275/45 HA
	100 - 230 K		alle Varianten	8,0 x 19	36	5	120	K80193651125..	Serie	✓	B90		235/45 (max. 210 kW), 245/45	
	100 - 230 D		alle Varianten	8,0 x 19	45	5	120	D80194551126..	88	✓	B90		235/45 (max. 210 kW), 245/45	
	100 - 230 K		alle Varianten	8,0 x 19	45	5	120	K80194551125..	Serie	✓	B90		235/45 (1.430 kg) (max. 210 kW), 245/45 (1.410 kg)	
	100 - 230 O		alle Varianten	8,0 x 19	45	5	120	O80194551126..	88	✓	B90		235/45 (1.460 kg) (max. 210 kW), 245/45 (1.460 kg)	
	100 - 230 S		alle Varianten	8,0 x 19	45	5	120	S80194551126..	88	✓	B90		235/45 (1.460 kg) (max. 210 kW), 245/45 (1.460 kg)	
	100 - 230 W		alle Varianten	8,0 x 19	45	5	120	W80194551126..	88	✓	B90		235/45 (1.310 kg) (max. 210 kW), 245/45 (1.300 kg)	
	100 - 230 V		Kristallsilber	8,5 x 19	35	5	120	V8519355112625	88	✓	B90		235/45 (max. 210 kW), 245/45	255/40
	100 - 230 R		alle Varianten	8,5 x 19	38	5	120	R85193851126..	88	✓	B90		235/45 (1.480 kg) (max. 210 kW), 245/45 (1.460 kg), 255/40	
	100 - 230 U		alle Varianten	8,5 x 19	38	5	120	U85193851125..	Serie	✓	B90		235/45 (max. 210 kW), 245/45, 255/40	
	100 - 230 X		alle Varianten	8,5 x 19	38	5	120	X85193851125..	Serie	✓	B90		235/45 (max. 210 kW), 245/45, 255/40	
	100 - 230 D		alle Varianten	8,5 x 20	35	5	120	D85203551126..	88	✓	B90		245/40	255/35
	100 - 230 R		alle Varianten	8,5 x 20	35	5	120	R85203551126..	88	✓	B90		245/40 (1.460 kg)	255/35
	100 - 230 V		Kristallsilber	9,0 x 20	30	5	120	V9020305112625	88	✓	B90			245/40, 255/35, 265/35,...
	100 - 230 U		alle Varianten	9,0 x 20	40	5	120	U90204051125..	Serie	✓	B90		245/40, 255/35	275/35 HA
	100 - 230 X		alle Varianten	9,0 x 20	42	5	120	X90204251125..	Serie	✓	B90		245/40, 255/35	275/35 HA
													AUTEC in 21": <a href="http://www.autec-wheels.de">www.autec-wheels.de</a>	
<b>X3 [G01]</b>	120 - 195 P		Silber	7,5 x 18	35	5	112	P7518355072118	111	✓	Y90		225/60 (1.480 kg), 235/55 (1.500 kg)	
Typ G3X	120 - 195 K		alle Varianten	8,0 x 18	30	5	112	K80183050746..	Serie	✓	Y90		225/60 (1.480 kg), 235/55 (1.500 kg)	
	120 - 195 D		alle Varianten	8,0 x 18	35	5	112	D80183550721..	111	✓	Y90		225/60 (1.500 kg), 235/55 (1.540 kg)	
	120 - 195 H		alle Varianten	8,0 x 18	35	5	112	H80183550721..	111	✓	Y90		225/60 (1.450 kg), 235/55 (1.460 kg)	
	120 - 195 O		alle Varianten	8,0 x 18	35	5	112	O80183550721..	111	✓	Y90		225/60 (1.450 kg), 235/55 (1.460 kg)	
	120 - 195 Y		alle Varianten	8,0 x 18	35	5	112	Y80183550721..	111	✓	Y90		225/60 (1.490 kg), 235/55 (1.520 kg)	
	120 - 195 E		alle Varianten	8,5 x 18	30	5	112	E8583050721..	111	✓	Y90		225/60 MF, 235/55	
	120 - 195 V		Kristallsilber	8,5 x 18	35	5	112	V8518355072125	111	✓	Y90		225/60 MF (1.440 kg), 235/55 (1.460 kg)	
	120 - 195 P		Silber	7,5 x 19	35	5	112	P7519355072118	111	✓	Y90		225/55 (1.460 kg), 235/50 (1.480 kg), 245/50 (1.470 kg)	
	120 - 195 D		alle Varianten	8,0 x 19	25	5	112	D80192550721..	111	✓	Y90		225/55 (1.500 kg)	235/50 (1.520 kg),...
	120 - 195 K		alle Varianten	8,0 x 19	30	5	112	K80193050746..	Serie	✓	Y90		225/55 (1.500 kg), 235/50 (1.520 kg), 255/45 (1.540 kg)	245/50 (1.500 kg)
	120 - 195 O		alle Varianten	8,0 x 19	30	5	112	O80193050721..	111	✓	Y90		225/55 (1.440 kg), 235/50 (1.460 kg), 255/45 (1.460 kg)	245/50 (1.440 kg)
	120 - 195 S		alle Varianten	8,0 x 19	30	5	112	S80193050721..	111	✓			225/55 (1.460 kg), 235/50 (1.460 kg), 255/45 (1.460 kg)	245/50 (1.460 kg)
	120 - 195 V		alle Varianten	8,5 x 19	25	5	112	V85192550721..	111	✓	Y90			235/50 (1.460 kg),...
	120 - 195 E		alle Varianten	8,5 x 19	30	5	112	E8593050721..	111	✓	Y90		235/50, 255/45	245/50, 265/45, 275/45 HA
	120 - 195 R		alle Varianten	8,5 x 19	30	5	112	R85193050721..	111	✓	Y90		235/50 (1.500 kg), 255/45 (1.510 kg)	245/50 (1.480 kg),...
	120 - 195 D		alle Varianten	8,5 x 20	30	5	112	D85203050721..	111	✓	Y90		235/45 (1.530 kg), 245/45 (1.510 kg), 255/40 (1.540 kg)	
	120 - 195 R		alle Varianten	8,5 x 20	30	5	112	R85203050721..	111	✓	Y90		235/45 (1.490 kg), 245/45 (1.480 kg), 255/40 (1.510 kg)	
	120 - 195 V		Kristallsilber	9,0 x 20	35	5	112	V9020355072125	111	✓	Y90		235/45, 245/45, 255/40 HA	265/40 HA, 275/40 HA
<b>X4 [F26]</b>	100 - 210 K		alle Varianten	7,5 x 17	32	5	120	K75173251125..	Serie	✓	B90		205/65 M+S (1.360 kg), 215/60 M+S (1.360 kg), 225/60 (1.360 kg),...	245/55 (1.360 kg)
Typ X3, X-N1	100 - 210 B		Silber	7,5 x 17	34	5	120	B757345112518	88	✓	B90		205/65 M+S (1.440 kg), 215/60 M+S (1.440 kg), 225/60 (1.440 kg),...	245/55 (1.440 kg)
	100 - 210 E		alle Varianten	7,5 x 17	34	5	120	E7573451125..	88	✓	B90		205/65 M+S (1.440 kg), 215/60 M+S (1.440 kg), 225/60 (1.440 kg),...	245/55 (1.440 kg)
	100 - 210 F		Schwarz matt	7,5 x 17	34	5	120	F7517345112522	88	✓	B90		205/65 M+S (1.440 kg), 215/60 M+S (1.440 kg), 225/60 (1.440 kg),...	245/55 (1.440 kg)
	100 - 210 K		alle Varianten	7,5 x 17	34	5	120	K75173451125..	Serie	✓	B90		205/65 M+S (1.360 kg), 215/60 M+S (1.360 kg), 225/60 (1.360 kg),...	245/55 (1.360 kg)
	100 - 210 K		alle Varianten	7,5 x 17	37	5	120	K75173751125..	Serie	✓	B90		205/65 M+S (1.360 kg), 215/60 M+S (1.360 kg), 225/60 (1.360 kg),...	
	100 - 210 H		alle Varianten	7,5 x 17	43	5	120	H75174351126..	88	✓	B90		205/65 M+S (1.460 kg), 215/60 M+S (1.460 kg), 225/60 (1.460 kg),...	

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	100 - 210 S		alle Varianten	7,5 x 17	43	5	120	S75174351126..	88	✓	B90		205/65 M+S (1.340 kg), 215/60 M+S (1.340 kg), 225/60 (1.340 kg),...	
	100 - 210 D		alle Varianten	7,5 x 17	45	5	120	D75174551126..	88	✓	B90		205/65 M+S (1.440 kg), 215/60 M+S (1.440 kg), 225/60 (1.440 kg),...	
	100 - 210 K		alle Varianten	8,0 x 17	30	5	120	K80173051125..	Serie	✓	B90		225/60	235/55, 245/55, 255/50
	100 - 210 V		alle Varianten	8,0 x 17	30	5	120	V80173051125..	88	✓	B90		225/60	235/55, 245/55, 255/50
	100 - 210 K		alle Varianten	8,0 x 17	34	5	120	K80173451125..	Serie	✓	B90		225/60	235/55, 245/55, 255/50
	100 - 210 S		alle Varianten	7,5 x 18	38	5	120	S75183851126..	88	✓	B90		225/50 (1.340 kg), 225/55 (1.340 kg), 235/50 (1.340 kg),...	
	100 - 230 E		alle Varianten	8,0 x 18	30	5	120	E8083051125..	88	✓	B90		225/50 (max. 210 kW), 225/55 (max. 210 kW)	
	100 - 230 K		alle Varianten	8,0 x 18	30	5	120	K80183051125..	Serie	✓	B90		225/50 (max. 210 kW), 225/55 (max. 210 kW)	
	100 - 230 Z		Silber	8,0 x 18	30	5	120	Z8018305112518	88	✓	B90		225/50 (1.450 kg) (max. 210 kW), 225/55 (1.410 kg) (max. 210 kW)	
	100 - 230 Za		Anthrazit matt	8,0 x 18	30	5	120	Z8018305112515	88	✓	B90		225/50 (1.450 kg) (max. 210 kW), 225/55 (1.410 kg) (max. 210 kW)	
	100 - 230 K		alle Varianten	8,0 x 18	34	5	120	K80183451125..	Serie	✓	B90		225/50 (max. 210 kW), 225/55 (max. 210 kW)	
	100 - 230 Y		alle Varianten	8,0 x 18	35	5	120	Y80183551125..	88	✓	B90		225/50 (max. 210 kW), 225/55 (max. 210 kW), 235/50 (max. 210 kW),...	
	100 - 230 H		alle Varianten	8,0 x 18	43	5	120	H80184351126..	88	✓	B90		225/50 (1.460 kg) (max. 210 kW), 225/55 (1.460 kg) (max. 210 kW),...	
	100 - 230 K		alle Varianten	8,0 x 18	43	5	120	K80184351125..	Serie	✓	B90		225/50 (max. 210 kW), 225/55 (max. 210 kW), 235/50 (max. 210 kW),...	
	100 - 230 O		alle Varianten	8,0 x 18	43	5	120	O80184351126..	88	✓	B90		225/50 (1.460 kg) (max. 210 kW), 225/55 (1.460 kg) (max. 210 kW),...	
	100 - 230 D		alle Varianten	8,0 x 18	45	5	120	D80184551126..	88	✓	B90		225/50 (max. 210 kW), 225/55 (max. 210 kW), 235/50 (max. 210 kW),...	
	100 - 230 V		alle Varianten	8,5 x 18	35	5	120	V85183551126..	88	✓	B90		235/50 (max. 210 kW), 245/50,...	
	100 - 230 X		alle Varianten	8,5 x 18	42	5	120	X85184251126..	88	✓	B90		235/50 (max. 210 kW), 245/50, 255/45	
	100 - 230 K		alle Varianten	8,0 x 19	36	5	120	K80193651125..	Serie	✓	B90		235/45 (max. 210 kW), 245/45	
	100 - 230 D		alle Varianten	8,0 x 19	45	5	120	D80194551126..	88	✓	B90		235/45 (max. 210 kW), 245/45	
	100 - 230 K		alle Varianten	8,0 x 19	45	5	120	K80194551125..	Serie	✓	B90		235/45 (1.430 kg) (max. 210 kW), 245/45 (1.410 kg)	
	100 - 230 O		alle Varianten	8,0 x 19	45	5	120	O80194551126..	88	✓	B90		235/45 (1.460 kg) (max. 210 kW), 245/45 (1.460 kg)	
	100 - 230 S		alle Varianten	8,0 x 19	45	5	120	S80194551126..	88	✓	B90		235/45 (1.460 kg) (max. 210 kW), 245/45 (1.460 kg)	
	100 - 230 V		Kristallsilber	8,5 x 19	35	5	120	V8519355112625	88	✓	B90		235/45 (max. 210 kW), 245/45	
	100 - 230 R		alle Varianten	8,5 x 19	38	5	120	R85193851126..	88	✓	B90		235/45 (1.480 kg) (max. 210 kW), 245/45 (1.460 kg), 255/40	
	100 - 230 U		alle Varianten	8,5 x 19	38	5	120	U85193851125..	Serie	✓	B90		235/45 (max. 210 kW), 245/45, 255/40	
	100 - 230 X		alle Varianten	8,5 x 19	38	5	120	X85193851125..	Serie	✓	B90		235/45 (max. 210 kW), 245/45, 255/40	
	100 - 230 D		alle Varianten	8,5 x 20	35	5	120	D85203551126..	88	✓	B90		245/40	
	100 - 230 R		alle Varianten	8,5 x 20	35	5	120	R85203551126..	88	✓	B90		245/40 (1.460 kg)	
	100 - 230 V		Kristallsilber	9,0 x 20	30	5	120	V9020305112625	88	✓	B90		245/40, 255/35, 265/35,...	
	100 - 230 U		alle Varianten	9,0 x 20	40	5	120	U90204051125..	Serie	✓	B90		245/40, 255/35	
	100 - 230 X		alle Varianten	9,0 x 20	42	5	120	X90204251125..	Serie	✓	B90		245/40, 255/35	
	AUTEC in 21": <a href="http://www.autec-wheels.de">www.autec-wheels.de</a>													
<b>X4 [F26] (KMV)</b>	100 - 210 K		alle Varianten	7,5 x 17	32	5	120	K75173251125..	Serie	✓	B90		205/65 M+S (1.360 kg), 215/60 M+S (1.360 kg), 225/60 (1.360 kg),...	
Typ X3, X-N1	100 - 210 B		Silber	7,5 x 17	34	5	120	B757345112518	88	✓	B90		205/65 M+S (1.440 kg), 215/60 M+S (1.440 kg), 225/60 (1.440 kg),...	
	100 - 210 E		alle Varianten	7,5 x 17	34	5	120	E7573451125..	88	✓	B90		205/65 M+S (1.440 kg), 215/60 M+S (1.440 kg), 225/60 (1.440 kg),...	
	100 - 210 F		Schwarz matt	7,5 x 17	34	5	120	F7517345112522	88	✓	B90		205/65 M+S (1.440 kg), 215/60 M+S (1.440 kg), 225/60 (1.440 kg),...	
	100 - 210 K		alle Varianten	7,5 x 17	34	5	120	K75173451125..	Serie	✓	B90		205/65 M+S (1.360 kg), 215/60 M+S (1.360 kg), 225/60 (1.360 kg),...	
	100 - 210 K		alle Varianten	7,5 x 17	37	5	120	K75173751125..	Serie	✓	B90		205/65 M+S (1.360 kg), 215/60 M+S (1.360 kg), 225/60 (1.360 kg),...	
	100 - 210 H		alle Varianten	7,5 x 17	43	5	120	H75174351126..	88	✓	B90		205/65 M+S (1.460 kg), 215/60 M+S (1.460 kg), 225/60 (1.460 kg),...	
	100 - 210 S		alle Varianten	7,5 x 17	43	5	120	S75174351126..	88	✓	B90		205/65 M+S (1.340 kg), 215/60 M+S (1.340 kg), 225/60 (1.340 kg),...	
	100 - 210 D		alle Varianten	7,5 x 17	45	5	120	D75174551126..	88	✓	B90		205/65 M+S (1.440 kg), 215/60 M+S (1.440 kg), 225/60 (1.440 kg),...	
	100 - 210 K		alle Varianten	8,0 x 17	30	5	120	K80173051125..	Serie	✓	B90		225/60, 235/55	
	100 - 210 V		alle Varianten	8,0 x 17	30	5	120	V80173051125..	88	✓	B90		225/60, 235/55	
	100 - 210 K		alle Varianten	8,0 x 17	34	5	120	K80173451125..	Serie	✓	B90		225/60, 235/55, 245/55	
	100 - 210 S		alle Varianten	7,5 x 18	38	5	120	S75183851126..	88	✓	B90		225/50 (1.340 kg), 225/55 (1.340 kg), 235/50 (1.340 kg),...	
	100 - 230 E		alle Varianten	8,0 x 18	30	5	120	E8083051125..	88	✓	B90		225/50 (max. 210 kW), 225/55 (max. 210 kW), 235/50 (max. 210 kW),...	
	100 - 230 K		alle Varianten	8,0 x 18	30	5	120	K80183051125..	Serie	✓	B90		225/50 (max. 210 kW), 225/55 (max. 210 kW), 235/50 (max. 210 kW),...	
	100 - 230 Z		Silber	8,0 x 18	30	5	120	Z8018305112518	88	✓	B90		225/50 (1.450 kg) (max. 210 kW), 225/55 (1.410 kg) (max. 210 kW),...	

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	100 - 230 Za		Anthrazit matt	8,0 x 18	30	5	120	Z8018305112515	88	✓	B90		225/50 (1.450 kg) (max. 210 kW), 225/55 (1.410 kg) (max. 210 kW),...	245/50 (1.410 kg)
	100 - 230 K		alle Varianten	8,0 x 18	34	5	120	K80183451125..	Serie	✓	B90		225/50 (max. 210 kW), 225/55 (max. 210 kW), 235/50 (max. 210 kW),...	
	100 - 230 Y		alle Varianten	8,0 x 18	35	5	120	Y80183551125..	88	✓	B90		225/50 (max. 210 kW), 225/55 (max. 210 kW), 235/50 (max. 210 kW),...	
	100 - 230 H		alle Varianten	8,0 x 18	43	5	120	H80184351126..	88	✓	B90		225/50 (1.460 kg) (max. 210 kW), 225/55 (1.460 kg) (max. 210 kW),...	
	100 - 230 K		alle Varianten	8,0 x 18	43	5	120	K80184351125..	Serie	✓	B90		225/50 (max. 210 kW), 225/55 (max. 210 kW), 235/50 (max. 210 kW),...	
	100 - 230 O		alle Varianten	8,0 x 18	43	5	120	O80184351126..	88	✓	B90		225/50 (1.460 kg) (max. 210 kW), 225/55 (1.460 kg) (max. 210 kW),...	
	100 - 230 D		alle Varianten	8,0 x 18	45	5	120	D80184551126..	88	✓	B90		225/50 (max. 210 kW), 225/55 (max. 210 kW), 235/50 (max. 210 kW),...	
	100 - 230 V		alle Varianten	8,5 x 18	35	5	120	V85183551126..	88	✓	B90		235/50 (max. 210 kW), 245/50, 255/45	275/45
	100 - 230 X		alle Varianten	8,5 x 18	42	5	120	X85184251126..	88	✓	B90		235/50 (max. 210 kW), 245/50, 255/45, 275/45 HA	
	100 - 230 K		alle Varianten	8,0 x 19	36	5	120	K80193651125..	Serie	✓	B90		235/45 (max. 210 kW), 245/45	
	100 - 230 D		alle Varianten	8,0 x 19	45	5	120	D80194551126..	88	✓	B90		235/45 (max. 210 kW), 245/45	
	100 - 230 K		alle Varianten	8,0 x 19	45	5	120	K80194551125..	Serie	✓	B90		235/45 (1.430 kg) (max. 210 kW), 245/45 (1.410 kg)	
	100 - 230 O		alle Varianten	8,0 x 19	45	5	120	O80194551126..	88	✓	B90		235/45 (1.460 kg) (max. 210 kW), 245/45 (1.460 kg)	
	100 - 230 S		alle Varianten	8,0 x 19	45	5	120	S80194551126..	88	✓	B90		235/45 (1.460 kg) (max. 210 kW), 245/45 (1.460 kg)	
	100 - 230 V		Kristallsilber	8,5 x 19	35	5	120	V8519355112625	88	✓	B90		235/45 (max. 210 kW), 245/45, 255/40	
	100 - 230 R		alle Varianten	8,5 x 19	38	5	120	R85193851126..	88	✓	B90		235/45 (1.480 kg) (max. 210 kW), 245/45 (1.460 kg), 255/40	
	100 - 230 U		alle Varianten	8,5 x 19	38	5	120	U85193851125..	Serie	✓	B90		235/45 (max. 210 kW), 245/45, 255/40	
	100 - 230 X		alle Varianten	8,5 x 19	38	5	120	X85193851125..	Serie	✓	B90		235/45 (max. 210 kW), 245/45, 255/40	
	100 - 230 D		alle Varianten	8,5 x 20	35	5	120	D85203551126..	88	✓	B90		245/40, 255/35	
	100 - 230 R		alle Varianten	8,5 x 20	35	5	120	R85203551126..	88	✓	B90		245/40 (1.460 kg), 255/35	
	100 - 230 V		Kristallsilber	9,0 x 20	30	5	120	V9020305112625	88	✓	B90		245/40	255/35, 265/35, 275/35
	100 - 230 U		alle Varianten	9,0 x 20	40	5	120	U90204051125..	Serie	✓	B90		245/40, 255/35	275/35 HA
	100 - 230 X		alle Varianten	9,0 x 20	42	5	120	X90204251125..	Serie	✓	B90		245/40, 255/35	275/35 HA
													AUTEC in 21": <a href="http://www.autec-wheels.de">www.autec-wheels.de</a>	
<b>X5 [E70]</b>	155 - 300 E		alle Varianten	8,5 x 18	45	5	120	E8584551127..	88	✓	BS8		255/55 (1.930 kg)	
<b>X5 [E70] (KMV)</b>	155 - 300 X		alle Varianten	8,5 x 18	46	5	120	X85184651127..	88	✓	BS8		255/55 (1.970 kg)	
Typ X70, X5, X-N1	155 - 300 E		alle Varianten	8,5 x 19	45	5	120	E8594551127..	88	✓	BS8		255/50 (1.930 kg), 275/45 (1.930 kg)	
	155 - 330 U		alle Varianten	9,0 x 20	40	5	120	U90204051127..	Serie	✓			nicht alle Fzg.: 255/45 (1.970 kg)	...
	155 - 330 X		alle Varianten	9,0 x 20	40	5	120	X90204051127..	Serie	✓			nicht alle Fzg.: 255/45 (1.970 kg)	...
<b>X5 [F15]</b>	155 - 240 E		alle Varianten	8,5 x 18	45	5	120	E8584551127..	88	✓	B72		255/55 (1.930 kg)	
Typ X5, X-N1	155 - 240 X		alle Varianten	8,5 x 18	46	5	120	X85184651127..	88	✓	B72		255/55	
	155 - 240 U		alle Varianten	8,5 x 19	42	5	120	U85194251127..	Serie	✓			255/50	
	155 - 240 X		alle Varianten	8,5 x 19	43	5	120	X85194351127..	Serie	✓	B74		255/50	
	155 - 240 E		alle Varianten	8,5 x 19	45	5	120	E8594551127..	88	✓			255/50 (1.930 kg)	
	155 - 330 U		alle Varianten	9,0 x 20	40	5	120	U90204051127..	Serie	✓			255/45, 265/40, 265/45	275/40
	155 - 330 X		alle Varianten	9,0 x 20	40	5	120	X90204051127..	Serie	✓			255/45 (1.970 kg), 265/40 (1.970 kg), 265/45 (1.970 kg)	275/40 (1.970 kg)
													AUTEC in 21": <a href="http://www.autec-wheels.de">www.autec-wheels.de</a>	
<b>X5 [F15] (KMV)</b>	155 - 240 E		alle Varianten	8,5 x 18	45	5	120	E8584551127..	88	✓	B72		255/55 (1.930 kg)	
Typ X5, X-N1	155 - 240 X		alle Varianten	8,5 x 18	46	5	120	X85184651127..	88	✓	B72		255/55	
	155 - 240 U		alle Varianten	8,5 x 19	42	5	120	U85194251127..	Serie	✓			255/50, 275/45	
	155 - 240 X		alle Varianten	8,5 x 19	43	5	120	X85194351127..	Serie	✓	B74		255/50, 275/45	
	155 - 240 E		alle Varianten	8,5 x 19	45	5	120	E8594551127..	88	✓			255/50 (1.930 kg), 275/45 (1.930 kg)	
	155 - 330 U		alle Varianten	9,0 x 20	40	5	120	U90204051127..	Serie	✓			255/45, 265/40, 265/45, 275/40	
	155 - 330 X		alle Varianten	9,0 x 20	40	5	120	X90204051127..	Serie	✓			255/45 (1.970 kg), 265/40 (1.970 kg), 265/45 (1.970 kg),...	
													Autec in 21" : <a href="http://www.autec-wheels.de">www.autec-wheels.de</a>	
<b>Z4 Coupé [E86]</b>													Nähere Informationen in unserem Konfigurator unter: <a href="http://www.autec-wheels.de">www.autec-wheels.de</a>	
<b>Z4 Roadster [E85]</b>													Further information in our configurator at: <a href="http://www.autec-wheels.de">www.autec-wheels.de</a>	
Typ Z85														
<b>Z4 Roadster [E89]</b>	115 - 250 K		alle Varianten	8,0 x 17	30	5	120	K80173051125..	Serie	✓			225/45, 235/40 (max. 190 kW)	235/45 (max. 190 kW),...

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
Typ Z89, ZR	115 - 250 V		alle Varianten	8,0 x 17	30	5	120	V80173051125..	07	✓			225/45, 235/40 (max. 190 kW)	235/45 (max. 190 kW),...
	115 - 250 E		alle Varianten	8,0 x 18	30	5	120	E8083051125..	07	✓			225/40	235/40 (max. 190 kW),...
	115 - 250 K		alle Varianten	8,0 x 18	30	5	120	K80183051125..	Serie	✓			225/40	235/40 (max. 190 kW),...
	115 - 250 Z		Silber	8,0 x 18	30	5	120	Z8018305112518	07	✓			225/40	235/40 (max. 190 kW),...
	115 - 250 Za		Anthrazit matt	8,0 x 18	30	5	120	Z8018305112515	07	✓			225/40	235/40 (max. 190 kW),...
	115 - 250 D		alle Varianten	8,0 x 19	30	5	120	D80193051126..	07	✓			225/35	235/35 (max. 190 kW)