

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part No.	Fitting-Kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
Interstar	60 - 107	T	Silber	6,5 x 16	60	5	130	T656605153918	Serie				205/75-C wS, 215/65-C wS	225/65-C wS
Typ FDN, J3	60 - 107	Q	alle Varianten	6,5 x 16	66	5	130	Q65166651539..	Serie				205/75-C wS, 215/65-C wS, 225/65-C wS	
	60 - 107	Q	alle Varianten	7,0 x 17	62	5	130	Q70176251539..	Serie				215/60-C	
Juke [2WD]	69 - 147	E	Silber	6,5 x 16	32	5	114,3	E656325092118	20	✓	B16		205/60, 205/65, 215/60	225/55
Typ F15	69 - 147	P	Silber	6,5 x 16	36	5	114,3	P6516365092118	20	✓	B16		205/60, 205/65, 215/60, 225/55	
	69 - 147	E	alle Varianten	6,5 x 16	38	5	114,3	E6563850921..	20	✓	B16		205/60, 205/65, 215/60, 225/55	
	69 - 147	S	alle Varianten	6,5 x 16	38	5	114,3	S65163850921..	20	✓	B16		205/60, 205/65, 215/60, 225/55	
	69 - 147	PE	Silber	6,5 x 16	40	5	114,3	PE6516405094518	Serie	✓		✓	205/60, 215/60	
	69 - 147	X	alle Varianten	6,5 x 16	40	5	114,3	X65164050921..	20	✓	B16		205/60, 205/65, 215/60, 225/55	
	69 - 147	Z	Silber	6,5 x 16	40	5	114,3	Z6516405092118	20	✓	B16		205/60, 205/65, 215/60, 225/55	
	69 - 147	Za	Anthrazit matt	6,5 x 16	40	5	114,3	Z6516405092115	20	✓	B16		205/60, 205/65, 215/60, 225/55	
	69 - 147	B	Silber	6,5 x 16	45	5	114,3	B656455092118	20	✓	B16		205/60, 205/65, 215/60, 225/55	
	69 - 147	N	alle Varianten	7,0 x 16	38	5	114,3	N7063850921..	20	✓	B16		205/60, 205/65, 215/60, 225/55	
	69 - 147	Y	alle Varianten	7,0 x 16	38	5	114,3	Y70163850921..	20	✓	B16		205/60, 205/65, 215/60, 225/55	
	69 - 147	H	alle Varianten	7,0 x 16	40	5	114,3	H70164050921..	20	✓	B16		205/60, 205/65, 215/60, 225/55	
	69 - 147	B	Silber	7,0 x 16	42	5	114,3	B706425092118	20	✓	B16		205/60, 205/65, 215/60, 225/55	
	69 - 147	Z	Silber	7,0 x 16	42	5	114,3	Z7016425092118	20	✓	B16		205/60, 205/65, 215/60, 225/55	
	69 - 147	Za	Anthrazit matt	7,0 x 16	42	5	114,3	Z7016425092115	20	✓	B16		205/60, 205/65, 215/60, 225/55	
	69 - 147	E	Silber	7,0 x 16	45	5	114,3	E706455092118	20	✓	B16		205/60, 205/65, 215/60, 225/55	
	81, 140	B	Silber	7,5 x 16	35	5	114,3	B756355092118	20	✓	B16		205/60, 205/65, 215/60	225/55 (max. 86 kW)
	69 - 147	P	Silber	7,0 x 17	40	5	114,3	P7017405092118	20	✓			205/55, 215/55, 225/50	235/50
	69 - 147	S	alle Varianten	7,0 x 17	40	5	114,3	S70174050921..	20	✓			205/55, 215/55, 225/50	235/50
	69 - 147	X	alle Varianten	7,0 x 17	40	5	114,3	X70174050921..	20	✓			205/55, 215/55, 225/50	235/50
	69 - 147	S	alle Varianten	7,0 x 17	45	5	114,3	S70174550921..	20	✓			205/55, 215/55, 225/50, 235/50	
	69 - 147	Z	Silber	7,0 x 17	46	5	114,3	Z7017465092118	20	✓			205/55, 215/55, 225/50	
	69 - 147	Za	Anthrazit matt	7,0 x 17	46	5	114,3	Z7017465092115	20	✓			205/55, 215/55, 225/50	
	69 - 147	P	Silber	7,0 x 17	48	5	114,3	P7017485092118	20	✓			205/55, 215/55, 225/50	
	69 - 147	D	alle Varianten	7,5 x 17	38	5	114,3	D75173850921..	20	✓			205/55, 215/55	225/50, 235/50, 245/45
	69 - 147	H	alle Varianten	7,5 x 17	38	5	114,3	H75173850921..	20	✓			205/55, 215/55	225/50, 235/50, 245/45
	69 - 147	Y	alle Varianten	7,5 x 17	38	5	114,3	Y75173850921..	20	✓			205/55, 215/55	225/50, 235/50, 245/45
	69 - 147	B	Silber	7,5 x 17	40	5	114,3	B757405092118	20	✓			215/55, 225/50, 245/45	235/50
	69 - 147	E	alle Varianten	7,5 x 17	40	5	114,3	E7574050921..	20	✓			205/55, 215/55, 225/50, 245/45	235/50
	69 - 147	N	alle Varianten	7,5 x 17	40	5	114,3	N7574050921..	20	✓			205/55, 215/55, 225/50, 245/45	235/50
	69 - 147	S	alle Varianten	7,5 x 17	40	5	114,3	S75174050921..	20	✓			205/55, 215/55, 225/50, 245/45	235/50
	69 - 147	Z	Silber	7,5 x 17	40	5	114,3	Z7517405092118	20	✓			205/55, 215/55, 225/50, 245/45	235/50
	69 - 147	Za	Anthrazit matt	7,5 x 17	40	5	114,3	Z7517405092115	20	✓			205/55, 215/55, 225/50, 245/45	235/50
	69 - 147	E	alle Varianten	7,5 x 17	45	5	114,3	E7574550921..	20	✓			205/55, 215/55, 225/50, 245/45	
	69 - 147	Y	alle Varianten	7,5 x 17	45	5	114,3	Y75174550921..	20	✓			205/55, 215/55, 225/50, 245/45	
	69 - 147	N	alle Varianten	7,5 x 17	47	5	114,3	N7574750921..	20	✓			205/55, 215/55	
	69 - 147	V	alle Varianten	8,0 x 17	40	5	114,3	V80174050921..	20	✓			215/55 MF	225/50, 235/50, 245/45
	69 - 147	S	alle Varianten	7,5 x 18	38	5	114,3	S75183850921..	20	✓			215/45, 215/50, 225/45, 235/45	
	69 - 147	P	Silber	7,5 x 18	40	5	114,3	P7518405092118	20	✓			215/45, 215/50, 225/45, 235/45	
	69 - 147	S	alle Varianten	7,5 x 18	48	5	114,3	S75184850921..	20	✓			215/45, 215/50, 225/45, 235/45	
	69 - 147	W	alle Varianten	8,0 x 18	35	5	114,3	W80183550921..	20	✓			215/45, 225/45	215/50 MF, 235/45, 245/40
	69 - 147	D	alle Varianten	8,0 x 18	38	5	114,3	D80183850921..	20	✓			215/45, 225/45	215/50 MF, 235/45, 245/40
	69 - 147	O	alle Varianten	8,0 x 18	38	5	114,3	O80183850921..	20	✓			215/45, 225/45	215/50 MF, 235/45, 245/40
	69 - 147	E	alle Varianten	8,0 x 18	40	5	114,3	E8084050921..	20	✓			215/45, 215/50 MF, 225/45, 235/45	245/40
	69 - 147	H	alle Varianten	8,0 x 18	40	5	114,3	H80184050921..	20	✓			215/45, 215/50 MF, 225/45, 235/45	245/40
	69 - 147	Y	alle Varianten	8,0 x 18	40	5	114,3	Y80184050921..	20	✓			215/45, 215/50 MF, 225/45, 235/45	245/40
	69 - 147	Z	Silber	8,0 x 18	40	5	114,3	Z8018405092118	20	✓			215/45, 215/50 MF, 225/45, 235/45	245/40

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part No.	Fitting-Kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
69 - 147	Za	Anthrazit matt	8,0 x 18	40	5	114,3	Z8018405092115	20	✓				215/45, 215/50 MF, 225/45, 235/45	245/40
69 - 147	D	alle Varianten	8,0 x 18	42	5	114,3	D80184250921..	20	✓				215/45, 215/50 MF, 225/45, 235/45, 245/40	
69 - 147	O	alle Varianten	8,0 x 18	42	5	114,3	O80184250921..	20	✓				215/45, 215/50 MF, 225/45, 235/45, 245/40	
69 - 147	F	Schwarz matt	8,0 x 18	45	5	114,3	F8018455092122	20	✓				215/45, 215/50 MF, 225/45, 235/45	
69 - 147	X	alle Varianten	8,5 x 18	35	5	114,3	X85183550921..	20	✓				225/45, 235/45	
69 - 147	V	Kristallsilber	8,5 x 18	40	5	114,3	V8518405092125	20	✓				225/45	235/45, 245/40
69 - 147	X	alle Varianten	8,5 x 18	40	5	114,3	X85184050921..	20	✓				225/45	235/45, 245/40
69 - 147	X	alle Varianten	8,5 x 18	48	5	114,3	X85184850921..	20	✓				225/45	
69 - 147	P	Silber	7,5 x 19	40	5	114,3	P7519405092118	20	✓				225/40	
69 - 147	S	alle Varianten	8,0 x 19	35	5	114,3	S80193550921..	20	✓					225/40
69 - 147	D	alle Varianten	8,0 x 19	40	5	114,3	D80194050921..	20	✓				225/40	235/40, 245/35
69 - 147	O	alle Varianten	8,0 x 19	40	5	114,3	O80194050921..	20	✓				225/40	235/40, 245/35
69 - 147	D	alle Varianten	8,0 x 19	45	5	114,3	D80194550921..	20	✓	B42			225/40, 235/40	
69 - 147	O	alle Varianten	8,0 x 19	45	5	114,3	O80194550921..	20	✓				225/40, 235/40	
69 - 147	S	alle Varianten	8,0 x 19	45	5	114,3	S80194550921..	20	✓				225/40, 235/40	
69 - 147	W	alle Varianten	8,0 x 19	45	5	114,3	W80194550921..	20	✓				225/40, 235/40	
69 - 147	R	alle Varianten	8,5 x 19	40	5	114,3	R85194050921..	20	✓				225/40	235/40, 245/35
69 - 147	U	alle Varianten	8,5 x 19	40	5	114,3	U85194050921..	20	✓				225/40	235/40, 245/35
69 - 147	R	alle Varianten	8,5 x 19	45	5	114,3	R85194550921..	20	✓				225/40, 235/40	
69 - 147	X	alle Varianten	8,5 x 19	45	5	114,3	X85194550921..	20	✓				225/40, 235/40	
69 - 147	U	alle Varianten	8,5 x 19	48	5	114,3	U85194850921..	20	✓				225/40	
69 - 147	D	alle Varianten	8,5 x 20	42	5	114,3	D85204250921..	20	✓	B42			225/35	235/35
69 - 147	R	alle Varianten	8,5 x 20	45	5	114,3	R85204550921..	20	✓				225/35	235/35
69 - 147	X	alle Varianten	9,0 x 20	40	5	114,3	X90204050921..	20	✓					225/35
69 - 147	U	alle Varianten	9,0 x 20	45	5	114,3	U90204550921..	20	✓				225/35	
69 - 147	X	alle Varianten	9,0 x 20	45	5	114,3	X90204550921..	20	✓				225/35	
<b>Juke [4WD]</b>	140, 147	E	Silber	6,5 x 16	32	5	114,3	E656325092118	20	✓	B16		205/60, 205/65	215/60, 225/55
Typ F15	140	P	Silber	6,5 x 16	36	5	114,3	P6516365092118	20	✓	B16		205/60, 205/65, 215/60	225/55
	140, 147	E	alle Varianten	6,5 x 16	38	5	114,3	E6563850921..	20	✓	B16		205/60, 205/65, 215/60, 225/55	
	140, 147	S	alle Varianten	6,5 x 16	38	5	114,3	S65163850921..	20	✓	B16		205/60, 205/65, 215/60, 225/55	
	140, 147	PE	Silber	6,5 x 16	40	5	114,3	PE6516405094518	Serie	✓		✓	205/60	
	140, 147	X	alle Varianten	6,5 x 16	40	5	114,3	X65164050921..	20	✓	B16		205/60, 205/65, 215/60, 225/55	
	140, 147	Z	Silber	6,5 x 16	40	5	114,3	Z6516405092118	20	✓	B16		205/60, 205/65, 215/60, 225/55	
	140, 147	Za	Anthrazit matt	6,5 x 16	40	5	114,3	Z6516405092115	20	✓	B16		205/60, 205/65, 215/60, 225/55	
	140, 147	B	Silber	6,5 x 16	45	5	114,3	B656455092118	20	✓	B16		205/60, 205/65, 215/60, 225/55	
	140, 147	N	alle Varianten	7,0 x 16	38	5	114,3	N7063850921..	20	✓	B16		205/60, 205/65, 215/60	225/55
	140, 147	Y	alle Varianten	7,0 x 16	38	5	114,3	Y70163850921..	20	✓	B16		205/60, 205/65, 215/60	225/55
	140, 147	H	alle Varianten	7,0 x 16	40	5	114,3	H70164050921..	20	✓	B16		205/60, 205/65, 215/60, 225/55	
	140, 147	B	Silber	7,0 x 16	42	5	114,3	B706425092118	20	✓	B16		205/60, 205/65, 215/60, 225/55	
	140, 147	Z	Silber	7,0 x 16	42	5	114,3	Z7016425092118	20	✓	B16		205/60, 205/65, 215/60, 225/55	
	140, 147	Za	Anthrazit matt	7,0 x 16	42	5	114,3	Z7016425092115	20	✓	B16		205/60, 205/65, 215/60, 225/55	
	140, 147	E	Silber	7,0 x 16	45	5	114,3	E706455092118	20	✓	B16		205/60, 205/65, 215/60, 225/55	
	140	B	Silber	7,5 x 16	35	5	114,3	B756355092118	20	✓	B16		205/60 M+S, 205/65 M+S	
	140, 147	P	Silber	7,0 x 17	40	5	114,3	P7017405092118	20	✓			205/55, 215/55, 225/50	235/50
	140, 147	S	alle Varianten	7,0 x 17	40	5	114,3	S70174050921..	20	✓			205/55, 215/55, 225/50	235/50
	140, 147	X	alle Varianten	7,0 x 17	40	5	114,3	X70174050921..	20	✓			205/55, 215/55, 225/50	235/50
	140, 147	S	alle Varianten	7,0 x 17	45	5	114,3	S70174550921..	20	✓			205/55, 215/55, 225/50, 235/50	
	140, 147	Z	Silber	7,0 x 17	46	5	114,3	Z7017465092118	20	✓			205/55, 215/55, 225/50, 235/50	
	140, 147	Za	Anthrazit matt	7,0 x 17	46	5	114,3	Z7017465092115	20	✓			205/55, 215/55, 225/50, 235/50	
	140, 147	P	Silber	7,0 x 17	48	5	114,3	P7017485092118	20	✓			205/55, 215/55, 225/50, 235/50	

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part No.	Fitting-Kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
140, 147 D		D	alle Varianten	7,5 x 17	38	5	114,3	D75173850921..	20	✓			205/55	215/55, 225/50, 235/50,...
140, 147 H		H	alle Varianten	7,5 x 17	38	5	114,3	H75173850921..	20	✓			205/55	215/55, 225/50, 235/50,...
140, 147 Y		Y	alle Varianten	7,5 x 17	38	5	114,3	Y75173850921..	20	✓			205/55	215/55, 225/50, 235/50,...
140, 147 B		B	Silber	7,5 x 17	40	5	114,3	B757405092118	20	✓			215/55	225/50, 235/50, 245/45
140, 147 E		E	alle Varianten	7,5 x 17	40	5	114,3	E7574050921..	20	✓			205/55, 215/55	225/50, 235/50, 245/45
140, 147 N		N	alle Varianten	7,5 x 17	40	5	114,3	N7574050921..	20	✓			205/55, 215/55	225/50, 235/50, 245/45
140, 147 S		S	alle Varianten	7,5 x 17	40	5	114,3	S75174050921..	20	✓			205/55, 215/55	225/50, 235/50, 245/45
140, 147 Z		Z	Silber	7,5 x 17	40	5	114,3	Z7517405092118	20	✓			205/55, 215/55	225/50, 235/50, 245/45
140, 147 Za		Za	Anthrazit matt	7,5 x 17	40	5	114,3	Z7517405092115	20	✓			205/55, 215/55	225/50, 235/50, 245/45
140, 147 E		E	alle Varianten	7,5 x 17	45	5	114,3	E7574550921..	20	✓			205/55, 215/55, 225/50, 245/45	235/50
140, 147 Y		Y	alle Varianten	7,5 x 17	45	5	114,3	Y75174550921..	20	✓			205/55, 215/55, 225/50, 245/45	235/50
140, 147 N		N	alle Varianten	7,5 x 17	47	5	114,3	N7574750921..	20	✓			205/55, 215/55, 225/50, 235/50, 245/45	
140, 147 V		V	alle Varianten	8,0 x 17	40	5	114,3	V80174050921..	20	✓				215/55 MF, 225/50, 235/50,...
140, 147 S		S	alle Varianten	7,5 x 18	38	5	114,3	S75183850921..	20	✓			215/45, 225/45	215/50, 235/45
140, 147 P		P	Silber	7,5 x 18	40	5	114,3	P7518405092118	20	✓			215/45, 215/50, 225/45, 235/45	
140, 147 S		S	alle Varianten	7,5 x 18	48	5	114,3	S75184850921..	20	✓			215/45, 215/50, 225/45, 235/45	
140, 147 W		W	alle Varianten	8,0 x 18	35	5	114,3	W80183550921..	20	✓			215/45	215/50 MF, 225/45, 235/45,...
140, 147 D		D	alle Varianten	8,0 x 18	38	5	114,3	D80183850921..	20	✓			215/45, 225/45	215/50 MF, 235/45, 245/40
140, 147 O		O	alle Varianten	8,0 x 18	38	5	114,3	O80183850921..	20	✓			215/45, 225/45	215/50 MF, 235/45, 245/40
140, 147 E		E	alle Varianten	8,0 x 18	40	5	114,3	E8084050921..	20	✓			215/45, 225/45	215/50 MF, 235/45, 245/40
140, 147 H		H	alle Varianten	8,0 x 18	40	5	114,3	H80184050921..	20	✓			215/45, 225/45	215/50 MF, 235/45, 245/40
140, 147 Y		Y	alle Varianten	8,0 x 18	40	5	114,3	Y80184050921..	20	✓			215/45, 225/45	215/50 MF, 235/45, 245/40
140, 147 Z		Z	Silber	8,0 x 18	40	5	114,3	Z8018405092118	20	✓			215/45, 225/45	215/50 MF, 235/45, 245/40
140, 147 Za		Za	Anthrazit matt	8,0 x 18	40	5	114,3	Z8018405092115	20	✓			215/45, 225/45	215/50 MF, 235/45, 245/40
140, 147 D		D	alle Varianten	8,0 x 18	42	5	114,3	D80184250921..	20	✓			215/45, 215/50 MF, 225/45, 235/45	245/40
140, 147 O		O	alle Varianten	8,0 x 18	42	5	114,3	O80184250921..	20	✓			215/45, 215/50 MF, 225/45, 235/45	245/40
140, 147 F		F	Schwarz matt	8,0 x 18	45	5	114,3	F8018455092122	20	✓			215/45, 215/50 MF, 225/45, 235/45, 245/40	
140, 147 X		X	alle Varianten	8,5 x 18	35	5	114,3	X85183550921..	20	✓				225/45, 235/45, 245/40
140, 147 V		V	Kristallsilber	8,5 x 18	40	5	114,3	V8518405092125	20	✓				225/45, 235/45, 245/40,...
140, 147 X		X	alle Varianten	8,5 x 18	40	5	114,3	X85184050921..	20	✓				225/45, 235/45, 245/40,...
140, 147 X		X	alle Varianten	8,5 x 18	48	5	114,3	X85184850921..	20	✓			225/45, 235/45, 245/40	255/40
140, 147 P		P	Silber	7,5 x 19	40	5	114,3	P7519405092118	20	✓			225/40	
140, 147 S		S	alle Varianten	8,0 x 19	35	5	114,3	S80193550921..	20	✓				225/40, 235/40, 245/35
140, 147 D		D	alle Varianten	8,0 x 19	40	5	114,3	D80194050921..	20	✓				225/40, 235/40, 245/35
140, 147 O		O	alle Varianten	8,0 x 19	40	5	114,3	O80194050921..	20	✓				225/40, 235/40, 245/35
140, 147 D		D	alle Varianten	8,0 x 19	45	5	114,3	D80194550921..	20	✓			225/40, 235/40, 245/35	
140, 147 O		O	alle Varianten	8,0 x 19	45	5	114,3	O80194550921..	20	✓			225/40, 235/40, 245/35	
140, 147 S		S	alle Varianten	8,0 x 19	45	5	114,3	S80194550921..	20	✓			225/40, 235/40, 245/35	
140, 147 W		W	alle Varianten	8,0 x 19	45	5	114,3	W80194550921..	20	✓			225/40, 235/40, 245/35	
140, 147 R		R	alle Varianten	8,5 x 19	40	5	114,3	R85194050921..	20	✓				225/40, 235/40, 245/35,...
140, 147 U		U	alle Varianten	8,5 x 19	40	5	114,3	U85194050921..	20	✓				225/40, 235/40, 245/35,...
140, 147 R		R	alle Varianten	8,5 x 19	45	5	114,3	R85194550921..	20	✓			225/40, 235/40	245/35, 255/35
140, 147 X		X	alle Varianten	8,5 x 19	45	5	114,3	X85194550921..	20	✓			225/40, 235/40	245/35, 255/35
140, 147 U		U	alle Varianten	8,5 x 19	48	5	114,3	U85194850921..	20	✓			225/40, 235/40	245/35, 255/35
140, 147 D		D	alle Varianten	8,5 x 20	36	5	114,3	D85203650921..	20	✓				225/35, 235/35, 245/30,...
140, 147 R		R	alle Varianten	8,5 x 20	36	5	114,3	R85203650921..	20	✓				225/35, 235/35, 245/30,...
140, 147 D		D	alle Varianten	8,5 x 20	42	5	114,3	D85204250921..	20	✓			225/35	235/35, 245/30, 255/30
140, 147 R		R	alle Varianten	8,5 x 20	45	5	114,3	R85204550921..	20	✓			225/35, 235/35	245/30, 255/30
140, 147 U		U	alle Varianten	9,0 x 20	38	5	114,3	U90203850921..	20	✓				225/35, 235/35, 245/30
140, 147 V		V	Kristallsilber	9,0 x 20	38	5	114,3	V9020385092125	20	✓				235/35, 245/30

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part No.	Fitting-Kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	140, 147	X	alle Varianten	9,0 x 20	40	5	114,3	X90204050921..	20	✓				225/35, 235/35, 245/30,...
	140, 147	U	alle Varianten	9,0 x 20	45	5	114,3	U90204550921..	20	✓			225/35	235/35, 245/30, 255/30
	140, 147	X	alle Varianten	9,0 x 20	45	5	114,3	X90204550921..	20	✓			225/35	235/35, 245/30, 255/30
<b>Juke Nismo RS</b>	157, 160	P	Silber	7,0 x 17	40	5	114,3	P7017405092118	20	✓			215/55, 225/50	235/50
Typ F15	157, 160	S	alle Varianten	7,0 x 17	40	5	114,3	S70174050921..	20	✓			215/55, 225/50	235/50
	157, 160	X	alle Varianten	7,0 x 17	40	5	114,3	X70174050921..	20	✓			215/55, 225/50	235/50
	157, 160	S	alle Varianten	7,0 x 17	45	5	114,3	S70174550921..	20	✓			215/55, 225/50, 235/50	
	157, 160	Z	Silber	7,0 x 17	46	5	114,3	Z7017465092118	20	✓			215/55, 225/50	
	157, 160	Za	Anthrazit matt	7,0 x 17	46	5	114,3	Z7017465092115	20	✓			215/55, 225/50	
	157, 160	P	Silber	7,0 x 17	48	5	114,3	P7017485092118	20	✓			215/55, 225/50	
	157, 160	D	alle Varianten	7,5 x 17	38	5	114,3	D75173850921..	20	✓			215/55	225/50, 235/50, 245/45
	157, 160	H	alle Varianten	7,5 x 17	38	5	114,3	H75173850921..	20	✓			215/55	225/50, 235/50, 245/45
	157, 160	Y	alle Varianten	7,5 x 17	38	5	114,3	Y75173850921..	20	✓			215/55	225/50, 235/50, 245/45
	157, 160	B	Silber	7,5 x 17	40	5	114,3	B757405092118	20	✓			215/55, 225/50, 245/45	235/50
	157, 160	E	alle Varianten	7,5 x 17	40	5	114,3	E7574050921..	20	✓			215/55, 225/50, 245/45	235/50
	157, 160	N	alle Varianten	7,5 x 17	40	5	114,3	N7574050921..	20	✓			215/55, 225/50, 245/45	235/50
	157, 160	S	alle Varianten	7,5 x 17	40	5	114,3	S75174050921..	20	✓			215/55, 225/50, 245/45	235/50
	157, 160	Z	Silber	7,5 x 17	40	5	114,3	Z7517405092118	20	✓			215/55, 225/50, 245/45	235/50
	157, 160	Za	Anthrazit matt	7,5 x 17	40	5	114,3	Z7517405092115	20	✓			215/55, 225/50, 245/45	235/50
	157, 160	E	alle Varianten	7,5 x 17	45	5	114,3	E7574550921..	20	✓			215/55, 225/50, 245/45	
	157, 160	W	alle Varianten	7,5 x 17	45	5	114,3	W75174550921..	20	✓			215/55, 225/50, 245/45	
	157, 160	Y	alle Varianten	7,5 x 17	45	5	114,3	Y75174550921..	20	✓			215/55, 225/50, 245/45	
	157, 160	N	alle Varianten	7,5 x 17	47	5	114,3	N7574750921..	20	✓			215/55	
	157, 160	V	alle Varianten	8,0 x 17	40	5	114,3	V80174050921..	20	✓			215/55 MF	225/50, 235/50, 245/45
	157, 160	S	alle Varianten	7,5 x 18	38	5	114,3	S75183850921..	20	✓			215/45, 215/50, 225/45, 235/45	
	157, 160	P	Silber	7,5 x 18	40	5	114,3	P7518405092118	20	✓			215/45, 215/50, 225/45, 235/45	
	157, 160	S	alle Varianten	7,5 x 18	48	5	114,3	S75184850921..	20	✓			215/45, 215/50, 225/45, 235/45	
	157, 160	W	alle Varianten	8,0 x 18	35	5	114,3	W80183550921..	20	✓			215/45, 225/45	215/50 MF, 235/45
	157, 160	D	alle Varianten	8,0 x 18	38	5	114,3	D80183850921..	20	✓			215/45, 225/45	215/50 MF, 235/45, 245/40
	157, 160	O	alle Varianten	8,0 x 18	38	5	114,3	O80183850921..	20	✓			215/45, 225/45	215/50 MF, 235/45, 245/40
	157, 160	E	alle Varianten	8,0 x 18	40	5	114,3	E8084050921..	20	✓			215/45, 215/50 MF, 225/45, 235/45	245/40
	157, 160	H	alle Varianten	8,0 x 18	40	5	114,3	H80184050921..	20	✓			215/45, 215/50 MF, 225/45, 235/45	245/40
	157, 160	Y	alle Varianten	8,0 x 18	40	5	114,3	Y80184050921..	20	✓			215/45, 215/50 MF, 225/45, 235/45	245/40
	157, 160	Z	Silber	8,0 x 18	40	5	114,3	Z8018405092118	20	✓			215/45, 215/50 MF, 225/45, 235/45	245/40
	157, 160	Za	Anthrazit matt	8,0 x 18	40	5	114,3	Z8018405092115	20	✓			215/45, 215/50 MF, 225/45, 235/45	245/40
	157, 160	D	alle Varianten	8,0 x 18	42	5	114,3	D80184250921..	20	✓			215/45, 215/50 MF, 225/45, 235/45, 245/40	
	157, 160	O	alle Varianten	8,0 x 18	42	5	114,3	O80184250921..	20	✓			215/45, 215/50 MF, 225/45, 235/45, 245/40	
	157, 160	F	Schwarz matt	8,0 x 18	45	5	114,3	F8018455092122	20	✓			215/45, 215/50 MF, 225/45, 235/45	
	157, 160	X	alle Varianten	8,5 x 18	35	5	114,3	X85183550921..	20	✓				225/45, 235/45
	157, 160	V	Kristallsilber	8,5 x 18	40	5	114,3	V8518405092125	20	✓			225/45	235/45, 245/40
	157, 160	X	alle Varianten	8,5 x 18	40	5	114,3	X85184050921..	20	✓			225/45	235/45, 245/40
	157, 160	X	alle Varianten	8,5 x 18	48	5	114,3	X85184850921..	20	✓			225/45	
	157, 160	P	Silber	7,5 x 19	40	5	114,3	P7519405092118	20	✓			225/40	
	157, 160	S	alle Varianten	8,0 x 19	35	5	114,3	S80193550921..	20	✓				225/40
	157, 160	D	alle Varianten	8,0 x 19	40	5	114,3	D80194050921..	20	✓			225/40	235/40, 245/35
	157, 160	O	alle Varianten	8,0 x 19	40	5	114,3	O80194050921..	20	✓			225/40	235/40, 245/35
	157, 160	D	alle Varianten	8,0 x 19	45	5	114,3	D80194550921..	20	✓			225/40, 235/40	
	157, 160	O	alle Varianten	8,0 x 19	45	5	114,3	O80194550921..	20	✓			225/40, 235/40	
	157, 160	S	alle Varianten	8,0 x 19	45	5	114,3	S80194550921..	20	✓			225/40, 235/40	
	157, 160	W	alle Varianten	8,0 x 19	45	5	114,3	W80194550921..	20	✓			225/40, 235/40	

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part No.	Fitting-Kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	157, 160	R	alle Varianten	8,5 x 19	40	5	114,3	R85194050921..	20	✓			225/40	235/40, 245/35
	157, 160	U	alle Varianten	8,5 x 19	40	5	114,3	U85194050921..	20	✓			225/40	235/40, 245/35
	157, 160	R	alle Varianten	8,5 x 19	45	5	114,3	R85194550921..	20	✓			225/40, 235/40	
	157, 160	X	alle Varianten	8,5 x 19	45	5	114,3	X85194550921..	20	✓			225/40, 235/40	
	157, 160	U	alle Varianten	8,5 x 19	48	5	114,3	U85194850921..	20	✓			225/40	
	157, 160	D	alle Varianten	8,5 x 20	42	5	114,3	D85204250921..	20	✓			225/35	235/35
	157, 160	R	alle Varianten	8,5 x 20	45	5	114,3	R85204550921..	20	✓			225/35	235/35
	157, 160	X	alle Varianten	9,0 x 20	40	5	114,3	X90204050921..	20	✓				225/35
	157, 160	U	alle Varianten	9,0 x 20	45	5	114,3	U90204550921..	20	✓			225/35	
	157, 160	X	alle Varianten	9,0 x 20	45	5	114,3	X90204550921..	20	✓			225/35	
<b>Micra</b>	59, 72	N	alle Varianten	5,5 x 14	38	4	100	N5543840321..	36	✓			165/70	175/65, 185/60, 185/65
Typ K13	59, 72	Z	Silber	5,5 x 14	38	4	100	Z5514384031118	636	✓			165/70	175/65, 185/60, 185/65
	59, 72	Za	Anthrazit matt	5,5 x 14	38	4	100	Z5514384031115	636	✓			165/70	175/65, 185/60, 185/65
	59, 72	Z	Silber	5,5 x 14	43	4	100	Z5514434031118	636	✓			165/70, 175/65, 185/60, 185/65	
	59, 72	Za	Anthrazit matt	5,5 x 14	43	4	100	Z5514434031115	636	✓			165/70, 175/65, 185/60, 185/65	
	59, 72	P	Silber	6,0 x 15	35	4	100	P6015354031118	636	✓				165/65, 175/55, 175/60,...
	59, 72	N	Silber	6,0 x 15	36	4	100	N605364032118	36	✓				165/65, 175/55, 175/60,...
	59, 72	Z	Silber	6,0 x 15	36	4	100	Z6015364031118	636	✓				165/65, 175/55, 175/60,...
	59, 72	Za	Anthrazit matt	6,0 x 15	36	4	100	Z6015364031115	636	✓				165/65, 175/55, 175/60,...
	59, 72	S	alle Varianten	6,0 x 15	40	4	100	S60154040311..	636	✓			165/65	175/55, 175/60, 185/55,...
	59, 72	Z	Silber	6,0 x 15	44	4	100	Z6015444031118	636	✓			165/65, 175/55, 175/60	185/55, 195/50, 195/55,...
	59, 72	Za	Anthrazit matt	6,0 x 15	44	4	100	Z6015444031115	636	✓			165/65, 175/55, 175/60	185/55, 195/50, 195/55,...
	59, 72	W	alle Varianten	6,5 x 15	35	4	100	W65153540321..	36	✓				185/55
	59, 72	B	Silber	6,5 x 15	42	4	100	B655424032118	36	✓				185/55, 195/50, 195/55,...
	59, 72	F	Schwarz matt	6,5 x 15	42	4	100	F6515424032122	36	✓				185/55, 195/50, 195/55,...
	59, 72	W	alle Varianten	6,5 x 15	42	4	100	W65154240321..	36	✓				185/55, 195/50, 195/55,...
	59, 72	P	Silber	6,5 x 16	38	4	100	P6516384031118	636	✓				185/50, 195/45, 205/45
	59, 72	S	alle Varianten	6,5 x 16	40	4	100	S65164040311..	636	✓				185/50, 195/45, 205/45
	59, 72	Z	Silber	6,5 x 16	40	4	100	Z6516404031118	636	✓				195/45, 205/45
	59, 72	Za	Anthrazit matt	6,5 x 16	40	4	100	Z6516404031115	636	✓				195/45, 205/45
	59, 72	P	Silber	6,5 x 16	44	4	100	P6516444031118	636	✓				185/50, 195/45, 205/45
	59, 72	S	alle Varianten	6,5 x 16	45	4	100	S65164540311..	636	✓				185/50, 195/45, 205/45
	59, 72	Z	Silber	6,5 x 16	48	4	100	Z6516484031118	636	✓			185/50, 185/55 wS, 195/45	205/45
	59, 72	Za	Anthrazit matt	6,5 x 16	48	4	100	Z6516484031115	636	✓			185/50, 185/55 wS, 195/45	205/45
	59, 72	F	Schwarz matt	7,0 x 16	44	4	100	F7016444032122	36	✓				195/45, 205/40, 205/45,...
	59, 72	H	alle Varianten	7,0 x 16	45	4	100	H70164540321..	36	✓				195/45, 205/40, 205/45,...
	59, 72	Z	Silber	7,0 x 17	38	4	100	Z7017384031118	636	✓				195/40
	59, 72	Za	Anthrazit matt	7,0 x 17	38	4	100	Z7017384031115	636	✓				195/40
	59, 72	S	alle Varianten	7,0 x 17	48	4	100	S70174840311..	636	✓				195/40, 205/40, 215/35
	59, 72	Z	Silber	7,0 x 17	48	4	100	Z7017484031118	636	✓				195/40, 205/40, 215/35
	59, 72	Za	Anthrazit matt	7,0 x 17	48	4	100	Z7017484031115	636	✓				195/40, 205/40, 215/35
<b>Micra</b>	52, 66	P	Silber	6,0 x 15	35	4	100	P6015354031118	642	✓				185/60, 185/65, 195/60,...
Typ K14	52, 66	N	Silber	6,0 x 15	36	4	100	N605364032118	42	✓				185/60, 185/65, 195/60,...
	52, 66	Z	Silber	6,0 x 15	36	4	100	Z6015364031118	642	✓				185/60, 185/65, 195/60,...
	52, 66	Za	Anthrazit matt	6,0 x 15	36	4	100	Z6015364031115	642	✓				185/60, 185/65, 195/60,...
	52, 66	S	alle Varianten	6,0 x 15	40	4	100	S60154040311..	642	✓			185/60, 185/65	195/60, 205/55, 205/60
	52, 66	Z	Silber	6,0 x 15	44	4	100	Z6015444031118	642	✓			185/60, 185/65, 195/60	205/55, 205/60
	52, 66	Za	Anthrazit matt	6,0 x 15	44	4	100	Z6015444031115	642	✓			185/60, 185/65, 195/60	205/55, 205/60
	52, 66	W	alle Varianten	6,5 x 15	35	4	100	W65153540321..	42	✓				185/60, 185/65, 195/60,...
	52, 66	B	Silber	6,5 x 15	42	4	100	B655424032118	42	✓			185/60, 185/65	195/60, 205/55, 205/60

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part No.	Fitting-Kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	52,66	F	Schwarz matt	6,5 x 15	42	4	100	F6515424032122	42	✓			185/60, 185/65	195/60, 205/55, 205/60
	52,66	W	alle Varianten	6,5 x 15	42	4	100	W65154240321..	42	✓			185/60, 185/65	195/60, 205/55, 205/60
	52,66	P	Silber	6,5 x 16	38	4	100	P6516384031118	642	✓				185/60, 185/65, 195/60,...
	52,66	S	alle Varianten	6,5 x 16	40	4	100	S65164040311..	642	✓				185/55, 195/50, 195/55,...
	52,66	Z	Silber	6,5 x 16	40	4	100	Z6516404031118	642	✓				195/50, 195/55, 205/50,...
	52,66	Za	Anthrazit matt	6,5 x 16	40	4	100	Z6516404031115	642	✓				195/50, 195/55, 205/50,...
	52,66	P	Silber	6,5 x 16	44	4	100	P6516444031118	642	✓			185/60, 185/65	195/60, 205/55, 205/60
	52,66	S	alle Varianten	6,5 x 16	45	4	100	S65164540311..	642	✓			185/55, 195/50, 195/55	205/50, 215/50
	52,66	Z	Silber	6,5 x 16	48	4	100	Z6516484031118	642	✓			185/55, 195/50, 195/55	205/50, 215/50
	52,66	Za	Anthrazit matt	6,5 x 16	48	4	100	Z6516484031115	642	✓			185/55, 195/50, 195/55	205/50, 215/50
	52,66	H	alle Varianten	7,0 x 16	35	4	100	H70163540321..	42	✓				195/50, 195/55, 205/50,...
	52,66	W	alle Varianten	7,0 x 16	35	4	100	W70163540321..	42	✓				195/50, 195/55, 205/50,...
	52,66	F	Schwarz matt	7,0 x 16	44	4	100	F7016444032122	42	✓				195/50, 195/55, 205/50,...
	52,66	H	alle Varianten	7,0 x 16	45	4	100	H70164540321..	42	✓				195/50, 195/55, 205/50,...
	52,66	Z	Silber	7,0 x 17	38	4	100	Z7017384031118	642	✓				195/45, 205/45, 215/40,...
	52,66	Za	Anthrazit matt	7,0 x 17	38	4	100	Z7017384031115	642	✓				195/45, 205/45, 215/40,...
	52,66	S	alle Varianten	7,0 x 17	48	4	100	S70174840311..	642	✓			195/45, 205/45	215/40, 215/45
	52,66	Z	Silber	7,0 x 17	48	4	100	Z7017484031118	642	✓			195/45, 205/45	215/40, 215/45
	52,66	Za	Anthrazit matt	7,0 x 17	48	4	100	Z7017484031115	642	✓			195/45, 205/45	215/40, 215/45
	52,66	H	alle Varianten	7,5 x 17	38	4	100	H75173840321..	42	✓				195/45, 205/45, 215/40,...
	52,66	W	alle Varianten	7,5 x 17	38	4	100	W75173840321..	42	✓				195/45, 205/45, 215/40,...
Note													Nähere Informationen in unserem Konfigurator unter: <a href="http://www.autec-wheels.de">www.autec-wheels.de</a>	
Typ E11													Further information in our configurator at: <a href="http://www.autec-wheels.de">www.autec-wheels.de</a>	
Note	59 - 72	P	Silber	6,0 x 15	35	4	100	P6015354031118	636	✓			185/65, 195/60	205/55
Typ E12	59 - 72	N	Silber	6,0 x 15	36	4	100	N605364032118	36	✓			185/65, 195/60	205/55
	59 - 72	Z	Silber	6,0 x 15	36	4	100	Z6015364031118	636	✓			185/65, 195/60	205/55
	59 - 72	Za	Anthrazit matt	6,0 x 15	36	4	100	Z6015364031115	636	✓			185/65, 195/60	205/55
	59 - 72	S	alle Varianten	6,0 x 15	40	4	100	S60154040311..	636	✓			185/65, 195/60, 205/55	
	59 - 72	Z	Silber	6,0 x 15	44	4	100	Z6015444031118	636	✓			185/65, 195/60, 205/55	
	59 - 72	Za	Anthrazit matt	6,0 x 15	44	4	100	Z6015444031115	636	✓			185/65, 195/60, 205/55	
	59 - 72	W	alle Varianten	6,5 x 15	35	4	100	W65153540321..	36	✓			185/65, 195/60	205/55, 225/50
	59 - 72	B	Silber	6,5 x 15	42	4	100	B655424032118	36	✓			185/65, 195/60, 205/55	
	59 - 72	F	Schwarz matt	6,5 x 15	42	4	100	F6515424032122	36	✓			185/65, 195/60, 205/55	
	59 - 72	W	alle Varianten	6,5 x 15	42	4	100	W65154240321..	36	✓			185/65, 195/60, 205/55	
	59 - 72	P	Silber	6,5 x 16	38	4	100	P6516384031118	636	✓			185/55, 195/50, 195/55	205/50
	59 - 72	S	alle Varianten	6,5 x 16	40	4	100	S65164040311..	636	✓			185/55, 195/50, 195/55, 205/50	
	59 - 72	Z	Silber	6,5 x 16	40	4	100	Z6516404031118	636	✓			195/50, 195/55, 205/50	
	59 - 72	Za	Anthrazit matt	6,5 x 16	40	4	100	Z6516404031115	636	✓			195/50, 195/55, 205/50	
	59 - 72	P	Silber	6,5 x 16	44	4	100	P6516444031118	636	✓			185/55, 195/50, 195/55, 205/50	
	59 - 72	S	alle Varianten	6,5 x 16	45	4	100	S65164540311..	636	✓			185/55, 195/50, 195/55, 205/50	
	59 - 72	H	alle Varianten	7,0 x 16	35	4	100	H70163540321..	36	✓				195/50, 195/55, 205/50,...
	59 - 72	W	alle Varianten	7,0 x 16	35	4	100	W70163540321..	36	✓				195/50, 195/55, 205/50,...
	59 - 72	F	Schwarz matt	7,0 x 16	44	4	100	F7016444032122	36	✓			195/50, 195/55, 215/45	
	59 - 72	H	alle Varianten	7,0 x 16	45	4	100	H70164540321..	36	✓			195/50, 195/55, 215/45	
	59 - 72	Z	Silber	7,0 x 17	38	4	100	Z7017384031118	636	✓			195/45, 205/45	215/40, 215/45
	59 - 72	Za	Anthrazit matt	7,0 x 17	38	4	100	Z7017384031115	636	✓			195/45, 205/45	215/40, 215/45
	59 - 72	H	alle Varianten	7,5 x 17	38	4	100	H75173840321..	36	✓			195/45, 205/45	215/40, 215/45
	59 - 72	W	alle Varianten	7,5 x 17	38	4	100	W75173840321..	36	✓			195/45, 205/45	215/40, 215/45
	59 - 72	F	Schwarz matt	8,0 x 18	35	4	100	F8018354032122	36	✓				205/40, 215/35, 225/35 HA
NV200 Evalia	63 - 81	N	Silber	5,5 x 14	38	4	114,3	N554384092118	22	✓			175/70-C (1.120 kg), 185/65 (1.120 kg)	

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part No.	Fitting-Kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
Typ M20M, M20N														
NV300	66 - 107	E	alle Varianten	6,5 x 16	38	5	114,3	E6563850921..	92	✓			205/65-C wS (1.580 kg) (max. 103 kW), 215/60-C (1.600 kg),...	225/60-C (1.570 kg),...
Typ 4, J4	66 - 107	E	Silber	6,5 x 16	44	5	114,3	E656445094518	Serie	✓			205/65-C wS (max. 103 kW), 215/60-C, 215/65-C, 225/60-C	
	66 - 107	Q	alle Varianten	6,5 x 16	44	5	114,3	Q65164450945..	Serie	✓			205/65-C wS (max. 103 kW), 215/60-C, 215/65-C, 225/60-C	
	66 - 107	X	alle Varianten	6,5 x 16	44	5	114,3	X65164450945..	Serie	✓			205/65-C wS (max. 103 kW), 215/60-C, 215/65-C, 225/60-C	
	66 - 107	B	Silber	6,5 x 16	45	5	114,3	B656455092118	92	✓			205/65-C wS (1.650 kg) (max. 103 kW), 215/60-C (1.650 kg),...	
	66 - 107	Q	alle Varianten	7,0 x 17	37	5	114,3	Q70173750945..	Serie	✓			215/60-C	225/55-C, 235/50, 235/55
	66 - 107	X	alle Varianten	7,0 x 17	40	5	114,3	X70174050921..	92	✓			215/60-C (1.650 kg)	225/55-C (1.650 kg)
	66 - 107	X	alle Varianten	7,0 x 17	42	5	114,3	X70174250945..	Serie	✓			215/60-C (1.650 kg), 225/55-C (1.650 kg)	
	66 - 107	E	alle Varianten	7,5 x 17	40	5	114,3	E7574050921..	92	✓			215/60	225/55-C
	66 - 107	N	alle Varianten	7,5 x 17	40	5	114,3	N7574050921..	92	✓			215/60 (1.650 kg)	225/55-C (1.650 kg)
NV400 [Frontantrieb]	74 - 107	T	Silber	6,5 x 16	60	5	130	T656605153918	Serie	✓			215/65-C wS, 225/60-C, 225/65-C wS, 235/65-C wS	
Typ M1, M9, V9	74 - 110	Q	alle Varianten	6,5 x 16	66	5	130	Q65166651539..	Serie	✓			215/65-C wS, 225/60-C, 225/65-C wS, 235/65-C wS	
	74 - 110	Q	alle Varianten	7,0 x 17	62	5	130	Q70176251539..	Serie	✓			215/60-C, 225/55-C, 235/60-C	
Primastar	60 - 107	X	alle Varianten	6,5 x 16	47	5	118	X65164751022..	Serie	✓			205/65-C wS, 215/65-C wS	225/60-C
Typ 4, J4, F4	60 - 107	Q	alle Varianten	6,5 x 16	50	5	118	Q65165051022..	Serie	✓			205/65-C wS, 215/65-C wS	225/60-C
	60 - 107	X	Silber	7,0 x 17	40	5	118	X7017405102218	Serie	✓				225/55, 235/50
Pulsar	81, 85	E	Silber	6,5 x 16	32	5	114,3	E656325092118	20	✓			195/55, 195/60, 205/55	215/55, 225/50
Typ C13	81 - 140	P	Silber	6,5 x 16	36	5	114,3	P6516365092118	20	✓			195/55 (max. 85 kW), 195/60, 205/55, 215/55	225/50
	81 - 140	E	alle Varianten	6,5 x 16	38	5	114,3	E6563850921..	20	✓			195/55 (max. 85 kW), 195/60, 205/55, 215/55, 225/50	
	81 - 140	S	alle Varianten	6,5 x 16	38	5	114,3	S65163850921..	20	✓			195/55 (max. 85 kW), 195/60, 205/55, 215/55, 225/50	
	81 - 140	PE	Silber	6,5 x 16	40	5	114,3	PE6516405094518	Serie	✓		✓	195/60, 205/55	
	81 - 140	X	alle Varianten	6,5 x 16	40	5	114,3	X65164050921..	20	✓			195/55 (max. 85 kW), 195/60, 205/55, 215/55, 225/50	
	81 - 140	Z	Silber	6,5 x 16	40	5	114,3	Z6516405092118	20	✓			195/55 (max. 85 kW), 195/60, 205/55, 215/55, 225/50	
	81 - 140	Za	Anthrazit matt	6,5 x 16	40	5	114,3	Z6516405092115	20	✓			195/55 (max. 85 kW), 195/60, 205/55, 215/55, 225/50	
	81 - 140	B	Silber	6,5 x 16	45	5	114,3	B656455092118	20	✓			195/55 (max. 85 kW), 195/60, 205/55	
	81 - 140	X	Schwarz matt	6,5 x 16	45	5	114,3	X6516455092122	20	✓			195/55 (max. 85 kW), 195/60, 205/55	
	81 - 140	N	alle Varianten	7,0 x 16	38	5	114,3	N7063850921..	20	✓			195/55 (max. 85 kW), 195/60, 205/55, 215/55	225/50
	81 - 140	Y	alle Varianten	7,0 x 16	38	5	114,3	Y70163850921..	20	✓			195/55 (max. 85 kW), 195/60, 205/55, 215/55	225/50
	81 - 140	H	alle Varianten	7,0 x 16	40	5	114,3	H70164050921..	20	✓			195/55 (max. 85 kW), 195/60, 205/55	
	81 - 140	B	Silber	7,0 x 16	42	5	114,3	B706425092118	20	✓			195/55 (max. 85 kW), 195/60, 205/55	
	81 - 140	Z	Silber	7,0 x 16	42	5	114,3	Z7016425092118	20	✓			195/55 (max. 85 kW), 195/60, 205/55	
	81 - 140	Za	Anthrazit matt	7,0 x 16	42	5	114,3	Z7016425092115	20	✓			195/55 (max. 85 kW), 195/60, 205/55	
	81 - 140	E	Silber	7,0 x 16	45	5	114,3	E706455092118	20	✓			195/55 (max. 85 kW), 195/60, 205/55	
	81 - 140	Y	alle Varianten	7,0 x 16	45	5	114,3	Y70164550921..	20	✓			195/55 (max. 85 kW), 195/60, 205/55	
	81 - 140	B	Silber	7,5 x 16	35	5	114,3	B756355092118	20	✓			195/60 MF, 205/55	215/55, 225/50, 245/45
	81 - 140	P	Silber	7,0 x 17	40	5	114,3	P7017405092118	20	✓			205/50, 215/45, 215/50 wS, 225/45	
	81 - 140	S	alle Varianten	7,0 x 17	40	5	114,3	S70174050921..	20	✓			205/50, 215/45, 215/50 wS, 225/45	
	81 - 140	X	alle Varianten	7,0 x 17	40	5	114,3	X70174050921..	20	✓			205/50, 215/45, 215/50 wS, 225/45	
	81 - 140	S	alle Varianten	7,0 x 17	45	5	114,3	S70174550921..	20	✓			205/50, 215/45, 225/45	
	81 - 140	D	alle Varianten	7,5 x 17	38	5	114,3	D75173850921..	20	✓			205/50, 215/45, 225/45	235/45
	81 - 140	H	alle Varianten	7,5 x 17	38	5	114,3	H75173850921..	20	✓			205/50, 215/45, 225/45	235/45
	81 - 140	Y	alle Varianten	7,5 x 17	38	5	114,3	Y75173850921..	20	✓			205/50, 215/45, 225/45	235/45
	81 - 140	B	Silber	7,5 x 17	40	5	114,3	B757405092118	20	✓			205/50, 215/45, 225/45	
	81 - 140	E	alle Varianten	7,5 x 17	40	5	114,3	E7574050921..	20	✓			205/50, 215/45, 225/45	
	81 - 140	N	alle Varianten	7,5 x 17	40	5	114,3	N7574050921..	20	✓			205/50, 215/45, 225/45	
	81 - 140	S	alle Varianten	7,5 x 17	40	5	114,3	S75174050921..	20	✓			205/50, 215/45, 225/45	
	81 - 140	Z	Silber	7,5 x 17	40	5	114,3	Z7517405092118	20	✓			205/50, 215/45, 225/45	
	81 - 140	Za	Anthrazit matt	7,5 x 17	40	5	114,3	Z7517405092115	20	✓			205/50, 215/45, 225/45	
	81 - 140	V	alle Varianten	8,0 x 17	40	5	114,3	V80174050921..	20	✓			205/50 MF, 215/45, 225/45	245/40 HA

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part No.	Fitting-Kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	81 - 140	S	alle Varianten	7,5 x 18	38	5	114,3	S75183850921..	20	✓			205/45, 215/40, 215/45, 225/40	
	81 - 140	P	Silber	7,5 x 18	40	5	114,3	P7518405092118	20	✓			205/45, 215/40, 215/45, 225/40	
	81 - 140	W	alle Varianten	8,0 x 18	35	5	114,3	W80183550921..	20	✓			215/40, 215/45	225/40, 235/35 (max. 85 kW)
	81 - 140	D	alle Varianten	8,0 x 18	38	5	114,3	D80183850921..	20	✓			215/40, 215/45, 225/40	235/40 HA, 245/35 HA
	81 - 140	O	alle Varianten	8,0 x 18	38	5	114,3	O80183850921..	20	✓			215/40, 215/45, 225/40	235/40 HA, 245/35 HA
	81 - 140	E	alle Varianten	8,0 x 18	40	5	114,3	E8084050921..	20	✓			215/40, 215/45, 225/40	235/40 HA, 245/35 HA
	81 - 140	H	alle Varianten	8,0 x 18	40	5	114,3	H80184050921..	20	✓			215/40, 215/45, 225/40	235/40 HA, 245/35 HA
	81 - 140	Y	alle Varianten	8,0 x 18	40	5	114,3	Y80184050921..	20	✓			215/40, 215/45, 225/40	235/40 HA, 245/35 HA
	81 - 140	Z	Silber	8,0 x 18	40	5	114,3	Z8018405092118	20	✓			215/40, 215/45, 225/40	235/40 HA, 245/35 HA
	81 - 140	Za	Anthrazit matt	8,0 x 18	40	5	114,3	Z8018405092115	20	✓			215/40, 215/45, 225/40	235/40 HA, 245/35 HA
	81 - 140	D	alle Varianten	8,0 x 18	42	5	114,3	D80184250921..	20	✓			215/40, 215/45	235/40 HA
	81 - 140	O	alle Varianten	8,0 x 18	42	5	114,3	O80184250921..	20	✓			215/40, 215/45	235/40 HA
	81 - 140	X	alle Varianten	8,5 x 18	35	5	114,3	X85183550921..	20	✓				215/40, 225/40, 245/35 HA
	81 - 140	P	Silber	7,5 x 19	40	5	114,3	P7519405092118	20	✓			215/35, 225/35	
	81 - 140	S	alle Varianten	8,0 x 19	35	5	114,3	S80193550921..	20	✓			215/35	225/35, 235/35, 245/30 HA
	81 - 140	D	alle Varianten	8,0 x 19	40	5	114,3	D80194050921..	20	✓			215/35, 225/35	245/30 HA
	81 - 140	O	alle Varianten	8,0 x 19	40	5	114,3	O80194050921..	20	✓			215/35, 225/35	245/30 HA
<b>Qashqai / +2</b>	76 - 110	E	Silber	6,5 x 16	32	5	114,3	E656325092118	20	✓	B16		215/65	225/60, 235/60
Typ J10	76 - 110	P	Silber	6,5 x 16	36	5	114,3	P6516365092118	20	✓	B16		215/65, 225/60, 235/60	
	76 - 110	E	alle Varianten	6,5 x 16	38	5	114,3	E6563850921..	20	✓	B16		215/65, 225/60, 235/60	
	76 - 110	S	alle Varianten	6,5 x 16	38	5	114,3	S65163850921..	20	✓	B16		215/65, 225/60, 235/60	
	76 - 110	PE	Silber	6,5 x 16	40	5	114,3	PE6516405094518	Serie	✓		✓	215/65	
	76 - 110	X	alle Varianten	6,5 x 16	40	5	114,3	X65164050921..	20	✓	B16		215/65, 225/60, 235/60	
	76 - 110	Z	Silber	6,5 x 16	40	5	114,3	Z6516405092118	20	✓	B16		215/65 (1.210 kg), 225/60 (1.220 kg), 235/60 (1.210 kg)	
	76 - 110	Za	Anthrazit matt	6,5 x 16	40	5	114,3	Z6516405092115	20	✓	B16		215/65 (1.210 kg), 225/60 (1.220 kg), 235/60 (1.210 kg)	
	76 - 110	N	alle Varianten	7,0 x 16	38	5	114,3	N7063850921..	20	✓	B16		215/65, 225/60, 235/60	245/55
	76 - 110	Y	alle Varianten	7,0 x 16	38	5	114,3	Y70163850921..	20	✓	B16		215/65, 225/60, 235/60	245/55
	76 - 110	H	alle Varianten	7,0 x 16	40	5	114,3	H70164050921..	20	✓	B16		215/65, 225/60, 235/60	245/55
	76 - 110	B	Silber	7,5 x 16	35	5	114,3	B756355092118	20	✓	B16			215/65, 225/60, 235/60,...
	76 - 110	P	Silber	7,0 x 17	40	5	114,3	P7017405092118	20	✓			215/60, 225/55, 235/55	245/50
	76 - 110	S	alle Varianten	7,0 x 17	40	5	114,3	S70174050921..	20	✓			215/60, 225/55, 235/55	245/50
	76 - 110	X	alle Varianten	7,0 x 17	40	5	114,3	X70174050921..	20	✓			215/60, 225/55, 235/55	245/50
	76 - 110	D	alle Varianten	7,5 x 17	38	5	114,3	D75173850921..	20	✓			215/60, 225/55	235/55, 245/50
	76 - 110	H	alle Varianten	7,5 x 17	38	5	114,3	H75173850921..	20	✓			215/60, 225/55	235/55, 245/50
	76 - 110	Y	alle Varianten	7,5 x 17	38	5	114,3	Y75173850921..	20	✓			215/60, 225/55	235/55, 245/50
	76 - 110	B	Silber	7,5 x 17	40	5	114,3	B757405092118	20	✓			215/60, 225/55, 235/55	
	76 - 110	E	alle Varianten	7,5 x 17	40	5	114,3	E7574050921..	20	✓			215/60, 225/55, 235/55	
	76 - 110	N	alle Varianten	7,5 x 17	40	5	114,3	N7574050921..	20	✓			215/60, 225/55, 235/55	
	76 - 110	S	alle Varianten	7,5 x 17	40	5	114,3	S75174050921..	20	✓			215/60, 225/55, 235/55	
	76 - 110	Z	Silber	7,5 x 17	40	5	114,3	Z7517405092118	20	✓			215/60, 225/55, 235/55	
	76 - 110	Za	Anthrazit matt	7,5 x 17	40	5	114,3	Z7517405092115	20	✓			215/60, 225/55, 235/55	
	76 - 110	V	alle Varianten	8,0 x 17	40	5	114,3	V80174050921..	20	✓			215/60 MF, 225/55	235/55
	76 - 110	S	alle Varianten	7,5 x 18	38	5	114,3	S75183850921..	20	✓			215/55, 225/50, 245/45	235/50
	76 - 110	P	Silber	7,5 x 18	40	5	114,3	P7518405092118	20	✓			215/55, 225/50, 235/50, 245/45	
	76 - 110	W	alle Varianten	8,0 x 18	35	5	114,3	W80183550921..	20	✓				225/50, 235/50, 245/45,...
	76 - 110	D	alle Varianten	8,0 x 18	38	5	114,3	D80183850921..	20	✓				225/50, 235/50, 245/45,...
	76 - 110	O	alle Varianten	8,0 x 18	38	5	114,3	O80183850921..	20	✓				225/50, 235/50, 245/45,...
	76 - 110	E	alle Varianten	8,0 x 18	40	5	114,3	E8084050921..	20	✓			225/50, 245/45	235/50, 255/45
	76 - 110	H	alle Varianten	8,0 x 18	40	5	114,3	H80184050921..	20	✓			225/50, 245/45	235/50, 255/45
	76 - 110	Y	alle Varianten	8,0 x 18	40	5	114,3	Y80184050921..	20	✓			225/50, 245/45	235/50, 255/45



Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part No.	Fitting-Kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	76 - 110	Z	Silber	8,0 x 18	40	5	114,3	Z8018405092118	20	✓			225/50, 245/45	235/50, 255/45
	76 - 110	Za	Anthrazit matt	8,0 x 18	40	5	114,3	Z8018405092115	20	✓			225/50, 245/45	235/50, 255/45
	76 - 110	X	alle Varianten	8,5 x 18	35	5	114,3	X85183550921..	20	✓				235/50, 245/45, 255/45
	76 - 110	V	Kristallsilber	8,5 x 18	40	5	114,3	V8518405092125	20	✓				245/45
	76 - 110	X	alle Varianten	8,5 x 18	40	5	114,3	X85184050921..	20	✓				245/45
	76 - 110	S	alle Varianten	8,0 x 19	35	5	114,3	S80193550921..	20	✓			225/45, 235/45	245/40
	76 - 110	D	alle Varianten	8,0 x 19	40	5	114,3	D80194050921..	20	✓			225/45, 235/45, 245/40	
	76 - 110	O	alle Varianten	8,0 x 19	40	5	114,3	O80194050921..	20	✓			225/45, 235/45, 245/40	
	76 - 110	R	alle Varianten	8,5 x 19	40	5	114,3	R85194050921..	20	✓			225/45, 235/45	245/40
	76 - 110	U	alle Varianten	8,5 x 19	40	5	114,3	U85194050921..	20	✓			225/45, 235/45	245/40
	76 - 110	D	alle Varianten	8,5 x 20	36	5	114,3	D85203650921..	20	✓				245/35, 255/35
	76 - 110	R	alle Varianten	8,5 x 20	36	5	114,3	R85203650921..	20	✓				245/35, 255/35
	76 - 110	U	alle Varianten	9,0 x 20	38	5	114,3	U90203850921..	20	✓				245/35
	76 - 110	V	Kristallsilber	9,0 x 20	38	5	114,3	V9020385092125	20	✓				245/35
<b>Qashqai</b>	81 - 120	E	Silber	6,5 x 16	32	5	114,3	E656325092118	25	✓			215/65, 225/60, 225/65	235/60
Typ J11	81 - 120	P	Silber	6,5 x 16	36	5	114,3	P6516365092118	25	✓			215/65, 225/60, 225/65, 235/60	
	81 - 120	E	alle Varianten	6,5 x 16	38	5	114,3	E6563850921..	25	✓			215/65, 225/60, 225/65	
	81 - 120	S	alle Varianten	6,5 x 16	38	5	114,3	S65163850921..	25	✓			215/65, 225/60, 225/65	
	81 - 120	PE	Silber	6,5 x 16	40	5	114,3	PE6516405094518	Serie	✓		✓	215/65	
	81 - 120	X	alle Varianten	6,5 x 16	40	5	114,3	X65164050921..	25	✓			215/65, 225/60	
	81 - 120	Z	Silber	6,5 x 16	40	5	114,3	Z6516405092118	25	✓			215/65, 225/60	
	81 - 120	Za	Anthrazit matt	6,5 x 16	40	5	114,3	Z6516405092115	25	✓			215/65, 225/60	
	81 - 120	N	alle Varianten	7,0 x 16	38	5	114,3	N7063850921..	25	✓			215/65, 225/60	
	81 - 120	Y	alle Varianten	7,0 x 16	38	5	114,3	Y70163850921..	25	✓			215/65, 225/60	
	81 - 120	H	alle Varianten	7,0 x 16	40	5	114,3	H70164050921..	25	✓			215/65, 225/60	
	81 - 120	P	Silber	7,0 x 17	40	5	114,3	P7017405092118	25	✓			215/60, 225/55	
	81 - 120	S	alle Varianten	7,0 x 17	40	5	114,3	S70174050921..	25	✓			215/60, 225/55	
	81 - 120	SE	alle Varianten	7,0 x 17	40	5	114,3	SE70174050945..	Serie	✓		✓	215/60	
	81 - 120	X	alle Varianten	7,0 x 17	40	5	114,3	X70174050921..	25	✓			215/60, 225/55	
	81 - 120	D	alle Varianten	7,5 x 17	38	5	114,3	D75173850921..	25	✓			215/60, 225/55	
	81 - 120	H	alle Varianten	7,5 x 17	38	5	114,3	H75173850921..	25	✓			215/60, 225/55	
	81 - 120	Y	alle Varianten	7,5 x 17	38	5	114,3	Y75173850921..	25	✓			215/60, 225/55	
	81 - 96	B	Silber	7,5 x 17	40	5	114,3	B757405092118	25	✓			215/60	
	81 - 120	E	alle Varianten	7,5 x 17	40	5	114,3	E7574050921..	25	✓			215/60	
	81 - 120	N	alle Varianten	7,5 x 17	40	5	114,3	N7574050921..	25	✓			215/60	
	81 - 120	S	alle Varianten	7,5 x 17	40	5	114,3	S75174050921..	25	✓			215/60	
	81 - 120	Z	Silber	7,5 x 17	40	5	114,3	Z7517405092118	25	✓			215/60	
	81 - 120	Za	Anthrazit matt	7,5 x 17	40	5	114,3	Z7517405092115	25	✓			215/60	
	81 - 120	S	alle Varianten	7,5 x 18	38	5	114,3	S75183850921..	25	✓			215/50, 215/55, 235/45	
	81 - 120	P	Silber	7,5 x 18	40	5	114,3	P7518405092118	25	✓			215/50, 215/55, 235/45	
	81 - 120	W	alle Varianten	8,0 x 18	35	5	114,3	W80183550921..	25	✓			215/55 MF, 235/45	225/50, 245/45
	81 - 120	D	alle Varianten	8,0 x 18	38	5	114,3	D80183850921..	25	✓			215/55 MF, 235/45	
	81 - 120	O	alle Varianten	8,0 x 18	38	5	114,3	O80183850921..	25	✓			215/55 MF, 235/45	
	81 - 120	E	alle Varianten	8,0 x 18	40	5	114,3	E8084050921..	25	✓			215/55 MF, 235/45	
	81 - 120	H	alle Varianten	8,0 x 18	40	5	114,3	H80184050921..	25	✓			215/55 MF, 235/45	
	81 - 120	Y	alle Varianten	8,0 x 18	40	5	114,3	Y80184050921..	25	✓			215/55 MF, 235/45	
	81 - 120	Z	Silber	8,0 x 18	40	5	114,3	Z8018405092118	25	✓			215/55 MF, 235/45	
	81 - 120	Za	Anthrazit matt	8,0 x 18	40	5	114,3	Z8018405092115	25	✓			215/55 MF, 235/45	
	81 - 120	X	alle Varianten	8,5 x 18	35	5	114,3	X85183550921..	25	✓				235/45
	81 - 120	P	Silber	7,5 x 19	40	5	114,3	P7519405092118	25	✓			225/45	

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part No.	Fitting-Kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	81 - 120	S	alle Varianten	8,0 x 19	35	5	114,3	S80193550921..	25	✓			225/45, 235/40, 235/45	245/40
	81 - 120	D	alle Varianten	8,0 x 19	40	5	114,3	D80194050921..	25	✓			225/45	
	81 - 120	O	alle Varianten	8,0 x 19	40	5	114,3	O80194050921..	25	✓			225/45	
	81 - 120	R	alle Varianten	8,5 x 19	40	5	114,3	R85194050921..	25	✓			225/45	
	81 - 120	U	alle Varianten	8,5 x 19	40	5	114,3	U85194050921..	25	✓			225/45	
	81 - 120	D	alle Varianten	8,5 x 20	36	5	114,3	D85203650921..	25	✓			235/35	
	81 - 120	R	alle Varianten	8,5 x 20	36	5	114,3	R85203650921..	25	✓			235/35	
<b>X-Trail</b>													Nähere Informationen in unserem Konfigurator unter: <a href="http://www.autec-wheels.de">www.autec-wheels.de</a>	
Typ T31													Further information in our configurator at: <a href="http://www.autec-wheels.de">www.autec-wheels.de</a>	
<b>X-Trail</b>	96 - 130	P	Silber	7,0 x 17	40	5	114,3	P7017405092118	20	✓			225/65, 235/60, 235/65, 255/55, 255/60	
Typ T32	96 - 130	S	alle Varianten	7,0 x 17	40	5	114,3	S70174050921..	20	✓			225/65, 235/60, 235/65, 255/55, 255/60	
	96, 120	X	alle Varianten	7,0 x 17	40	5	114,3	X70174050921..	20	✓			225/65, 235/60, 235/65, 255/55, 255/60	
	96 - 130	S	alle Varianten	7,0 x 17	45	5	114,3	S70174550921..	20	✓			225/65, 235/60, 235/65	
	96, 120	D	alle Varianten	7,5 x 17	38	5	114,3	D75173850921..	20	✓			225/65, 235/60, 235/65	255/55, 255/60
	96 - 130	H	alle Varianten	7,5 x 17	38	5	114,3	H75173850921..	20	✓			225/65, 235/60, 235/65	255/55, 255/60
	96 - 130	Y	alle Varianten	7,5 x 17	38	5	114,3	Y75173850921..	20	✓			225/65, 235/60, 235/65	255/55, 255/60
	96	B	Silber	7,5 x 17	40	5	114,3	B757405092118	20	✓	B16		225/65, 235/60, 235/65	255/55, 255/60
	96 - 130	E	alle Varianten	7,5 x 17	40	5	114,3	E7574050921..	20	✓			225/65, 235/60, 235/65	255/55, 255/60
	96, 120	N	alle Varianten	7,5 x 17	40	5	114,3	N7574050921..	20	✓			225/65, 235/60, 235/65	255/55, 255/60
	96 - 130	S	alle Varianten	7,5 x 17	40	5	114,3	S75174050921..	20	✓			225/65, 235/60, 235/65	255/55, 255/60
	96 - 130	Z	Silber	7,5 x 17	40	5	114,3	Z7517405092118	20	✓			225/65 (1.260 kg), 235/60 (1.280 kg), 235/65 (1.240 kg)	255/55 (1.280 kg),...
	96 - 130	Za	Anthrazit matt	7,5 x 17	40	5	114,3	Z7517405092115	20	✓			225/65 (1.260 kg), 235/60 (1.280 kg), 235/65 (1.240 kg)	255/55 (1.280 kg),...
	96, 120	E	alle Varianten	7,5 x 17	45	5	114,3	E7574550921..	20	✓			225/65, 235/60, 235/65	
	96 - 130	W	alle Varianten	7,5 x 17	45	5	114,3	W75174550921..	20	✓			225/65 (1.110 kg), 235/60 (1.120 kg), 235/65 (1.090 kg)	
	96 - 130	Y	alle Varianten	7,5 x 17	45	5	114,3	Y75174550921..	20	✓			225/65, 235/60, 235/65	
	96, 120	V	alle Varianten	8,0 x 17	40	5	114,3	V80174050921..	20	✓			225/65, 235/60, 235/65	
	96 - 130	S	alle Varianten	7,5 x 18	38	5	114,3	S75183850921..	20	✓			225/60, 235/55, 235/60	255/50, 255/55
	96 - 130	P	Silber	7,5 x 18	40	5	114,3	P7518405092118	20	✓			225/60, 235/55, 235/60	255/50, 255/55
	96 - 130	W	alle Varianten	8,0 x 18	35	5	114,3	W80183550921..	20	✓			225/60 (1.240 kg), 235/55 (1.260 kg), 235/60 (1.220 kg)	255/50 (1.260 kg),...
	96, 120	D	alle Varianten	8,0 x 18	38	5	114,3	D80183850921..	20	✓			225/60, 235/55, 235/60	245/55
	96, 120	O	alle Varianten	8,0 x 18	38	5	114,3	O80183850921..	20	✓			225/60, 235/55, 235/60	245/55
	96, 120	E	alle Varianten	8,0 x 18	40	5	114,3	E8084050921..	20	✓			225/60, 235/55, 235/60	
	96 - 130	H	alle Varianten	8,0 x 18	40	5	114,3	H80184050921..	20	✓			225/60, 235/55, 235/60	
	96 - 130	Y	alle Varianten	8,0 x 18	40	5	114,3	Y80184050921..	20	✓			225/60, 235/55, 235/60	
	96 - 130	Z	Silber	8,0 x 18	40	5	114,3	Z8018405092118	20	✓			225/60 (1.300 kg), 235/55, 235/60 (1.280 kg)	
	96 - 130	Za	Anthrazit matt	8,0 x 18	40	5	114,3	Z8018405092115	20	✓			225/60 (1.300 kg), 235/55, 235/60 (1.280 kg)	
	96, 120	D	alle Varianten	8,0 x 18	42	5	114,3	D80184250921..	20	✓			225/60, 235/55, 235/60	
	96, 120	O	alle Varianten	8,0 x 18	42	5	114,3	O80184250921..	20	✓			225/60, 235/55, 235/60	
	96, 120	F	Schwarz matt	8,0 x 18	45	5	114,3	F8018455092122	20	✓			225/60, 235/55, 235/60	
	96 - 130	X	alle Varianten	8,5 x 18	35	5	114,3	X85183550921..	20	✓				235/55, 235/60
	96	V	Kristallsilber	8,5 x 18	40	5	114,3	V8518405092125	20	✓			235/55, 235/60	
	96	X	alle Varianten	8,5 x 18	40	5	114,3	X85184050921..	20	✓			235/55, 235/60	
	96 - 130	P	Silber	7,5 x 19	40	5	114,3	P7519405092118	20	✓			225/55, 235/50, 245/50	255/50
	96 - 130	S	alle Varianten	8,0 x 19	35	5	114,3	S80193550921..	20	✓			225/55, 235/50	245/50, 255/45, 255/50
	96 - 130	D	alle Varianten	8,0 x 19	40	5	114,3	D80194050921..	20	✓			225/55, 235/50, 245/50, 255/45	
	96, 120	O	alle Varianten	8,0 x 19	40	5	114,3	O80194050921..	20	✓			225/55, 235/50, 245/50, 255/45	
	96 - 130	D	alle Varianten	8,0 x 19	45	5	114,3	D80194550921..	20	✓	Y62		225/55, 235/50, 255/45	
	96, 120	O	alle Varianten	8,0 x 19	45	5	114,3	O80194550921..	20	✓			225/55, 235/50, 255/45	
	96 - 130	S	alle Varianten	8,0 x 19	45	5	114,3	S80194550921..	20	✓			225/55, 235/50, 255/45	
	96 - 130	W	alle Varianten	8,0 x 19	45	5	114,3	W80194550921..	20	✓			225/55 (1.250 kg), 235/50 (1.270 kg), 255/45 (1.280 kg)	

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part No.	Fitting-Kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
96 - 130	R	alle Varianten	8,5 x 19	40	5	114,3	R85194050921..	20	✓				225/55 MF, 235/50, 255/45	
96 - 130	U	alle Varianten	8,5 x 19	40	5	114,3	U85194050921..	20	✓				225/55 MF, 235/50, 255/45	
96 - 130	D	alle Varianten	8,5 x 20	36	5	114,3	D85203650921..	20	✓				235/45, 245/40, 245/45	255/40, 255/45
96 - 130	R	alle Varianten	8,5 x 20	36	5	114,3	R85203650921..	20	✓				235/45, 245/40, 245/45	255/40, 255/45
96 - 130	D	alle Varianten	8,5 x 20	42	5	114,3	D85204250921..	20	✓	Y62			235/45, 245/40, 245/45, 255/40, 255/45	
96 - 130	R	alle Varianten	8,5 x 20	45	5	114,3	R85204550921..	20	✓				235/45, 245/40, 245/45	
96 - 130	U	alle Varianten	9,0 x 20	38	5	114,3	U90203850921..	20	✓				235/45, 245/45	255/40, 255/45
96	V	Kristallsilber	9,0 x 20	38	5	114,3	V9020385092125	20	✓				235/45, 245/45	255/40, 255/45
96 - 130	X	alle Varianten	9,0 x 20	40	5	114,3	X90204050921..	20	✓				235/45, 245/45, 255/40, 255/45	
96 - 130	U	alle Varianten	9,0 x 21	40	5	114,3	U90214050921..	20	✓				245/40	255/35, 255/40