

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
B-MAX	55 - 103	Z	Silber	6,0 x 15	37	4	108	Z6015374054318	62	✓			185/60, 185/65, 195/55, 195/60, 205/55	
Typ JK8	55 - 103	Za	Anthrazit matt	6,0 x 15	37	4	108	Z6015374054315	62	✓			185/60, 185/65, 195/55, 195/60, 205/55	
	55 - 103	P	Silber	6,0 x 15	38	4	108	P6015384054318	62	✓			185/60, 185/65, 195/55, 195/60, 205/55	
	55 - 103	S	alle Varianten	6,0 x 15	38	4	108	S60153840543..	62	✓			185/60, 185/65, 195/55, 195/60, 205/55	
	55 - 103	W	alle Varianten	6,5 x 15	40	4	108	W65154040521..	13	✓			185/60, 185/65, 195/55, 195/60, 205/55, 225/50 HA	
	55 - 103	S	alle Varianten	6,5 x 16	40	4	108	S65164040543..	62	✓			185/55, 195/50, 195/55, 205/50	
	55 - 103	Z	Silber	6,5 x 16	40	4	108	Z6516404054318	62	✓			195/50, 195/55, 205/50	
	55 - 103	Za	Anthrazit matt	6,5 x 16	40	4	108	Z6516404054315	62	✓			195/50, 195/55, 205/50	
C-MAX- Compact	63 - 134	N	Silber	6,5 x 16	45	5	108	N656455052118	41	✓			205/55 wS, 205/60, 215/55, 225/50	
Typ DXA	63 - 134	X	alle Varianten	6,5 x 16	45	5	108	X65164550521..	41	✓			205/55 wS, 205/60, 215/55, 225/50	
	63 - 134	B	Silber	6,5 x 16	50	5	108	B656505052118	41	✓			205/55 wS, 205/60, 215/55, 225/50	
	63 - 134	P	Silber	6,5 x 16	50	5	108	P6516505054318	56	✓			205/55 wS, 205/60, 215/55, 225/50	
	63 - 134	PE	Silber	6,5 x 16	50	5	108	PE6516505054318	106	✓		✓	205/55, 215/55	
	63 - 134	S	alle Varianten	6,5 x 16	50	5	108	S65165050543..	56	✓			205/55 wS, 205/60, 215/55, 225/50	
	63 - 134	SE	alle Varianten	6,5 x 16	50	5	108	SE65165050543..	106	✓		✓	205/55, 215/55	
	63 - 134	E	alle Varianten	7,0 x 16	45	5	108	E7064550521..	41	✓			205/55 wS, 205/60, 215/55, 225/50	
	63 - 134	W	alle Varianten	7,0 x 16	45	5	108	W70164550521..	41	✓			205/55 wS, 205/60, 215/55, 225/50	
	63 - 134	Y	alle Varianten	7,0 x 16	45	5	108	Y70164550521..	41	✓			205/55 wS, 205/60, 215/55, 225/50	
	63 - 134	Z	Silber	7,0 x 16	45	5	108	Z7016455052118	41	✓			205/55 wS, 205/60, 215/55, 225/50	
	63 - 134	Za	Anthrazit matt	7,0 x 16	45	5	108	Z7016455052115	41	✓			205/55 wS, 205/60, 215/55, 225/50	
	63 - 134	H	alle Varianten	7,0 x 16	50	5	108	H70165050543..	56	✓			205/55 wS, 205/60, 215/55, 225/50	
	63 - 134	X	alle Varianten	7,0 x 17	44	5	108	X70174450521..	41	✓			205/50, 215/45, 215/50, 225/45	
	63 - 134	P	Silber	7,0 x 17	48	5	108	P7017485052118	41	✓			205/50, 215/45, 215/50, 225/45	
	63 - 134	S	alle Varianten	7,0 x 17	49	5	108	S70174950521..	41	✓			205/50, 215/45, 215/50, 225/45	
	63 - 134	B	Silber	7,5 x 17	45	5	108	B757455052118	41	✓			205/50, 215/45, 215/50, 225/45, 235/45	
	63 - 134	D	alle Varianten	7,5 x 17	45	5	108	D75174550521..	41	✓			205/50, 215/45, 215/50, 225/45, 235/45	
	63 - 134	E	alle Varianten	7,5 x 17	45	5	108	E7574550521..	41	✓			205/50, 215/45, 215/50, 225/45, 235/45	
	63 - 134	W	alle Varianten	7,5 x 17	45	5	108	W75174550521..	41	✓			205/50, 215/45, 215/50, 225/45, 235/45	
	63 - 134	N	alle Varianten	7,5 x 17	46	5	108	N7574650521..	41	✓			205/50, 215/45, 215/50, 225/45, 235/45	
	63 - 134	Y	alle Varianten	7,5 x 17	46	5	108	Y75174650521..	41	✓			205/50, 215/45, 215/50, 225/45, 235/45	
	63 - 134	H	alle Varianten	7,5 x 17	48	5	108	H75174850521..	41	✓			205/50, 215/45, 215/50, 225/45, 235/45	
	63 - 134	S	alle Varianten	7,5 x 17	51	5	108	S75175150543..	56	✓			225/45, 235/45	
	63 - 134	Z	Silber	7,5 x 17	53	5	108	Z7517535052118	41	✓			205/50, 215/45, 215/50, 225/45, 235/45	
	63 - 134	Za	Anthrazit matt	7,5 x 17	53	5	108	Z7517535052115	41	✓			205/50, 215/45, 215/50, 225/45, 235/45	
	63 - 134	V	Schw. matt d. c.	8,0 x 17	50	5	108	V8017505052124	41	✓			205/50 MF, 215/45, 215/50 MF, 225/45, 235/45, 245/40, 245/45	
	63 - 134	P	Silber	7,5 x 18	45	5	108	P7518455052118	41	✓			205/45, 215/40, 215/45, 225/40	
	63 - 134	S	alle Varianten	7,5 x 18	49	5	108	S75184950521..	41	✓			205/45, 215/40, 215/45, 225/40	
	63 - 134	D	alle Varianten	8,0 x 18	45	5	108	D80184550521..	41	✓			215/40, 215/45, 225/40	235/40, 245/35
	63 - 134	E	alle Varianten	8,0 x 18	45	5	108	E8084550521..	41	✓			215/40, 215/45, 225/40	235/40, 245/35
	63 - 134	W	alle Varianten	8,0 x 18	45	5	108	W80184550521..	41	✓			215/40, 215/45, 225/40	235/40, 245/35
	63 - 134	Y	alle Varianten	8,0 x 18	45	5	108	Y80184550521..	41	✓			215/40, 215/45, 225/40	235/40, 245/35
	63 - 134	Z	Silber	8,0 x 18	45	5	108	Z8018455052118	41	✓			215/40, 215/45, 225/40	235/40, 245/35
	63 - 134	Za	Anthrazit matt	8,0 x 18	45	5	108	Z8018455052115	41	✓			215/40, 215/45, 225/40	235/40, 245/35
	63 - 134	H	alle Varianten	8,0 x 18	48	5	108	H80184850521..	41	✓			215/40, 215/45, 225/40, 235/40	245/35
	63 - 134	O	alle Varianten	8,0 x 18	48	5	108	O80184850521..	41	✓			215/40, 215/45, 225/40, 235/40	245/35
	63 - 134	X	alle Varianten	8,5 x 18	40	5	108	X85184050521..	41	✓				215/40, 225/40, 235/40,...
	63 - 134	P	Silber	7,5 x 19	45	5	108	P7519455052118	41	✓			225/35	
	63 - 134	S	alle Varianten	8,0 x 19	42	5	108	S80194250521..	41	✓				225/35, 235/35, 245/30
	63 - 134	D	alle Varianten	8,0 x 19	45	5	108	D80194550521..	41	✓			225/35	235/35, 245/30
	63 - 134	W	alle Varianten	8,0 x 19	45	5	108	W80194550521..	41	✓			225/35	235/35, 245/30
	63 - 134	O	alle Varianten	8,0 x 19	48	5	108	O80194850521..	41	✓			225/35, 235/35	245/30
	63 - 134	X	alle Varianten	8,5 x 19	40	5	108	X85194050543..	56	✓				225/35, 235/35, 245/30,...

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	63 - 134	R	alle Varianten	8,5 x 19	45	5	108	R85194550521..	41	✓			225/35	235/35, 245/30, 255/30 HA
	63 - 134	U	alle Varianten	8,5 x 19	45	5	108	U85194550543..	56	✓			225/35	235/35, 245/30, 255/30 HA
	63 - 134	V	Schw. matt d. c.	8,5 x 19	45	5	108	V8519455052124	41	✓			225/35	235/35, 245/30, 255/30 HA
	63 - 134	D	alle Varianten	8,5 x 20	45	5	108	D85204550521..	41	✓				235/30
	63 - 134	R	alle Varianten	8,5 x 20	45	5	108	R85204550521..	41	✓			225/30 MF	235/30
	63 - 134	X	alle Varianten	9,0 x 20	42	5	108	X90204250543..	56	✓				235/30 MF
	63 - 134	U	alle Varianten	9,0 x 20	43	5	108	U90204350543..	56	✓				235/30 MF
Grand C-MAX	70 - 134	N	Silber	6,5 x 16	45	5	108	N656455052118	41	✓			205/55 wS (1.230 kg), 215/55 wS (1.230 kg), 225/50 (1.230 kg)	
Typ DXA	70 - 134	X	alle Varianten	6,5 x 16	45	5	108	X65164550521..	41	✓			205/55 wS, 215/55 wS, 225/50	
	70 - 134	B	Silber	6,5 x 16	50	5	108	B656505052118	41	✓			205/55 wS, 215/55 wS, 225/50	
	70 - 134	P	Silber	6,5 x 16	50	5	108	P6516505054318	56	✓			205/55 wS, 215/55 wS, 225/50	
	70 - 134	PE	Silber	6,5 x 16	50	5	108	PE6516505054318	106	✓		✓	205/55, 215/55	
	70 - 134	S	alle Varianten	6,5 x 16	50	5	108	S65165050543..	56	✓			205/55 wS, 215/55 wS, 225/50	
	70 - 134	SE	alle Varianten	6,5 x 16	50	5	108	SE65165050543..	106	✓		✓	205/55, 215/55	
	70 - 134	E	alle Varianten	7,0 x 16	45	5	108	E7064550521..	41	✓			205/55 wS, 215/55 wS, 225/50	
	70 - 134	Y	alle Varianten	7,0 x 16	45	5	108	Y70164550521..	41	✓			205/55 wS, 215/55 wS, 225/50	
	70 - 134	Z	Silber	7,0 x 16	45	5	108	Z7016455052118	41	✓			205/55 wS, 215/55 wS, 225/50	
	70 - 134	Za	Anthrazit matt	7,0 x 16	45	5	108	Z7016455052115	41	✓			205/55 wS, 215/55 wS, 225/50	
	70 - 134	H	alle Varianten	7,0 x 16	50	5	108	H70165050543..	56	✓			205/55 wS, 215/55 wS, 225/50	
	70 - 134	X	alle Varianten	7,0 x 17	44	5	108	X70174450521..	41	✓			205/50, 215/50, 225/45	
	70 - 134	P	Silber	7,0 x 17	48	5	108	P7017485052118	41	✓			205/50, 215/50, 225/45	
	70 - 134	S	alle Varianten	7,0 x 17	49	5	108	S70174950521..	41	✓			205/50, 215/50, 225/45	
	70 - 134	B	Silber	7,5 x 17	45	5	108	B757455052118	41	✓			205/50, 215/50, 225/45, 235/45	
	70 - 134	D	alle Varianten	7,5 x 17	45	5	108	D75174550521..	41	✓			205/50, 215/50, 225/45, 235/45	
	70 - 134	E	alle Varianten	7,5 x 17	45	5	108	E7574550521..	41	✓			205/50, 215/50, 225/45, 235/45	
	70 - 134	N	alle Varianten	7,5 x 17	46	5	108	N7574650521..	41	✓			205/50, 215/50, 225/45, 235/45	
	70 - 134	Y	alle Varianten	7,5 x 17	46	5	108	Y75174650521..	41	✓			205/50, 215/50, 225/45, 235/45	
	70 - 134	H	alle Varianten	7,5 x 17	48	5	108	H75174850521..	41	✓			205/50, 215/50, 225/45, 235/45	
	70 - 134	S	alle Varianten	7,5 x 17	51	5	108	S75175150543..	56	✓			225/45, 235/45	
	70 - 134	Z	Silber	7,5 x 17	53	5	108	Z7517535052118	41	✓			205/50, 215/50, 225/45, 235/45	
	70 - 134	Za	Anthrazit matt	7,5 x 17	53	5	108	Z7517535052115	41	✓			205/50, 215/50, 225/45, 235/45	
	70 - 134	V	Schw. matt d. c.	8,0 x 17	50	5	108	V8017505052124	41	✓			205/50 MF, 215/50 MF, 225/45, 235/45, 245/40, 245/45	
	70 - 134	P	Silber	7,5 x 18	45	5	108	P7518455052118	41	✓			215/45, 225/40	
	70 - 134	S	alle Varianten	7,5 x 18	49	5	108	S75184950521..	41	✓			215/45, 225/40	
	70 - 134	D	alle Varianten	8,0 x 18	45	5	108	D80184550521..	41	✓			215/45, 225/40	
	70 - 134	E	alle Varianten	8,0 x 18	45	5	108	E8084550521..	41	✓			215/45, 225/40	
	70 - 134	W	alle Varianten	8,0 x 18	45	5	108	W80184550521..	41	✓			215/45 (1.300 kg), 225/40 (1.300 kg)	
	70 - 134	Y	alle Varianten	8,0 x 18	45	5	108	Y80184550521..	41	✓			215/45, 225/40	
	70 - 134	Z	Silber	8,0 x 18	45	5	108	Z8018455052118	41	✓			215/45, 225/40	
	70 - 134	Za	Anthrazit matt	8,0 x 18	45	5	108	Z8018455052115	41	✓			215/45, 225/40	
	70 - 134	H	alle Varianten	8,0 x 18	48	5	108	H80184850521..	41	✓			215/45, 225/40, 235/40	
	70 - 134	O	alle Varianten	8,0 x 18	48	5	108	O80184850521..	41	✓			215/45, 225/40, 235/40	
	70 - 134	X	alle Varianten	8,5 x 18	40	5	108	X85184050521..	41	✓			225/40, 245/35, 255/35	
EcoSport	66 - 103	Z	Silber	6,0 x 15	37	4	108	Z6015374054318	62	✓			195/65, 205/65, 215/60	
Typ JK8	66 - 103	Za	Anthrazit matt	6,0 x 15	37	4	108	Z6015374054315	62	✓			195/65, 205/65, 215/60	
	66 - 103	P	Silber	6,0 x 15	38	4	108	P6015384054318	62	✓			195/65, 205/65, 215/60	
	66 - 103	S	alle Varianten	6,0 x 15	38	4	108	S60153840543..	62	✓			195/65, 205/65, 215/60	
Edge	132 - 155	P	Silber	7,5 x 18	45	5	108	P7518455052118	115	✓			235/60, 255/55	
Typ SBF	132 - 155	S	alle Varianten	7,5 x 18	49	5	108	S75184950521..	115	✓			235/60 (1.360 kg), 255/55 (1.360 kg)	
	132 - 155	D	alle Varianten	8,0 x 18	45	5	108	D80184550521..	115	✓			235/60, 255/55	
	132 - 155	E	alle Varianten	8,0 x 18	45	5	108	E8084550521..	115	✓			235/60, 255/55	
	132 - 155	H	alle Varianten	8,0 x 18	48	5	108	H80184850521..	115	✓			235/60, 255/55	

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	132 - 155	O	alle Varianten	8,0 x 18	48	5	108	O80184850521..	115	✓			235/60, 255/55	
	132 - 155	X	alle Varianten	8,5 x 18	40	5	108	X85184050521..	115	✓			235/60	255/55
	132 - 155	P	Silber	7,5 x 19	45	5	108	P7519455052118	115	✓			235/55, 255/50	265/50
	132 - 155	S	alle Varianten	8,0 x 19	42	5	108	S80194250521..	115	✓			235/55	255/50, 265/50
	132 - 155	D	alle Varianten	8,0 x 19	45	5	108	D80194550521..	115	✓			235/55, 255/50	265/50
	132 - 155	O	alle Varianten	8,0 x 19	48	5	108	O80194850521..	115	✓			235/55, 255/50, 265/50	
	132 - 155	X	alle Varianten	8,5 x 19	40	5	108	X85194050543..	114	✓			235/55	255/50, 265/50, 275/45
	132 - 155	R	alle Varianten	8,5 x 19	45	5	108	R85194550521..	115	✓			235/55	255/50, 265/50, 275/45
	132 - 155	U	alle Varianten	8,5 x 19	45	5	108	U85194550543..	114	✓			235/55	255/50, 265/50, 275/45
	132 - 155	V	Schw. matt d. c.	8,5 x 19	45	5	108	V8519455052124	115	✓			235/55 (1.360 kg)	255/50 (1.360 kg),...
	132 - 155	D	alle Varianten	8,5 x 20	45	5	108	D85204550521..	115	✓			245/45, 255/45, 265/45	
	132 - 155	R	alle Varianten	8,5 x 20	45	5	108	R85204550521..	115	✓			245/45, 255/45, 265/45	
	132 - 155	X	alle Varianten	9,0 x 20	42	5	108	X90204250543..	114	✓			245/45, 255/45	265/40, 265/45, 275/40
	132 - 155	U	alle Varianten	9,0 x 20	43	5	108	U90204350543..	114	✓			245/45, 255/45	265/40, 265/45, 275/40
	AUTEC in 21": www.autec-wheels.de													
Fiesta	44 - 99	N	Silber	5,5 x 14	43	4	108	N554434052118	13	✓			175/65, 185/60, 195/55, 195/60	
Typ JA8, JR8	44 - 99	Z	Silber	5,5 x 14	43	4	108	Z5514434054318	62	✓			175/65, 185/60, 195/55, 195/60	
[inkl. MJ 2013]	44 - 99	Za	Anthrazit matt	5,5 x 14	43	4	108	Z5514434054315	62	✓			175/65, 185/60, 195/55, 195/60	
	44 - 99	P	Silber	6,0 x 15	38	4	108	P6015384054318	62	✓			nicht alle Fzg.: 185/55, 195/50	nicht alle Fzg.: 195/55 wS,...
	44 - 99	S	alle Varianten	6,0 x 15	38	4	108	S60153840543..	62	✓			nicht alle Fzg.: 185/55, 195/50	nicht alle Fzg.: 195/55 wS,...
	44 - 99	Z	Silber	6,0 x 15	46	4	108	Z6015464054318	62	✓			nicht alle Fzg.: 185/55, 195/50	
	44 - 99	Za	Anthrazit matt	6,0 x 15	46	4	108	Z6015464054315	62	✓			nicht alle Fzg.: 185/55, 195/50	
	44 - 99	W	alle Varianten	6,5 x 15	40	4	108	W65154040521..	13	✓			nicht alle Fzg.: 185/55, 195/50, 205/45	205/50
	44 - 99	S	alle Varianten	6,5 x 16	40	4	108	S65164040543..	62	✓			nicht alle Fzg.: 195/45, 205/45	
	44 - 99	Z	Silber	6,5 x 16	40	4	108	Z6516404054318	62	✓			nicht alle Fzg.: 195/45, 205/45	
	44 - 99	Za	Anthrazit matt	6,5 x 16	40	4	108	Z6516404054315	62	✓			nicht alle Fzg.: 195/45, 205/45	
	44 - 134	W	alle Varianten	7,0 x 16	42	4	108	W70164240521..	13	✓			195/45, 195/50 wS (max. 92 kW), 205/40, 205/45	215/40
	44 - 99	H	alle Varianten	7,0 x 16	45	4	108	H70164540543..	62	✓			195/45, 205/40, 205/45, 215/40 HA	
Fiesta ST	134	S	alle Varianten	6,5 x 16	40	4	108	S65164040543..	62	✓			195/45, 205/45	
Typ JA8	134	Z	Silber	6,5 x 16	40	4	108	Z6516404054318	62	✓			195/45, 205/45	
	134	Za	Anthrazit matt	6,5 x 16	40	4	108	Z6516404054315	62	✓			195/45, 205/45	
	134	W	alle Varianten	7,0 x 16	42	4	108	W70164240521..	13	✓			195/45, 205/40, 205/45	215/40
	134	H	alle Varianten	7,0 x 16	45	4	108	H70164540543..	62	✓			195/45, 205/40, 205/45, 215/40 HA	
Fiesta ST200	147	S	alle Varianten	6,5 x 16	40	4	108	S65164040543..	62	✓			195/45, 205/45	
Typ JA8	147	Z	Silber	6,5 x 16	40	4	108	Z6516404054318	62	✓			195/45, 205/45	
	147	Za	Anthrazit matt	6,5 x 16	40	4	108	Z6516404054315	62	✓			195/45, 205/45	
	147	H	alle Varianten	7,0 x 16	45	4	108	H70164540543..	62	✓			195/45, 205/40, 205/45, 215/40 HA	
Fiesta	52 - 103	P	Silber	6,0 x 15	38	4	108	P6015384054318	62	✓	B54			195/60, 205/55, 205/60
Typ JHH	52 - 103	S	alle Varianten	6,0 x 15	38	4	108	S60153840543..	62	✓	B54			195/60, 205/55, 205/60
	52 - 103	PE	Silber	6,0 x 15	45	4	108	PE6015454054318	Serie	✓	B54	✓	195/60	
	52 - 103	Z	Silber	6,0 x 15	46	4	108	Z6015464054318	62	✓	B54			195/60, 205/55, 205/60
	52 - 103	Za	Anthrazit matt	6,0 x 15	46	4	108	Z6015464054315	62	✓	B54			195/60, 205/55, 205/60
	52 - 103	W	alle Varianten	6,5 x 15	40	4	108	W65154040521..	13	✓	B54			195/60, 205/55, 205/60
	52 - 103	S	alle Varianten	6,5 x 16	40	4	108	S65164040543..	62	✓	B54			195/50, 195/55, 205/50,...
	52 - 103	Z	Silber	6,5 x 16	40	4	108	Z6516404054318	62	✓	B54			195/50, 195/55, 205/50,...
	52 - 103	Za	Anthrazit matt	6,5 x 16	40	4	108	Z6516404054315	62	✓	B54			195/50, 195/55, 205/50,...
	52 - 103	W	alle Varianten	7,0 x 16	42	4	108	W70164240521..	13	✓	B54			195/50, 195/55, 205/50,...
	52 - 103	H	alle Varianten	7,0 x 16	45	4	108	H70164540543..	62	✓	B54			205/50, 215/45, 225/45
Focus Limousine	59 - 92	W	alle Varianten	6,5 x 15	45	5	108	W65154550521..	41				195/65 (1.120 kg), 205/60 (1.120 kg), 215/60 (1.120 kg),...	
Focus Turnier	59 - 92	Y	alle Varianten	6,5 x 15	45	5	108	Y65154550521..	41				195/65, 205/60, 215/60, 225/55	
Typ DA3, DB3	59 - 166	E	alle Varianten	6,5 x 16	43	5	108	E6564350521..	41				195/55 (max. 92 kW), 205/55, 215/50 (max. 107 kW),...	
	59 - 166	N	Silber	6,5 x 16	45	5	108	N656455052118	41				195/55 (max. 92 kW), 205/55, 215/50 (max. 107 kW),...	

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
59 - 166	X	alle Varianten	6,5 x 16	45	5	108	X65164550521..	41					195/55 (max. 92 kW), 205/55, 215/50 (max. 107 kW),...	
59 - 166	B	Silber	6,5 x 16	50	5	108	B656505052118	41					195/55 (max. 92 kW), 205/55, 215/50 (max. 107 kW)	
59 - 166	P	Silber	6,5 x 16	50	5	108	P6516505054318	56					195/55 (max. 92 kW), 205/55, 215/50 (max. 107 kW)	
59 - 166	PE	Silber	6,5 x 16	50	5	108	PE6516505054318	106				✓	205/55	
59 - 166	S	alle Varianten	6,5 x 16	50	5	108	S65165050543..	56					195/55 (max. 92 kW), 205/55, 215/50 (max. 107 kW)	
59 - 166	SE	alle Varianten	6,5 x 16	50	5	108	SE65165050543..	56				✓	205/55	
59 - 166	W	alle Varianten	7,0 x 16	45	5	108	W70164550521..	41					195/55 (max. 92 kW), 205/55, 215/50 (max. 107 kW),...	225/50 (max. 107 kW)
59 - 166	Y	alle Varianten	7,0 x 16	45	5	108	Y70164550521..	41					195/55 (max. 92 kW), 205/55, 215/50 (max. 107 kW),...	225/50 (max. 107 kW)
59 - 166	Z	Silber	7,0 x 16	45	5	108	Z7016455052118	41					195/55 (max. 92 kW), 205/55, 215/50 (max. 107 kW),...	225/50 (max. 107 kW)
59 - 166	Za	Anthrazit matt	7,0 x 16	45	5	108	Z7016455052115	41					195/55 (max. 92 kW), 205/55, 215/50 (max. 107 kW),...	225/50 (max. 107 kW)
59 - 166	H	alle Varianten	7,0 x 16	50	5	108	H70165050543..	56					195/55 (max. 92 kW), 205/55, 215/50 (max. 107 kW)	215/55 (max. 107 kW)
59 - 166	X	alle Varianten	7,0 x 17	44	5	108	X70174450521..	41					205/50, 215/45, 225/45	
59 - 166	P	Silber	7,0 x 17	48	5	108	P7017485052118	41					205/50, 215/45, 225/45	
59 - 166	S	alle Varianten	7,0 x 17	49	5	108	S70174950521..	41					205/50, 215/45, 225/45	
59 - 166	B	Silber	7,5 x 17	45	5	108	B757455052118	41					205/50, 215/45, 225/45	
59 - 166	D	alle Varianten	7,5 x 17	45	5	108	D75174550521..	41					205/50, 215/45, 225/45	
59 - 166	E	alle Varianten	7,5 x 17	45	5	108	E7574550521..	41					205/50, 215/45, 225/45	
59 - 166	W	alle Varianten	7,5 x 17	45	5	108	W75174550521..	41					205/50, 215/45, 225/45	
59 - 166	Z	Silber	7,5 x 17	45	5	108	Z7517455052118	41					205/50, 215/45, 225/45	
59 - 166	Za	Anthrazit matt	7,5 x 17	45	5	108	Z7517455052115	41					205/50, 215/45, 225/45	
59 - 166	N	alle Varianten	7,5 x 17	46	5	108	N7574650521..	41					205/50, 215/45, 225/45	
59 - 166	Y	alle Varianten	7,5 x 17	46	5	108	Y75174650521..	41					205/50, 215/45, 225/45	
59 - 166	H	alle Varianten	7,5 x 17	48	5	108	H75174850521..	41					205/50, 215/45, 225/45	
59 - 166	P	Silber	7,5 x 18	45	5	108	P7518455052118	41					205/45 (max. 107 kW), 215/40 (max. 107 kW), 225/40	
59 - 166	S	alle Varianten	7,5 x 18	49	5	108	S75184950521..	41					205/45 (max. 107 kW), 215/40 (max. 107 kW), 225/40	225/40 (max. 107 kW)
59 - 166	D	alle Varianten	8,0 x 18	45	5	108	D80184550521..	41					215/40 (max. 107 kW), 225/40	235/35
59 - 166	E	alle Varianten	8,0 x 18	45	5	108	E8084550521..	41					215/40 (max. 107 kW), 225/40	235/35
59 - 166	W	alle Varianten	8,0 x 18	45	5	108	W80184550521..	41					215/40 (max. 107 kW), 225/40	235/35
59 - 166	Y	alle Varianten	8,0 x 18	45	5	108	Y80184550521..	41					215/40 (max. 107 kW), 225/40	235/35
59 - 166	Z	Silber	8,0 x 18	45	5	108	Z8018455052118	41					215/40 (max. 107 kW), 225/40	235/35
59 - 166	Za	Anthrazit matt	8,0 x 18	45	5	108	Z8018455052115	41					215/40 (max. 107 kW), 225/40	235/35
59 - 166	H	alle Varianten	8,0 x 18	48	5	108	H80184850521..	41					215/40 (max. 107 kW), 225/40	225/40 (max. 107 kW)
59 - 166	O	alle Varianten	8,0 x 18	48	5	108	O80184850521..	41					215/40 (max. 107 kW), 225/40	225/40 (max. 107 kW)
59 - 166	X	alle Varianten	8,5 x 18	40	5	108	X85184050521..	41						215/40 (max. 107 kW), 225/40,...

AUTEC in 19": www.autec-wheels.de

Focus Cabrio													Nähere Informationen in unserem Konfigurator unter: www.autec-wheels.de	
Focus ST													Further information in our configurator at: www.autec-wheels.de	
Focus RS														
Typ DA3, DB3, DA3-RS														

Focus Limousine	63 - 134	N	Silber	6,5 x 16	45	5	108	N656455052118	41	✓			205/55, 215/55, 225/50	
Focus Turnier	63 - 134	X	alle Varianten	6,5 x 16	45	5	108	X65164550521..	41	✓			205/55, 215/55, 225/50	
Typ DYB	63 - 134	B	Silber	6,5 x 16	50	5	108	B656505052118	41	✓			205/55, 215/55, 225/50	
	63 - 134	P	Silber	6,5 x 16	50	5	108	P6516505054318	56	✓			205/55, 215/55, 225/50	
	63 - 134	PE	Silber	6,5 x 16	50	5	108	PE6516505054318	106	✓		✓	205/55, 215/55	
	63 - 134	S	alle Varianten	6,5 x 16	50	5	108	S65165050543..	56	✓			205/55, 215/55, 225/50	
	63 - 134	SE	alle Varianten	6,5 x 16	50	5	108	SE65165050543..	106	✓		✓	205/55, 215/55	
	63 - 134	E	alle Varianten	7,0 x 16	45	5	108	E7064550521..	41	✓			205/55, 215/55, 225/50	
	63 - 134	W	alle Varianten	7,0 x 16	45	5	108	W70164550521..	41	✓			205/55, 215/55, 225/50	
	63 - 134	Y	alle Varianten	7,0 x 16	45	5	108	Y70164550521..	41	✓			205/55, 215/55, 225/50	
	63 - 134	Z	Silber	7,0 x 16	45	5	108	Z7016455052118	41	✓			205/55, 215/55, 225/50	
	63 - 134	Za	Anthrazit matt	7,0 x 16	45	5	108	Z7016455052115	41	✓			205/55, 215/55, 225/50	
	63 - 134	H	alle Varianten	7,0 x 16	50	5	108	H70165050543..	56	✓			205/55, 215/55, 225/50	

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
63 - 134	X		alle Varianten	7,0 x 17	44	5	108	X70174450521..	41	✓			205/50, 215/45, 215/50, 225/45	
63 - 134	P		Silber	7,0 x 17	48	5	108	P7017485052118	41	✓			205/50, 215/45, 215/50, 225/45	
63 - 134	S		alle Varianten	7,0 x 17	49	5	108	S70174950521..	41	✓			205/50, 215/45, 215/50, 225/45	
63 - 134	B		Silber	7,5 x 17	45	5	108	B757455052118	41	✓			205/50, 215/45, 215/50, 225/45, 235/45	
63 - 134	D		alle Varianten	7,5 x 17	45	5	108	D75174550521..	41	✓			205/50, 215/45, 215/50, 225/45, 235/45	
63 - 134	E		alle Varianten	7,5 x 17	45	5	108	E7574550521..	41	✓			205/50, 215/45, 215/50, 225/45, 235/45	
63 - 134	W		alle Varianten	7,5 x 17	45	5	108	W75174550521..	41	✓			205/50, 215/45, 215/50, 225/45, 235/45	
63 - 134	N		alle Varianten	7,5 x 17	46	5	108	N7574650521..	41	✓			205/50, 215/45, 215/50, 225/45, 235/45	
63 - 134	Y		alle Varianten	7,5 x 17	46	5	108	Y75174650521..	41	✓			205/50, 215/45, 215/50, 225/45, 235/45	
63 - 134	H		alle Varianten	7,5 x 17	48	5	108	H75174850521..	41	✓			205/50, 215/45, 215/50, 225/45, 235/45	
63 - 134	S		alle Varianten	7,5 x 17	51	5	108	S75175150543..	56	✓			225/45, 235/45	
63 - 134	Z		Silber	7,5 x 17	53	5	108	Z7517535052118	41	✓			205/50, 215/45, 215/50, 225/45, 235/45	
63 - 134	Za		Anthrazit matt	7,5 x 17	53	5	108	Z7517535052115	41	✓			205/50, 215/45, 215/50, 225/45, 235/45	
63 - 134	V		Schw. matt d. c.	8,0 x 17	50	5	108	V8017505052124	41	✓			215/45, 215/50 MF, 225/45, 235/45, 245/40	
63 - 134	P		Silber	7,5 x 18	45	5	108	P7518455052118	41	✓			205/45, 215/40, 215/45, 225/40	
63 - 134	S		alle Varianten	7,5 x 18	49	5	108	S75184950521..	41	✓			205/45, 215/40, 215/45, 225/40	
63 - 134	D		alle Varianten	8,0 x 18	45	5	108	D80184550521..	41	✓			215/40, 215/45, 225/40	235/40, 245/35
63 - 134	E		alle Varianten	8,0 x 18	45	5	108	E8084550521..	41	✓			215/40, 215/45, 225/40	235/40, 245/35
63 - 134	W		alle Varianten	8,0 x 18	45	5	108	W80184550521..	41	✓			215/40, 215/45, 225/40	235/40, 245/35
63 - 134	Y		alle Varianten	8,0 x 18	45	5	108	Y80184550521..	41	✓			215/40, 215/45, 225/40	235/40, 245/35
63 - 134	Z		Silber	8,0 x 18	45	5	108	Z8018455052118	41	✓			215/40, 215/45, 225/40	235/40, 245/35
63 - 134	Za		Anthrazit matt	8,0 x 18	45	5	108	Z8018455052115	41	✓			215/40, 215/45, 225/40	235/40, 245/35
63 - 134	H		alle Varianten	8,0 x 18	48	5	108	H80184850521..	41	✓			215/40, 215/45, 225/40, 235/40	245/35
63 - 134	O		alle Varianten	8,0 x 18	48	5	108	O80184850521..	41	✓			215/40, 215/45, 225/40, 235/40	245/35
63 - 134	X		alle Varianten	8,5 x 18	40	5	108	X85184050521..	41	✓				215/40, 225/40, 235/40,...
63 - 134	P		Silber	7,5 x 19	45	5	108	P7519455052118	41	✓			215/35, 225/35	
63 - 134	S		alle Varianten	8,0 x 19	42	5	108	S80194250521..	41	✓			215/35, 225/35	235/35, 245/30
63 - 134	D		alle Varianten	8,0 x 19	45	5	108	D80194550521..	41	✓			215/35, 225/35, 235/35	245/30
63 - 134	W		alle Varianten	8,0 x 19	45	5	108	W80194550521..	41	✓			215/35, 225/35, 235/35	245/30
63 - 134	O		alle Varianten	8,0 x 19	48	5	108	O80194850521..	41	✓			215/35, 225/35, 235/35	245/30
63 - 134	X		alle Varianten	8,5 x 19	40	5	108	X85194050543..	56	✓				215/35, 225/35, 235/35,...
63 - 134	R		alle Varianten	8,5 x 19	45	5	108	R85194550521..	41	✓			215/35, 225/35	235/35, 245/30
63 - 134	U		alle Varianten	8,5 x 19	45	5	108	U85194550543..	56	✓			215/35, 225/35	235/35, 245/30
63 - 134	V		Schw. matt d. c.	8,5 x 19	45	5	108	V8519455052124	41	✓			215/35, 225/35	235/35, 245/30
63 - 134	D		alle Varianten	8,5 x 20	45	5	108	D85204550521..	41	✓				235/30
63 - 134	R		alle Varianten	8,5 x 20	45	5	108	R85204550521..	41	✓			225/30 MF	235/30
63 - 134	X		alle Varianten	9,0 x 20	42	5	108	X90204250543..	56	✓				235/30 MF
63 - 134	U		alle Varianten	9,0 x 20	43	5	108	U90204350543..	56	✓				235/30 MF
Focus ST	136, 184	N	Silber	6,5 x 16	45	5	108	N656455052118	41	✓			215/55 M+S, 225/50 M+S	
Focus ST Turnier	136, 184	X	alle Varianten	6,5 x 16	45	5	108	X65164550521..	41	✓			215/55 M+S, 225/50 M+S	
Typ DYB	136, 184	B	Silber	6,5 x 16	50	5	108	B656505052118	41	✓			215/55 M+S, 225/50 M+S	
	136, 184	P	Silber	6,5 x 16	50	5	108	P6516505054318	56	✓			215/55 M+S, 225/50 M+S	
	136, 184	PE	Silber	6,5 x 16	50	5	108	PE6516505054318	106	✓		✓	215/55 M+S	
	136, 184	S	alle Varianten	6,5 x 16	50	5	108	S65165050543..	56	✓			215/55 M+S, 225/50 M+S	
	136, 184	SE	alle Varianten	6,5 x 16	50	5	108	SE65165050543..	106	✓		✓	215/55 M+S	
	136, 184	E	alle Varianten	7,0 x 16	45	5	108	E7064550521..	41	✓			215/55 M+S, 225/50 M+S	
	136, 184	W	alle Varianten	7,0 x 16	45	5	108	W70164550521..	41	✓			215/55 M+S, 225/50 M+S	
	136, 184	Y	alle Varianten	7,0 x 16	45	5	108	Y70164550521..	41	✓			215/55 M+S, 225/50 M+S	
	136, 184	Z	Silber	7,0 x 16	45	5	108	Z7016455052118	41	✓			215/55 M+S, 225/50 M+S	
	136, 184	Za	Anthrazit matt	7,0 x 16	45	5	108	Z7016455052115	41	✓			215/55 M+S, 225/50 M+S	
	136, 184	H	alle Varianten	7,0 x 16	50	5	108	H70165050543..	56	✓			215/55 M+S, 225/50 M+S	
	136, 184	X	alle Varianten	7,0 x 17	44	5	108	X70174450521..	41	✓			215/50, 225/45	

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	136, 184	P	Silber	7,0 x 17	48	5	108	P7017485052118	41	✓			215/50, 225/45	
	136, 184	S	alle Varianten	7,0 x 17	49	5	108	S70174950521..	41	✓			215/50, 225/45	
	136, 184	B	Silber	7,5 x 17	45	5	108	B757455052118	41	✓			215/50, 225/45, 235/45	
	136, 184	D	alle Varianten	7,5 x 17	45	5	108	D75174550521..	41	✓			215/50, 225/45, 235/45	
	136, 184	E	alle Varianten	7,5 x 17	45	5	108	E7574550521..	41	✓			215/50, 225/45, 235/45	
	136, 184	W	alle Varianten	7,5 x 17	45	5	108	W75174550521..	41	✓			215/50, 225/45, 235/45	
	136, 184	N	alle Varianten	7,5 x 17	46	5	108	N7574650521..	41	✓			215/50, 225/45, 235/45	
	136, 184	Y	alle Varianten	7,5 x 17	46	5	108	Y75174650521..	41	✓			215/50, 225/45, 235/45	
	136, 184	H	alle Varianten	7,5 x 17	48	5	108	H75174850521..	41	✓			215/50, 225/45, 235/45	
	136, 184	S	alle Varianten	7,5 x 17	51	5	108	S75175150543..	56	✓			225/45, 235/45	
	136, 184	Z	Silber	7,5 x 17	53	5	108	Z7517535052118	41	✓			215/50, 225/45, 235/45	
	136, 184	Za	Anthrazit matt	7,5 x 17	53	5	108	Z7517535052115	41	✓			215/50, 225/45, 235/45	
	136, 184	V	Schw. matt d. c.	8,0 x 17	50	5	108	V8017505052124	41	✓			215/50 MF, 225/45, 235/45	
	136, 184	P	Silber	7,5 x 18	45	5	108	P7518455052118	41	✓			215/45, 225/40	
	136, 184	S	alle Varianten	7,5 x 18	49	5	108	S75184950521..	41	✓			215/45, 225/40	
	136, 184	D	alle Varianten	8,0 x 18	45	5	108	D80184550521..	41	✓			215/45, 225/40	235/40, 245/35
	136, 184	E	alle Varianten	8,0 x 18	45	5	108	E8084550521..	41	✓			215/45, 225/40	235/40, 245/35
	136, 184	W	alle Varianten	8,0 x 18	45	5	108	W80184550521..	41	✓			215/45, 225/40	235/40, 245/35
	136, 184	Y	alle Varianten	8,0 x 18	45	5	108	Y80184550521..	41	✓			215/45, 225/40	235/40, 245/35
	136, 184	Z	Silber	8,0 x 18	45	5	108	Z8018455052118	41	✓			215/45, 225/40	235/40, 245/35
	136, 184	Za	Anthrazit matt	8,0 x 18	45	5	108	Z8018455052115	41	✓			215/45, 225/40	235/40, 245/35
	136, 184	H	alle Varianten	8,0 x 18	48	5	108	H80184850521..	41	✓			215/45, 225/40, 235/40	245/35
	136, 184	O	alle Varianten	8,0 x 18	48	5	108	O80184850521..	41	✓			215/45, 225/40, 235/40	245/35
	136, 184	X	alle Varianten	8,5 x 18	40	5	108	X85184050521..	41	✓				225/40, 235/40, 245/35,...
	136, 184	S	alle Varianten	8,0 x 19	42	5	108	S80194250521..	41	✓			225/35	235/35, 245/30
	136, 184	D	alle Varianten	8,0 x 19	45	5	108	D80194550521..	41	✓			225/35, 235/35	245/30
	136, 184	W	alle Varianten	8,0 x 19	45	5	108	W80194550521..	41	✓			225/35, 235/35	245/30
	136, 184	O	alle Varianten	8,0 x 19	48	5	108	O80194850521..	41	✓			225/35, 235/35	245/30
	136, 184	X	alle Varianten	8,5 x 19	40	5	108	X85194050543..	56	✓				225/35, 235/35, 245/30,...
	136, 184	R	alle Varianten	8,5 x 19	45	5	108	R85194550521..	41	✓			225/35	235/35, 245/30
	136, 184	U	alle Varianten	8,5 x 19	45	5	108	U85194550543..	56	✓			225/35	235/35, 245/30
	136, 184	V	Schw. matt d. c.	8,5 x 19	45	5	108	V8519455052124	41	✓			225/35	235/35, 245/30
	136, 184	D	alle Varianten	8,5 x 20	45	5	108	D85204550521..	41	✓				235/30
	136, 184	R	alle Varianten	8,5 x 20	45	5	108	R85204550521..	41	✓				235/30
	136, 184	X	alle Varianten	9,0 x 20	42	5	108	X90204250543..	56	✓				235/30 MF
	136, 184	U	alle Varianten	9,0 x 20	43	5	108	U90204350543..	56	✓				235/30 MF
Focus RS	257	P	Silber	7,5 x 18	45	5	108	P7518455052118	41	✓			225/40 M+S	
Typ DYB, DYB-RS	257	S	alle Varianten	7,5 x 18	49	5	108	S75184950521..	41	✓			225/40 M+S	
	257	E	alle Varianten	8,0 x 18	45	5	108	E8084550521..	41	✓			225/40 M+S, 235/40 M+S	
	257	W	alle Varianten	8,0 x 18	45	5	108	W80184550521..	41	✓			225/40 M+S, 235/40 M+S	
	257	Y	alle Varianten	8,0 x 18	45	5	108	Y80184550521..	41	✓			225/40 M+S, 235/40 M+S	
	257	Z	Silber	8,0 x 18	45	5	108	Z8018455052118	41	✓			225/40 M+S, 235/40 M+S	
	257	Za	Anthrazit matt	8,0 x 18	45	5	108	Z8018455052115	41	✓			225/40 M+S, 235/40 M+S	
	257	H	alle Varianten	8,0 x 18	48	5	108	H80184850521..	41	✓			225/40 M+S, 235/40 M+S, 245/35 M+S	
	257	O	alle Varianten	8,0 x 18	48	5	108	O80184850521..	41	✓			225/40 M+S, 235/40 M+S, 245/35 M+S	
	257	P	Silber	7,5 x 19	45	5	108	P7519455052118	41	✓			225/35 M+S	
	257	S	alle Varianten	8,0 x 19	42	5	108	S80194250521..	41	✓			225/35 M+S	235/35, 245/30
	257	W	alle Varianten	8,0 x 19	45	5	108	W80194550521..	41	✓			225/35 M+S, 235/35	245/30
	257	O	alle Varianten	8,0 x 19	48	5	108	O80194850521..	41	✓			225/35 M+S, 235/35, 245/30	
	257	X	alle Varianten	8,5 x 19	40	5	108	X85194050543..	56	✓				235/35, 245/30, 255/30
	257	R	alle Varianten	8,5 x 19	45	5	108	R85194550521..	41	✓			225/35 M+S, 235/35	245/30, 255/30
	257	U	alle Varianten	8,5 x 19	45	5	108	U85194550543..	56	✓			225/35 M+S, 235/35	245/30, 255/30

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	257	V	Schw. matt d. c.	8,5 x 19	45	5	108	V8519455052124	41	✓			225/35 M+S, 235/35	245/30, 255/30
	257	R	alle Varianten	8,5 x 20	45	5	108	R85204550521..	41	✓			235/30	
	257	X	alle Varianten	9,0 x 20	42	5	108	X90204250543..	56	✓				235/30 MF
	257	U	alle Varianten	9,0 x 20	43	5	108	U90204350543..	56	✓				235/30 MF
Galaxy (II)	74 - 149	X	alle Varianten	6,5 x 16	45	5	108	X65164550521..	115	✓			215/60, 225/55, 235/50	
Typ WA6	74 - 149	B	Silber	6,5 x 16	50	5	108	B656505052118	115	✓			215/60, 225/55, 235/50	
	74 - 149	P	Silber	6,5 x 16	50	5	108	P6516505054318	114	✓			215/60, 225/55, 235/50	
	74 - 149	PE	Silber	6,5 x 16	50	5	108	PE6516505054318	Serie	✓		✓	215/60 (1.410 kg)	
	74 - 149	S	alle Varianten	6,5 x 16	50	5	108	S65165050543..	114	✓			215/60 (1.360 kg), 225/55 (1.360 kg), 235/50 (1.360 kg)	
	74 - 149	SE	alle Varianten	6,5 x 16	50	5	108	SE65165050543..	Serie	✓		✓	215/60 (1.410 kg)	
	74 - 149	E	alle Varianten	7,0 x 16	45	5	108	E7064550521..	115	✓			215/60, 225/55, 235/50, 245/50	
	74 - 149	Y	alle Varianten	7,0 x 16	45	5	108	Y70164550521..	115	✓			215/60 (1.410 kg), 225/55 (1.410 kg), 235/50 (1.410 kg),...	
	74 - 149	Z	Silber	7,0 x 16	45	5	108	Z7016455052118	115	✓			215/60 (1.320 kg), 225/55 (1.330 kg), 235/50 (1.350 kg),...	
	74 - 149	Za	Anthrazit matt	7,0 x 16	45	5	108	Z7016455052115	115	✓			215/60 (1.320 kg), 225/55 (1.330 kg), 235/50 (1.350 kg),...	
	74 - 149	H	alle Varianten	7,0 x 16	50	5	108	H70165050543..	114	✓			215/60, 225/55, 235/50	
	74 - 149	X	alle Varianten	7,0 x 17	44	5	108	X70174450521..	115	✓			215/55, 225/50, 235/50	
	74 - 149	P	Silber	7,0 x 17	48	5	108	P7017485052118	115	✓			215/55, 225/50, 235/50	
	74 - 149	S	alle Varianten	7,0 x 17	49	5	108	S70174950521..	115	✓			215/55 (1.360 kg), 225/50 (1.360 kg), 235/50 (1.360 kg)	
	74 - 149	B	Silber	7,5 x 17	45	5	108	B757455052118	115	✓			215/55, 225/50, 235/45, 235/50	
	74 - 149	D	alle Varianten	7,5 x 17	45	5	108	D75174550521..	115	✓			215/55, 225/50, 235/45, 235/50	
	74 - 149	E	alle Varianten	7,5 x 17	45	5	108	E7574550521..	115	✓			215/55, 225/50, 235/45, 235/50	
	74 - 149	Z	Silber	7,5 x 17	45	5	108	Z7517455052118	115	✓			215/55 (1.350 kg), 225/50 (1.350 kg), 235/45 (1.350 kg),...	
	74 - 149	Za	Anthrazit matt	7,5 x 17	45	5	108	Z7517455052115	115	✓			215/55 (1.350 kg), 225/50 (1.350 kg), 235/45 (1.350 kg),...	
	74 - 149	N	alle Varianten	7,5 x 17	46	5	108	N7574650521..	115	✓			215/55, 225/50, 235/45, 235/50	
	74 - 149	Y	alle Varianten	7,5 x 17	46	5	108	Y75174650521..	115	✓			215/55, 225/50, 235/45, 235/50	
	74 - 149	H	alle Varianten	7,5 x 17	48	5	108	H75174850521..	115	✓			215/55, 225/50, 235/45, 235/50	
	74 - 149	S	alle Varianten	7,5 x 17	51	5	108	S75175150543..	114	✓			215/55, 225/50, 235/45	
	74 - 149	V	Schw. matt d. c.	8,0 x 17	50	5	108	V8017505052124	115	✓			225/50, 235/45, 245/45	
	74 - 149	P	Silber	7,5 x 18	45	5	108	P7518455052118	115	✓			225/45, 235/45	
	74 - 149	S	alle Varianten	7,5 x 18	49	5	108	S75184950521..	115	✓			225/45 (1.360 kg), 235/45 (1.360 kg)	
	74 - 149	D	alle Varianten	8,0 x 18	45	5	108	D80184550521..	115	✓			225/45, 235/40, 235/45, 245/40	
	74 - 149	E	alle Varianten	8,0 x 18	45	5	108	E8084550521..	115	✓			225/45, 235/40, 235/45, 245/40	
	74 - 149	Y	alle Varianten	8,0 x 18	45	5	108	Y80184550521..	115	✓			225/45, 235/40, 235/45, 245/40	
	74 - 149	Z	Silber	8,0 x 18	45	5	108	Z8018455052118	115	✓			225/45, 235/40, 235/45, 245/40	
	74 - 149	Za	Anthrazit matt	8,0 x 18	45	5	108	Z8018455052115	115	✓			225/45, 235/40, 235/45, 245/40	
	74 - 149	H	alle Varianten	8,0 x 18	48	5	108	H80184850521..	115	✓			225/45, 235/40, 235/45, 245/40	
	74 - 149	O	alle Varianten	8,0 x 18	48	5	108	O80184850521..	115	✓			225/45, 235/40, 235/45, 245/40	
	74 - 149	X	alle Varianten	8,5 x 18	40	5	108	X85184050521..	115	✓			225/45, 235/40, 235/45	245/40, 255/40
	74 - 149	O	alle Varianten	8,0 x 19	48	5	108	O80194850521..	115	✓			235/40	
										✓			AUTEC in 20": www.autec-wheels.de	
Galaxy (III)	88 - 177	B	Silber	7,5 x 17	45	5	108	B757455052118	115	✓			235/55, 245/50, 245/55	255/50
Galaxy (III) Allrad	88 - 177	D	alle Varianten	7,5 x 17	45	5	108	D75174550521..	115	✓			235/55 (1.440 kg), 245/50 (1.440 kg), 245/55 (1.440 kg)	255/50 (1.440 kg)
Typ WA6	88 - 177	E	alle Varianten	7,5 x 17	45	5	108	E7574550521..	115	✓			235/55, 245/50, 245/55	255/50
[ab MJ 2016]	88 - 177	Z	Silber	7,5 x 17	45	5	108	Z7517455052118	115	✓			235/55 (1.320 kg), 245/50 (1.340 kg), 245/55 (1.300 kg)	255/50 (1.320 kg)
	88 - 177	Za	Anthrazit matt	7,5 x 17	45	5	108	Z7517455052115	115	✓			235/55 (1.320 kg), 245/50 (1.340 kg), 245/55 (1.300 kg)	255/50 (1.320 kg)
	88 - 177	N	alle Varianten	7,5 x 17	46	5	108	N7574650521..	115	✓			235/55, 245/50, 245/55	255/50
	88 - 177	Y	alle Varianten	7,5 x 17	46	5	108	Y75174650521..	115	✓			235/55 (1.410 kg), 245/50 (1.420 kg), 245/55 (1.380 kg)	255/50 (1.410 kg)
	88 - 177	H	alle Varianten	7,5 x 17	48	5	108	H75174850521..	115	✓			235/55, 245/50, 245/55	255/50
	88 - 177	S	alle Varianten	7,5 x 17	51	5	108	S75175150543..	114	✓			235/55 (1.450 kg), 245/50 (1.450 kg), 245/55 (1.450 kg)	
	88 - 177	PE	Silber	7,5 x 17	55	5	108	PE7517555054318	Serie	✓		✓	235/55	
	88 - 177	V	Schw. matt d. c.	8,0 x 17	50	5	108	V8017505052124	115	✓			235/55 (1.410 kg)	
	88 - 177	P	Silber	7,5 x 18	45	5	108	P7518455052118	115	✓			235/50, 245/45, 245/50	

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	88 - 177	S	alle Varianten	7,5 x 18	49	5	108	S75184950521..	115	✓			235/50 (1.360 kg), 245/45 (1.360 kg), 245/50 (1.360 kg)	
	88 - 177	D	alle Varianten	8,0 x 18	45	5	108	D80184550521..	115	✓			235/50, 245/45, 255/45 245/50	
	88 - 177	E	alle Varianten	8,0 x 18	45	5	108	E8084550521..	115	✓			235/50, 245/45, 255/45 245/50	
	88 - 177	W	alle Varianten	8,0 x 18	45	5	108	W80184550521..	115	✓			235/50 (1.290 kg), 245/45 (1.300 kg), 255/45 (1.300 kg) 245/50 (1.280 kg)	
	88 - 177	Y	alle Varianten	8,0 x 18	45	5	108	Y80184550521..	115	✓			235/50 (1.400 kg), 245/45 (1.430 kg), 255/45 (1.410 kg) 245/50 (1.380 kg)	
	88 - 177	Z	Silber	8,0 x 18	45	5	108	Z8018455052118	115	✓			235/50 (1.380 kg), 245/45 (1.410 kg), 255/45 (1.390 kg) 245/50 (1.360 kg)	
	88 - 177	Za	Anthrazit matt	8,0 x 18	45	5	108	Z8018455052115	115	✓			235/50 (1.380 kg), 245/45 (1.410 kg), 255/45 (1.390 kg) 245/50 (1.360 kg)	
	88 - 177	H	alle Varianten	8,0 x 18	48	5	108	H80184850521..	115	✓			235/50, 245/45, 245/50, 255/45	
	88 - 177	O	alle Varianten	8,0 x 18	48	5	108	O80184850521..	115	✓			235/50, 245/45, 245/50, 255/45	
	88 - 177	X	alle Varianten	8,5 x 18	40	5	108	X85184050521..	115	✓			235/50, 245/45, 245/50, 255/45	
	88 - 177	P	Silber	7,5 x 19	45	5	108	P7519455052118	115	✓			235/45, 245/45	
	88 - 177	S	alle Varianten	8,0 x 19	42	5	108	S80194250521..	115	✓			235/45, 245/40, 245/45	
	88 - 177	D	alle Varianten	8,0 x 19	45	5	108	D80194550521..	115	✓			235/45, 245/40, 245/45	
	88 - 177	W	alle Varianten	8,0 x 19	45	5	108	W80194550521..	115	✓			235/45 (1.310 kg), 245/40 (1.320 kg), 245/45 (1.300 kg)	
	88 - 177	O	alle Varianten	8,0 x 19	48	5	108	O80194850521..	115	✓			235/45, 245/40, 245/45	
	88 - 177	X	alle Varianten	8,5 x 19	40	5	108	X85194050543..	114	✓			235/45 245/40, 245/45, 255/40	
	88 - 177	R	alle Varianten	8,5 x 19	45	5	108	R85194550521..	115	✓			235/45, 245/40, 245/45 255/40	
	88 - 177	U	alle Varianten	8,5 x 19	45	5	108	U85194550543..	114	✓			235/45, 245/40, 245/45 255/40	
	88 - 177	V	Schw. matt d. c.	8,5 x 19	45	5	108	V8519455052124	115	✓			235/45 (1.420 kg), 245/40 (1.420 kg), 245/45 (1.420 kg) 255/40 (1.420 kg)	
	88 - 177	D	alle Varianten	8,5 x 20	45	5	108	D85204550521..	115	✓			235/40, 245/35, 245/40 255/35	
	88 - 177	R	alle Varianten	8,5 x 20	45	5	108	R85204550521..	115	✓			235/40, 245/35, 245/40 255/35	
	88 - 177	X	alle Varianten	9,0 x 20	42	5	108	X90204250543..	114	✓			235/40 245/35, 245/40, 255/35,...	
	88 - 177	U	alle Varianten	9,0 x 20	43	5	108	U90204350543..	114	✓			235/40 245/35, 245/40, 255/35,...	
													AUTEC in 21": www.autec-wheels.de	
Ka	51, 55	Z	Silber	5,5 x 14	35	4	98	Z5514354023318	654				165/65, 165/70, 175/60, 175/65, 185/55, 185/60, 195/60	
Typ RU8	51, 55	Za	Anthrazit matt	5,5 x 14	35	4	98	Z5514354023315	654				165/65, 165/70, 175/60, 175/65, 185/55, 185/60, 195/60	
	51, 55	Z	Silber	6,0 x 15	38	4	98	Z6015384023318	654				185/55, 195/45, 195/50	
	51, 55	Za	Anthrazit matt	6,0 x 15	38	4	98	Z6015384023315	654				185/55, 195/45, 195/50	
Ka+	51 - 63	N	Silber	5,5 x 14	43	4	108	N554434052118	13	✓			165/70, 175/65, 185/60, 185/65, 195/60	
Typ KAF	51 - 63	Z	Silber	5,5 x 14	43	4	108	Z5514434054318	62	✓			165/70, 175/65, 185/60, 185/65, 195/60	
	51 - 63	Za	Anthrazit matt	5,5 x 14	43	4	108	Z5514434054315	62	✓			165/70, 175/65, 185/60, 185/65, 195/60	
	51 - 63	P	Silber	6,0 x 15	38	4	108	P6015384054318	62	✓			165/60, 165/65, 175/55, 175/60, 185/55 195/50, 195/55, 205/50	
	51 - 63	S	alle Varianten	6,0 x 15	38	4	108	S60153840543..	62	✓			165/60, 165/65, 175/55, 175/60, 185/55 195/50, 195/55, 205/50	
	51 - 63	Z	Silber	6,0 x 15	46	4	108	Z6015464054318	62	✓			165/60, 165/65, 175/55, 175/60, 185/55, 195/50, 195/55, 205/50	
	51 - 63	Za	Anthrazit matt	6,0 x 15	46	4	108	Z6015464054315	62	✓			165/60, 165/65, 175/55, 175/60, 185/55, 195/50, 195/55, 205/50	
	51 - 63	W	alle Varianten	6,5 x 15	40	4	108	W65154040521..	13	✓			185/55 195/50, 195/55, 205/50	
	51 - 63	S	alle Varianten	6,5 x 16	40	4	108	S65164040543..	62	✓			185/50, 195/45, 205/45	
	51 - 63	Z	Silber	6,5 x 16	40	4	108	Z6516404054318	62	✓			195/45, 205/45	
	51 - 63	Za	Anthrazit matt	6,5 x 16	40	4	108	Z6516404054315	62	✓			195/45, 205/45	
	51 - 63	W	alle Varianten	7,0 x 16	42	4	108	W70164240521..	13	✓			195/45, 205/45 215/40, 215/45	
	51 - 63	H	alle Varianten	7,0 x 16	45	4	108	H70164540543..	62	✓			195/45, 205/45	
Kuga (I)	100 - 147	N	Silber	6,5 x 16	45	5	108	N656455052118	41				215/65 (1.200 kg), 215/70 wS (1.160 kg) (max. 100 kW),...	
Typ DM2	100 - 147	X	alle Varianten	6,5 x 16	45	5	108	X65164550521..	41				215/65, 215/70 wS (max. 100 kW), 225/65, 235/60	
	100 - 147	B	Silber	6,5 x 16	50	5	108	B656505052118	41				215/65, 215/70 wS (max. 100 kW), 225/65, 235/60	
	100 - 147	P	Silber	6,5 x 16	50	5	108	P6516505054318	56				215/65, 215/70 wS (max. 100 kW), 225/65, 235/60	
	100 - 147	PE	Silber	6,5 x 16	50	5	108	PE6516505054318	106			✓	235/60	
	100 - 147	S	alle Varianten	6,5 x 16	50	5	108	S65165050543..	56				215/65, 215/70 wS (max. 100 kW), 225/65, 235/60	
	100 - 147	SE	alle Varianten	6,5 x 16	50	5	108	SE65165050543..	106			✓	235/60	
	100 - 147	E	alle Varianten	7,0 x 16	45	5	108	E7064550521..	41				215/65, 215/70 wS (max. 100 kW), 225/65, 235/60, 245/55, 245/60	
	100 - 147	Y	alle Varianten	7,0 x 16	45	5	108	Y70164550521..	41				215/65, 215/70 wS (max. 100 kW), 225/65, 235/60, 245/55, 245/60	
	100 - 147	Z	Silber	7,0 x 16	45	5	108	Z7016455052118	41				215/65, 215/70 wS (max. 100 kW), 225/65, 235/60, 245/55, 245/60	
	100 - 147	Za	Anthrazit matt	7,0 x 16	45	5	108	Z7016455052115	41				215/65, 215/70 wS (max. 100 kW), 225/65, 235/60, 245/55, 245/60	

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
100 - 147	H	alle Varianten	7,0 x 16	50	5	108	H70165050543..	56					215/65, 215/70 wS (max. 100 kW), 225/65, 235/60, 245/55, 245/60	
100 - 147	X	alle Varianten	7,0 x 17	44	5	108	X70174450521..	41					215/60, 225/55, 235/55	245/50, 245/55
100 - 147	P	Silber	7,0 x 17	48	5	108	P7017485052118	41					215/60, 225/55, 235/55, 245/50, 245/55	
100 - 147	S	alle Varianten	7,0 x 17	49	5	108	S70174950521..	41					215/60, 225/55, 235/55, 245/50, 245/55	
100 - 147	B	Silber	7,5 x 17	45	5	108	B757455052118	41					215/60, 225/55, 235/55	245/50, 245/55, 255/50
100 - 147	D	alle Varianten	7,5 x 17	45	5	108	D75174550521..	41					215/60, 225/55, 235/55	245/50, 245/55, 255/50
100 - 147	E	alle Varianten	7,5 x 17	45	5	108	E7574550521..	41					215/60, 225/55, 235/55	245/50, 245/55, 255/50
100 - 147	N	alle Varianten	7,5 x 17	46	5	108	N7574650521..	41					215/60, 225/55, 235/55	245/50, 245/55, 255/50
100 - 147	Y	alle Varianten	7,5 x 17	46	5	108	Y75174650521..	41					215/60, 225/55, 235/55	245/50, 245/55, 255/50
100 - 147	H	alle Varianten	7,5 x 17	48	5	108	H75174850521..	41					215/60, 225/55, 235/55, 245/50, 245/55	255/50
100 - 147	S	alle Varianten	7,5 x 17	51	5	108	S75175150543..	56					215/60, 225/55, 235/55, 245/50	245/55
100 - 147	Z	Silber	7,5 x 17	53	5	108	Z7517535052118	41					215/60, 225/55, 235/55	
100 - 147	Za	Anthrazit matt	7,5 x 17	53	5	108	Z7517535052115	41					215/60, 225/55, 235/55	
100 - 147	V	Schw. matt d. c.	8,0 x 17	50	5	108	V8017505052124	41					235/55, 245/50	245/55
100 - 147	P	Silber	7,5 x 18	45	5	108	P7518455052118	41					235/50, 245/45	245/50
100 - 147	S	alle Varianten	7,5 x 18	49	5	108	S75184950521..	41					235/50, 245/45, 245/50	
100 - 147	D	alle Varianten	8,0 x 18	45	5	108	D80184550521..	41					235/50, 245/45, 255/45	245/50
100 - 147	E	alle Varianten	8,0 x 18	45	5	108	E8084550521..	41					235/50, 245/45, 255/45	245/50
100 - 147	W	alle Varianten	8,0 x 18	45	5	108	W80184550521..	41					235/50, 245/45, 255/45	245/50
100 - 147	Y	alle Varianten	8,0 x 18	45	5	108	Y80184550521..	41					235/50, 245/45, 255/45	245/50
100 - 147	Z	Silber	8,0 x 18	45	5	108	Z8018455052118	41					235/50, 245/45, 255/45	245/50
100 - 147	Za	Anthrazit matt	8,0 x 18	45	5	108	Z8018455052115	41					235/50, 245/45, 255/45	245/50
100 - 147	H	alle Varianten	8,0 x 18	48	5	108	H80184850521..	41					235/50, 245/45, 255/45	245/50
100 - 147	O	alle Varianten	8,0 x 18	48	5	108	O80184850521..	41					235/50, 245/45, 255/45	245/50
100 - 147	X	alle Varianten	8,5 x 18	40	5	108	X85184050521..	41						235/50, 245/45, 245/50,...
100 - 147	S	alle Varianten	8,0 x 19	42	5	108	S80194250521..	41					235/45, 245/40, 245/45	
100 - 147	D	alle Varianten	8,0 x 19	45	5	108	D80194550521..	41					235/45, 245/40, 245/45	
100 - 147	W	alle Varianten	8,0 x 19	45	5	108	W80194550521..	41					235/45, 245/40, 245/45	
100 - 147	O	alle Varianten	8,0 x 19	48	5	108	O80194850521..	41					235/45, 245/40, 245/45	
100 - 147	X	alle Varianten	8,5 x 19	40	5	108	X85194050543..	56					235/45	245/40, 245/45, 255/40
100 - 147	R	alle Varianten	8,5 x 19	45	5	108	R85194550521..	41					235/45, 245/40, 245/45	255/40
100 - 147	U	alle Varianten	8,5 x 19	45	5	108	U85194550543..	56					235/45, 245/40, 245/45	255/40
100 - 147	V	Schw. matt d. c.	8,5 x 19	45	5	108	V8519455052124	41					235/45, 245/40, 245/45	255/40
													AUTEC in 20" & 21": www.autec-wheels.de	
Kuga (II)	85 - 134	N	Silber	6,5 x 16	45	5	108	N656455052118	41	✓			nicht alle Fzg.: 215/65 (1.200 kg), 225/60 (1.210 kg),...	
Typ DM2	85 - 134	X	alle Varianten	6,5 x 16	45	5	108	X65164550521..	41	✓			nicht alle Fzg.: 215/65, 225/60, 225/65, 235/60	
	85 - 134	B	Silber	6,5 x 16	50	5	108	B656505052118	41	✓			nicht alle Fzg.: 215/65, 225/60, 225/65, 235/60	
	85 - 134	P	Silber	6,5 x 16	50	5	108	P6516505054318	56	✓			nicht alle Fzg.: 215/65, 225/60, 225/65, 235/60	
	85 - 134	PE	Silber	6,5 x 16	50	5	108	PE6516505054318	106	✓		✓	nicht alle Fzg.: 215/65, 235/60	
	85 - 134	S	alle Varianten	6,5 x 16	50	5	108	S65165050543..	56	✓			nicht alle Fzg.: 215/65, 225/60, 225/65, 235/60	
	85 - 134	SE	alle Varianten	6,5 x 16	50	5	108	SE65165050543..	106	✓		✓	215/65, 235/60	
	85 - 134	E	alle Varianten	7,0 x 16	45	5	108	E7064550521..	41	✓			nicht alle Fzg.: 215/65, 225/60, 225/65, 235/60, 245/55, 245/60	
	85 - 134	W	alle Varianten	7,0 x 16	45	5	108	W70164550521..	41	✓			nicht alle Fzg.: 215/65 (1.160 kg), 225/60 (1.170 kg),...	
	85 - 134	Y	alle Varianten	7,0 x 16	45	5	108	Y70164550521..	41	✓			nicht alle Fzg.: 215/65, 225/60, 225/65, 235/60, 245/55, 245/60	
	85 - 134	Z	Silber	7,0 x 16	45	5	108	Z7016455052118	41	✓			nicht alle Fzg.: 215/65, 225/60, 225/65, 235/60, 245/55, 245/60	
	85 - 134	Za	Anthrazit matt	7,0 x 16	45	5	108	Z7016455052115	41	✓			nicht alle Fzg.: 215/65, 225/60, 225/65, 235/60, 245/55, 245/60	
	85 - 134	H	alle Varianten	7,0 x 16	50	5	108	H70165050543..	56	✓			215/65, 225/60, 225/65, 235/60, 245/55, 245/60	
	85 - 134	X	alle Varianten	7,0 x 17	44	5	108	X70174450521..	41	✓			nicht alle Fzg.: 215/60, 225/55, 225/60, 235/50, 235/55, 245/50,...	
	85 - 134	P	Silber	7,0 x 17	48	5	108	P7017485052118	41	✓			nicht alle Fzg.: 215/60, 225/55, 225/60, 235/50, 235/55, 245/50,...	
	85 - 134	S	alle Varianten	7,0 x 17	49	5	108	S70174950521..	41	✓			nicht alle Fzg.: 215/60, 225/55, 225/60, 235/50, 235/55, 245/50,...	
	85 - 134	B	Silber	7,5 x 17	45	5	108	B757455052118	41	✓			215/60, 225/55, 225/60, 235/50, 235/55	245/50, 245/55, 255/50
	85 - 134	D	alle Varianten	7,5 x 17	45	5	108	D75174550521..	41	✓			215/60, 225/55, 225/60, 235/50, 235/55	245/50, 245/55, 255/50

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
85 - 134	E	alle Varianten	7,5 x 17	45	5	108	E7574550521..	41	✓				215/60, 225/55, 225/60, 235/50, 235/55	245/50, 245/55, 255/50
85 - 134	W	alle Varianten	7,5 x 17	45	5	108	W75174550521..	41	✓				215/60 (1.160 kg), 225/55 (1.170 kg), 225/60 (1.140 kg),...	245/50 (1.180 kg),...
85 - 134	N	alle Varianten	7,5 x 17	46	5	108	N7574650521..	41	✓				215/60, 225/55, 225/60, 235/50, 235/55, 245/50, 245/55	255/50
85 - 134	Y	alle Varianten	7,5 x 17	46	5	108	Y75174650521..	41	✓				215/60, 225/55, 225/60, 235/50, 235/55, 245/50, 245/55	255/50
85 - 134	H	alle Varianten	7,5 x 17	48	5	108	H75174850521..	41	✓				215/60, 225/55, 225/60, 235/50, 235/55, 245/50, 245/55	255/50
85 - 134	S	alle Varianten	7,5 x 17	51	5	108	S75175150543..	56	✓				215/60, 225/55, 225/60, 235/50, 235/55, 245/50, 245/55, 255/50	
85 - 134	Z	Silber	7,5 x 17	53	5	108	Z7517535052118	41	✓				215/60, 225/55, 225/60, 235/50, 235/55, 245/50, 245/55	
85 - 134	Za	Anthrazit matt	7,5 x 17	53	5	108	Z7517535052115	41	✓				215/60, 225/55, 225/60, 235/50, 235/55, 245/50, 245/55	
85 - 134	V	Schw. matt d. c.	8,0 x 17	50	5	108	V8017505052124	41	✓				225/55, 225/60, 235/50, 235/55, 245/50, 245/55	
85 - 134	P	Silber	7,5 x 18	45	5	108	P7518455052118	41	✓				215/50, 215/55, 225/50, 235/45, 235/50, 245/45	
85 - 134	S	alle Varianten	7,5 x 18	49	5	108	S75184950521..	41	✓				215/50, 215/55, 225/50, 235/45, 235/50, 245/45	
85 - 134	D	alle Varianten	8,0 x 18	45	5	108	D80184550521..	41	✓				225/50, 235/45, 235/50, 245/45, 255/45	
85 - 134	E	alle Varianten	8,0 x 18	45	5	108	E8084550521..	41	✓				225/50, 235/45, 235/50, 245/45, 255/45	
85 - 134	W	alle Varianten	8,0 x 18	45	5	108	W80184550521..	41	✓				225/50, 235/45, 235/50, 245/45, 255/45	
85 - 134	Y	alle Varianten	8,0 x 18	45	5	108	Y80184550521..	41	✓				225/50, 235/45, 235/50, 245/45, 255/45	
85 - 134	Z	Silber	8,0 x 18	45	5	108	Z8018455052118	41	✓				225/50, 235/45, 235/50, 245/45, 255/45	
85 - 134	Za	Anthrazit matt	8,0 x 18	45	5	108	Z8018455052115	41	✓				225/50, 235/45, 235/50, 245/45, 255/45	
85 - 134	H	alle Varianten	8,0 x 18	48	5	108	H80184850521..	41	✓				225/50, 235/45, 235/50, 245/45, 255/45	
85 - 134	O	alle Varianten	8,0 x 18	48	5	108	O80184850521..	41	✓				225/50, 235/45, 235/50, 245/45, 255/45	
85 - 134	X	alle Varianten	8,5 x 18	40	5	108	X85184050521..	41	✓				235/45	235/50, 245/45, 255/45,...
85 - 134	P	Silber	7,5 x 19	45	5	108	P7519455052118	41	✓				225/45, 235/45, 245/45	
85 - 134	S	alle Varianten	8,0 x 19	42	5	108	S80194250521..	41	✓				225/45, 235/40, 235/45, 245/40	
85 - 134	D	alle Varianten	8,0 x 19	45	5	108	D80194550521..	41	✓				225/45, 235/40, 235/45, 245/40	
85 - 134	W	alle Varianten	8,0 x 19	45	5	108	W80194550521..	41	✓				225/45, 235/40, 235/45, 245/40	
85 - 134	O	alle Varianten	8,0 x 19	48	5	108	O80194850521..	41	✓				225/45, 235/40, 235/45, 245/40	
85 - 134	X	alle Varianten	8,5 x 19	40	5	108	X85194050543..	56	✓				225/45, 235/40, 235/45	245/40, 255/40
85 - 134	R	alle Varianten	8,5 x 19	45	5	108	R85194550521..	41	✓				225/45, 235/40, 235/45, 245/40	255/40
85 - 134	U	alle Varianten	8,5 x 19	45	5	108	U85194550543..	56	✓				225/45, 235/40, 235/45, 245/40	255/40
85 - 134	V	Schw. matt d. c.	8,5 x 19	45	5	108	V8519455052124	41	✓				225/45, 235/40, 235/45, 245/40	255/40
													AUTEC in 20" & 21": www.autec-wheels.de	
Mondeo Limousine	74 - 176	N	Silber	6,5 x 16	45	5	108	N656455052118	89	✓			205/55 wS (1.230 kg) (max. 92 kW), 215/55 wS (1.230 kg),...	
Mondeo Turnier	74 - 176	X	alle Varianten	6,5 x 16	45	5	108	X65164550521..	89	✓			205/55 wS (max. 92 kW), 215/55 wS, 215/60 wS (max. 120 kW)	
Typ BA7	74 - 176	B	Silber	6,5 x 16	50	5	108	B656505052118	89	✓			205/55 wS (max. 92 kW), 215/55 wS, 215/60 wS (max. 120 kW)	
	74 - 176	P	Silber	6,5 x 16	50	5	108	P6516505054318	56	✓			205/55 wS (max. 92 kW), 215/55 wS, 215/60 wS (max. 120 kW)	
	74 - 176	PE	Silber	6,5 x 16	50	5	108	PE6516505054318	106	✓		✓	205/55 (max. 92 kW), 215/55, 215/60 (max. 120 kW)	
	74 - 176	S	alle Varianten	6,5 x 16	50	5	108	S65165050543..	56	✓		✓	205/55 wS (max. 92 kW), 215/55 wS, 215/60 wS (max. 120 kW)	
	74 - 176	SE	alle Varianten	6,5 x 16	50	5	108	SE65165050543..	106	✓		✓	205/55 (max. 92 kW), 215/55, 215/60 (max. 120 kW)	
	74 - 176	E	alle Varianten	7,0 x 16	45	5	108	E7064550521..	89	✓			205/55 wS (max. 92 kW), 215/55 wS, 215/60 wS (max. 120 kW), 225/50	
	74 - 176	W	alle Varianten	7,0 x 16	45	5	108	W70164550521..	89	✓			nicht alle Fzg.: 205/55 wS (1.200 kg) (max. 92 kW),...	
	74 - 176	Y	alle Varianten	7,0 x 16	45	5	108	Y70164550521..	89	✓			205/55 wS (max. 92 kW), 215/55 wS, 215/60 wS (max. 120 kW), 225/50	
	74 - 176	Z	Silber	7,0 x 16	45	5	108	Z7016455052118	89	✓			nicht alle Fzg.: 205/55 wS (max. 92 kW), 215/55 wS,...	
	74 - 176	Za	Anthrazit matt	7,0 x 16	45	5	108	Z7016455052115	89	✓			nicht alle Fzg.: 205/55 wS (max. 92 kW), 215/55 wS,...	
	74 - 176	H	alle Varianten	7,0 x 16	50	5	108	H70165050543..	56	✓			205/55 wS (max. 92 kW), 215/55 wS, 215/60 wS (max. 120 kW), 225/50,...	
	74 - 176	X	alle Varianten	7,0 x 17	44	5	108	X70174450521..	89	✓			205/50 (max. 92 kW), 215/45, 215/50, 225/45	
	74 - 176	P	Silber	7,0 x 17	48	5	108	P7017485052118	89	✓			205/50 (max. 92 kW), 215/45, 215/50, 225/45	
	74 - 176	S	alle Varianten	7,0 x 17	49	5	108	S70174950521..	89	✓			205/50 (max. 92 kW), 215/45, 215/50, 225/45	
	74 - 176	B	Silber	7,5 x 17	45	5	108	B757455052118	89	✓			205/50 (max. 92 kW), 215/45, 215/50, 225/45, 235/45	
	74 - 176	D	alle Varianten	7,5 x 17	45	5	108	D75174550521..	89	✓			205/50 (max. 92 kW), 215/45, 215/50, 225/45, 235/45	
	74 - 176	E	alle Varianten	7,5 x 17	45	5	108	E7574550521..	89	✓			205/50 (max. 92 kW), 215/45, 215/50, 225/45, 235/45	
	74 - 176	W	alle Varianten	7,5 x 17	45	5	108	W75174550521..	89	✓			nicht alle Fzg.: 205/50 (1.200 kg) (max. 92 kW), 215/45 (1.200 kg),...	
	74 - 176	N	alle Varianten	7,5 x 17	46	5	108	N7574650521..	89	✓			205/50 (max. 92 kW), 215/45, 215/50, 225/45, 235/45	
	74 - 176	Y	alle Varianten	7,5 x 17	46	5	108	Y75174650521..	89	✓			205/50 (max. 92 kW), 215/45, 215/50, 225/45, 235/45	

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	74 - 176	H	alle Varianten	7,5 x 17	48	5	108	H75174850521..	89	✓			205/50 (max. 92 kW), 215/45, 215/50, 225/45, 235/45	
	74 - 176	S	alle Varianten	7,5 x 17	51	5	108	S75175150543..	56	✓			225/45, 235/45	
	74 - 176	Z	Silber	7,5 x 17	53	5	108	Z7517535052118	89	✓			nicht alle Fzg.: 205/50 (max. 92 kW), 215/45, 215/50, 225/45, 235/45	
	74 - 176	Za	Anthrazit matt	7,5 x 17	53	5	108	Z7517535052115	89	✓			nicht alle Fzg.: 205/50 (max. 92 kW), 215/45, 215/50, 225/45, 235/45	
	74 - 176	PE	Silber	7,5 x 17	55	5	108	PE7517555054318	106	✓		✓	235/45	
	74 - 176	V	Schw. matt d. c.	8,0 x 17	50	5	108	V8017505052124	89	✓			215/45, 215/50 MF, 225/45, 235/45, 245/40	
	74 - 176	P	Silber	7,5 x 18	45	5	108	P7518455052118	89	✓			nicht alle Fzg.: 205/45 (max. 92 kW), 215/40, 215/45, 225/40,...	
	74 - 176	S	alle Varianten	7,5 x 18	49	5	108	S75184950521..	89	✓			nicht alle Fzg.: 205/45 (max. 92 kW), 215/40, 215/45, 225/40,...	
	74 - 176	D	alle Varianten	8,0 x 18	45	5	108	D80184550521..	89	✓			nicht alle Fzg.: 215/40, 215/45, 225/40, 235/40, 235/45 wS	245/35
	74 - 176	E	alle Varianten	8,0 x 18	45	5	108	E8084550521..	89	✓			nicht alle Fzg.: 215/40, 215/45, 225/40, 235/40, 235/45 wS	245/35
	74 - 176	W	alle Varianten	8,0 x 18	45	5	108	W80184550521..	89	✓			nicht alle Fzg.: 215/40, 215/45, 225/40, 235/40, 235/45 wS	nicht alle Fzg.: 245/35
	74 - 176	Y	alle Varianten	8,0 x 18	45	5	108	Y80184550521..	89	✓			nicht alle Fzg.: 215/40, 215/45, 225/40, 235/40, 235/45 wS	245/35
	74 - 176	Z	Silber	8,0 x 18	45	5	108	Z8018455052118	89	✓			nicht alle Fzg.: 215/40, 215/45, 225/40, 235/40, 235/45 wS	245/35
	74 - 176	Za	Anthrazit matt	8,0 x 18	45	5	108	Z8018455052115	89	✓			nicht alle Fzg.: 215/40, 215/45, 225/40, 235/40, 235/45 wS	245/35
	74 - 176	H	alle Varianten	8,0 x 18	48	5	108	H80184850521..	89	✓			nicht alle Fzg.: 215/40, 215/45, 225/40, 235/40, 235/45 wS, 245/35,...	
	74 - 176	O	alle Varianten	8,0 x 18	48	5	108	O80184850521..	89	✓			nicht alle Fzg.: 215/40, 215/45, 225/40, 235/40, 235/45 wS, 245/35,...	
	74 - 176	X	alle Varianten	8,5 x 18	40	5	108	X85184050521..	89	✓				225/40, 245/35, 255/35
	74 - 176	O	alle Varianten	8,0 x 19	48	5	108	O80194850521..	89	✓			nicht alle Fzg.: 225/35 (max. 107 kW), 235/35, 235/40 wS, 245/30,...	
													AUTEC in 20": www.autec-wheels.de	
Mondeo Limousine	85 - 177	N	Silber	6,5 x 16	45	5	108	N656455052118	41	✓			215/60 (1.230 kg), 225/55 (1.230 kg)	
Mondeo Limousine	85 - 177	X	alle Varianten	6,5 x 16	45	5	108	X65164550521..	41	✓			215/60, 225/55	
Allrad	85 - 177	B	Silber	6,5 x 16	50	5	108	B656505052118	41	✓			215/60, 225/55	
Mondeo Turnier	85 - 177	P	Silber	6,5 x 16	50	5	108	P6516505054318	56	✓			215/60, 225/55	
Mondeo Turnier	85 - 177	PE	Silber	6,5 x 16	50	5	108	PE6516505054318	106	✓		✓	215/60	
Allrad	85 - 177	S	alle Varianten	6,5 x 16	50	5	108	S65165050543..	56	✓			215/60, 225/55	
Typ BA7	85 - 177	SE	alle Varianten	6,5 x 16	50	5	108	SE65165050543..	106	✓		✓	215/60	
[ab MJ 2015]	85 - 177	E	alle Varianten	7,0 x 16	45	5	108	E7064550521..	41	✓			215/60, 225/55	245/50
	85 - 177	W	alle Varianten	7,0 x 16	45	5	108	W70164550521..	41	✓			215/60 (1.190 kg), 225/55 (1.200 kg)	245/50 (1.200 kg)
	85 - 177	Y	alle Varianten	7,0 x 16	45	5	108	Y70164550521..	41	✓			215/60, 225/55	245/50
	85 - 177	Z	Silber	7,0 x 16	45	5	108	Z7016455052118	41	✓			215/60, 225/55	245/50
	85 - 177	Za	Anthrazit matt	7,0 x 16	45	5	108	Z7016455052115	41	✓			215/60, 225/55	245/50
	85 - 177	H	alle Varianten	7,0 x 16	50	5	108	H70165050543..	56	✓			215/60, 225/55, 245/50	
	85 - 177	X	alle Varianten	7,0 x 17	44	5	108	X70174450521..	41	✓			215/50, 215/55, 225/50	235/50
	85 - 177	P	Silber	7,0 x 17	48	5	108	P7017485052118	41	✓			215/50, 215/55, 225/50, 235/50	
	85 - 177	S	alle Varianten	7,0 x 17	49	5	108	S70174950521..	41	✓			215/50, 215/55, 225/50, 235/50	
	85 - 177	B	Silber	7,5 x 17	45	5	108	B757455052118	41	✓			215/50, 215/55, 225/50, 245/45	235/50
	85 - 177	D	alle Varianten	7,5 x 17	45	5	108	D75174550521..	41	✓			215/50, 215/55, 225/50, 245/45	235/50
	85 - 177	E	alle Varianten	7,5 x 17	45	5	108	E7574550521..	41	✓			215/50, 215/55, 225/50, 245/45	235/50
	85 - 177	W	alle Varianten	7,5 x 17	45	5	108	W75174550521..	41	✓			215/50 (1.200 kg), 215/55 (1.190 kg), 225/50 (1.200 kg),...	235/50 (1.190 kg)
	85 - 177	N	alle Varianten	7,5 x 17	46	5	108	N7574650521..	41	✓			215/50, 215/55, 225/50, 245/45	235/50
	85 - 177	Y	alle Varianten	7,5 x 17	46	5	108	Y75174650521..	41	✓			215/50, 215/55, 225/50, 245/45	235/50
	85 - 177	H	alle Varianten	7,5 x 17	48	5	108	H75174850521..	41	✓			215/50, 215/55, 225/50, 235/50, 245/45	
	85 - 177	S	alle Varianten	7,5 x 17	51	5	108	S75175150543..	56	✓			215/55, 225/50, 235/50, 245/45	
	85 - 177	Z	Silber	7,5 x 17	53	5	108	Z7517535052118	41	✓			215/50, 215/55, 225/50, 235/50, 245/45	
	85 - 177	Za	Anthrazit matt	7,5 x 17	53	5	108	Z7517535052115	41	✓			215/50, 215/55, 225/50, 235/50, 245/45	
	92 - 177	PE	Silber	7,5 x 17	55	5	108	PE7517555054318	106	✓		✓	235/50	
	85 - 177	V	Schw. matt d. c.	8,0 x 17	50	5	108	V8017505052124	41	✓			225/50, 235/50, 245/45, 255/45	
	85 - 177	P	Silber	7,5 x 18	45	5	108	P7518455052118	41	✓			215/45, 215/50, 225/45, 235/45	
	85 - 177	S	alle Varianten	7,5 x 18	49	5	108	S75184950521..	41	✓			215/45, 215/50, 225/45, 235/45	
	85 - 177	D	alle Varianten	8,0 x 18	45	5	108	D80184550521..	41	✓			215/45, 225/45, 235/45	245/40
	85 - 177	E	alle Varianten	8,0 x 18	45	5	108	E8084550521..	41	✓			215/45, 225/45, 235/45	245/40
	85 - 177	W	alle Varianten	8,0 x 18	45	5	108	W80184550521..	41	✓			nicht alle Fzg.: 215/45, 225/45, 235/45	nicht alle Fzg.: 245/40

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
85 - 177	Y	alle Varianten	8,0 x 18	45	5	108	Y80184550521..	41	✓				215/45, 225/45, 235/45	245/40
85 - 177	Z	Silber	8,0 x 18	45	5	108	Z8018455052118	41	✓				215/45, 225/45, 235/45	245/40
85 - 177	Za	Anthrazit matt	8,0 x 18	45	5	108	Z8018455052115	41	✓				215/45, 225/45, 235/45	245/40
85 - 177	H	alle Varianten	8,0 x 18	48	5	108	H80184850521..	41	✓				215/45, 225/45, 235/45, 245/40	
85 - 177	O	alle Varianten	8,0 x 18	48	5	108	O80184850521..	41	✓				215/45, 225/45, 235/45, 245/40	
85 - 177	X	alle Varianten	8,5 x 18	40	5	108	X85184050521..	41	✓					225/45, 235/45, 245/40,...
85 - 177	P	Silber	7,5 x 19	45	5	108	P7519455052118	41	✓				225/40	
85 - 177	S	alle Varianten	8,0 x 19	42	5	108	S80194250521..	41	✓				225/40	235/40, 245/35
85 - 177	D	alle Varianten	8,0 x 19	45	5	108	D80194550521..	41	✓				225/40, 235/40	245/35
85 - 177	W	alle Varianten	8,0 x 19	45	5	108	W80194550521..	41	✓				225/40, 235/40	245/35
85 - 177	O	alle Varianten	8,0 x 19	48	5	108	O80194850521..	41	✓				225/40, 235/40, 245/35	
85 - 177	X	alle Varianten	8,5 x 19	40	5	108	X85194050543..	109	✓					225/40, 235/40, 245/35,...
85 - 177	R	alle Varianten	8,5 x 19	45	5	108	R85194550521..	41	✓				225/40, 235/40	245/35, 255/35
85 - 177	U	alle Varianten	8,5 x 19	45	5	108	U85194550543..	109	✓				225/40, 235/40	245/35, 255/35
85 - 177	V	Schw. matt d. c.	8,5 x 19	45	5	108	V8519455052124	41	✓				225/40, 235/40	245/35, 255/35
85 - 177	D	alle Varianten	8,5 x 20	45	5	108	D85204550521..	41	✓				225/35, 235/30, 235/35	245/30, 255/30
85 - 177	R	alle Varianten	8,5 x 20	45	5	108	R85204550521..	41	✓				225/35, 235/30, 235/35	245/30, 255/30
85 - 177	X	alle Varianten	9,0 x 20	42	5	108	X90204250543..	109	✓					225/35, 235/35, 245/30,...
85 - 177	U	alle Varianten	9,0 x 20	43	5	108	U90204350543..	109	✓					225/35, 235/35, 245/30,...
S-MAX (I)														
Typ WA6														
74 - 176	X	alle Varianten	6,5 x 16	45	5	108	X65164550521..	115	✓				215/60, 225/55, 235/50	
74 - 176	B	Silber	6,5 x 16	50	5	108	B656505052118	115	✓				215/60, 225/55, 235/50	
74 - 176	P	Silber	6,5 x 16	50	5	108	P6516505054318	114	✓				215/60, 225/55, 235/50	
74 - 176	PE	Silber	6,5 x 16	50	5	108	PE6516505054318	Serie	✓		✓		215/60 (1.410 kg)	
74 - 176	S	alle Varianten	6,5 x 16	50	5	108	S65165050543..	114	✓				215/60 (1.360 kg), 225/55 (1.360 kg), 235/50 (1.360 kg)	
74 - 176	SE	alle Varianten	6,5 x 16	50	5	108	SE65165050543..	Serie	✓		✓		215/60 (1.410 kg)	
74 - 176	E	alle Varianten	7,0 x 16	45	5	108	E7064550521..	115	✓				215/60, 225/55, 235/50	245/50
74 - 176	Y	alle Varianten	7,0 x 16	45	5	108	Y70164550521..	115	✓				215/60 (1.410 kg), 225/55 (1.410 kg), 235/50 (1.410 kg)	245/50 (1.410 kg)
74 - 176	Z	Silber	7,0 x 16	45	5	108	Z7016455052118	115	✓				215/60 (1.320 kg), 225/55 (1.330 kg), 235/50 (1.350 kg)	245/50 (1.340 kg)
74 - 176	Za	Anthrazit matt	7,0 x 16	45	5	108	Z7016455052115	115	✓				215/60 (1.320 kg), 225/55 (1.330 kg), 235/50 (1.350 kg)	245/50 (1.340 kg)
74 - 176	H	alle Varianten	7,0 x 16	50	5	108	H70165050543..	114	✓				215/60, 225/55, 235/50	
74 - 176	X	alle Varianten	7,0 x 17	44	5	108	X70174450521..	115	✓				215/55, 225/50, 235/50	
74 - 176	P	Silber	7,0 x 17	48	5	108	P7017485052118	115	✓				215/55, 225/50, 235/50	
74 - 176	S	alle Varianten	7,0 x 17	49	5	108	S70174950521..	115	✓				215/55 (1.360 kg), 225/50 (1.360 kg), 235/50 (1.360 kg)	
74 - 176	B	Silber	7,5 x 17	45	5	108	B757455052118	115	✓				215/55, 225/50, 235/45, 235/50	
74 - 176	D	alle Varianten	7,5 x 17	45	5	108	D75174550521..	115	✓				215/55, 225/50, 235/45, 235/50	
74 - 176	E	alle Varianten	7,5 x 17	45	5	108	E7574550521..	115	✓				215/55, 225/50, 235/45, 235/50	
74 - 176	Z	Silber	7,5 x 17	45	5	108	Z7517455052118	115	✓				215/55 (1.350 kg), 225/50 (1.350 kg), 235/45 (1.350 kg),...	
74 - 176	Za	Anthrazit matt	7,5 x 17	45	5	108	Z7517455052115	115	✓				215/55 (1.350 kg), 225/50 (1.350 kg), 235/45 (1.350 kg),...	
74 - 176	N	alle Varianten	7,5 x 17	46	5	108	N7574650521..	115	✓				215/55, 225/50, 235/45, 235/50	
74 - 176	Y	alle Varianten	7,5 x 17	46	5	108	Y75174650521..	115	✓				215/55, 225/50, 235/45, 235/50	
74 - 176	H	alle Varianten	7,5 x 17	48	5	108	H75174850521..	115	✓				215/55, 225/50, 235/45, 235/50	
74 - 176	S	alle Varianten	7,5 x 17	51	5	108	S75175150543..	114	✓				215/55, 225/50, 235/45	
74 - 176	V	Schw. matt d. c.	8,0 x 17	50	5	108	V8017505052124	115	✓				225/50, 235/45, 245/45	
74 - 176	P	Silber	7,5 x 18	45	5	108	P7518455052118	115	✓				225/45, 235/45	
74 - 176	S	alle Varianten	7,5 x 18	49	5	108	S75184950521..	115	✓				225/45 (1.360 kg), 235/45 (1.360 kg)	
74 - 176	D	alle Varianten	8,0 x 18	45	5	108	D80184550521..	115	✓				225/45, 235/40, 235/45, 245/40	
74 - 176	E	alle Varianten	8,0 x 18	45	5	108	E8084550521..	115	✓				225/45, 235/40, 235/45, 245/40	
74 - 176	Y	alle Varianten	8,0 x 18	45	5	108	Y80184550521..	115	✓				225/45, 235/40, 235/45, 245/40	
74 - 176	Z	Silber	8,0 x 18	45	5	108	Z8018455052118	115	✓				225/45, 235/40, 235/45, 245/40	
74 - 176	Za	Anthrazit matt	8,0 x 18	45	5	108	Z8018455052115	115	✓				225/45, 235/40, 235/45, 245/40	
74 - 176	H	alle Varianten	8,0 x 18	48	5	108	H80184850521..	115	✓				225/45, 235/40, 235/45, 245/40	
74 - 176	O	alle Varianten	8,0 x 18	48	5	108	O80184850521..	115	✓				225/45, 235/40, 235/45, 245/40	

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsanlage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	74 - 176	X	alle Varianten	8,5 x 18	40	5	108	X85184050521..	115	✓			225/45	235/40, 235/45, 245/40,...
	74 - 176	S	alle Varianten	8,0 x 19	42	5	108	S80194250521..	115	✓			225/40, 235/40	245/35
	74 - 176	D	alle Varianten	8,0 x 19	45	5	108	D80194550521..	115	✓			225/40, 235/40, 245/35	
	74 - 176	W	alle Varianten	8,0 x 19	45	5	108	W80194550521..	115	✓			225/40 (1.320 kg), 235/40 (1.320 kg), 245/35 (1.320 kg)	
	74 - 176	O	alle Varianten	8,0 x 19	48	5	108	O80194850521..	115	✓			225/40, 235/40, 245/35	
	74 - 176	X	alle Varianten	8,5 x 19	40	5	108	X85194050543..	114	✓				225/40, 235/40, 245/35,...
	74 - 176	R	alle Varianten	8,5 x 19	45	5	108	R85194550521..	115	✓			225/40, 235/40	245/35, 255/35
	74 - 176	U	alle Varianten	8,5 x 19	45	5	108	U85194550543..	114	✓			225/40, 235/40	245/35, 255/35
	74 - 176	V	Schw. matt d. c.	8,5 x 19	45	5	108	V8519455052124	115	✓			225/40, 235/40	245/35, 255/35
													AUTEC in 20": www.autec-wheels.de	
S-MAX (II)	88 - 177	B	Silber	7,5 x 17	45	5	108	B757455052118	115	✓			235/55, 245/50, 245/55	255/50
S-MAX (II) Allrad	88 - 177	D	alle Varianten	7,5 x 17	45	5	108	D75174550521..	115	✓			235/55, 245/50, 245/55	255/50
Typ WA6	88 - 177	E	alle Varianten	7,5 x 17	45	5	108	E7574550521..	115	✓			235/55, 245/50, 245/55	255/50
[ab MJ 2016]	88 - 177	Z	Silber	7,5 x 17	45	5	108	Z7517455052118	115	✓			235/55 (1.320 kg), 245/50 (1.340 kg), 245/55 (1.300 kg)	255/50 (1.320 kg)
	88 - 177	Za	Anthrazit matt	7,5 x 17	45	5	108	Z7517455052115	115	✓			235/55 (1.320 kg), 245/50 (1.340 kg), 245/55 (1.300 kg)	255/50 (1.320 kg)
	88 - 177	N	alle Varianten	7,5 x 17	46	5	108	N7574650521..	115	✓			235/55, 245/50, 245/55	255/50
	88 - 177	Y	alle Varianten	7,5 x 17	46	5	108	Y75174650521..	115	✓			235/55, 245/50, 245/55 (1.380 kg)	255/50
	88 - 177	H	alle Varianten	7,5 x 17	48	5	108	H75174850521..	115	✓			235/55, 245/50, 245/55	255/50
	88 - 177	S	alle Varianten	7,5 x 17	51	5	108	S75175150543..	114	✓			235/55, 245/50, 245/55	
	88 - 177	PE	Silber	7,5 x 17	55	5	108	PE7517555054318	Serie	✓		✓	235/55	
	88 - 177	V	Schw. matt d. c.	8,0 x 17	50	5	108	V8017505052124	115	✓			235/55	
	88 - 177	P	Silber	7,5 x 18	45	5	108	P7518455052118	115	✓			235/50, 245/45, 245/50	
	88 - 177	S	alle Varianten	7,5 x 18	49	5	108	S75184950521..	115	✓			235/50 (1.360 kg), 245/45 (1.360 kg), 245/50 (1.360 kg)	
	88 - 177	D	alle Varianten	8,0 x 18	45	5	108	D80184550521..	115	✓			235/50, 245/45, 255/45	245/50
	88 - 177	E	alle Varianten	8,0 x 18	45	5	108	E8084550521..	115	✓			235/50, 245/45, 255/45	245/50
	88 - 177	W	alle Varianten	8,0 x 18	45	5	108	W80184550521..	115	✓			235/50 (1.290 kg), 245/45 (1.300 kg), 255/45 (1.300 kg)	245/50 (1.280 kg)
	88 - 177	Y	alle Varianten	8,0 x 18	45	5	108	Y80184550521..	115	✓			235/50, 245/45, 255/45	245/50 (1.380 kg)
	88 - 177	Z	Silber	8,0 x 18	45	5	108	Z8018455052118	115	✓			235/50 (1.380 kg), 245/45, 255/45	245/50 (1.360 kg)
	88 - 177	Za	Anthrazit matt	8,0 x 18	45	5	108	Z8018455052115	115	✓			235/50 (1.380 kg), 245/45, 255/45	245/50 (1.360 kg)
	88 - 177	H	alle Varianten	8,0 x 18	48	5	108	H80184850521..	115	✓			235/50, 245/45, 245/50, 255/45	
	88 - 177	O	alle Varianten	8,0 x 18	48	5	108	O80184850521..	115	✓			235/50, 245/45, 245/50, 255/45	
	88 - 177	X	alle Varianten	8,5 x 18	40	5	108	X85184050521..	115	✓				235/50, 245/45, 245/50,...
	88 - 177	P	Silber	7,5 x 19	45	5	108	P7519455052118	115	✓			235/45, 245/45	
	88 - 177	S	alle Varianten	8,0 x 19	42	5	108	S80194250521..	115	✓			235/45, 245/40, 245/45	
	88 - 177	D	alle Varianten	8,0 x 19	45	5	108	D80194550521..	115	✓			235/45, 245/40, 245/45	
	88 - 177	W	alle Varianten	8,0 x 19	45	5	108	W80194550521..	115	✓			235/45 (1.310 kg), 245/40 (1.320 kg), 245/45 (1.300 kg)	
	88 - 177	O	alle Varianten	8,0 x 19	48	5	108	O80194850521..	115	✓			235/45, 245/40, 245/45	
	88 - 177	X	alle Varianten	8,5 x 19	40	5	108	X85194050543..	114	✓			235/45	245/40, 245/45, 255/40
	88 - 177	R	alle Varianten	8,5 x 19	45	5	108	R85194550521..	115	✓			235/45, 245/40, 245/45	255/40
	88 - 177	U	alle Varianten	8,5 x 19	45	5	108	U85194550543..	114	✓			235/45, 245/40, 245/45	255/40
	88 - 177	V	Schw. matt d. c.	8,5 x 19	45	5	108	V8519455052124	115	✓			235/45, 245/40, 245/45	255/40
	88 - 177	D	alle Varianten	8,5 x 20	45	5	108	D85204550521..	115	✓			235/40, 245/35, 245/40	255/35
	88 - 177	R	alle Varianten	8,5 x 20	45	5	108	R85204550521..	115	✓			235/40, 245/35, 245/40	255/35
	88 - 177	X	alle Varianten	9,0 x 20	42	5	108	X90204250543..	114	✓			235/40	245/35, 245/40, 255/35,...
	88 - 177	U	alle Varianten	9,0 x 20	43	5	108	U90204350543..	114	✓			235/40	245/35, 245/40, 255/35,...
													AUTEC in 21": www.autec-wheels.de	
Transit / Tourneo	55 - 85	N	Silber	6,5 x 16	45	5	108	N656455052118	41				205/55 (1.230 kg),...	
Connect	55 - 85	X	alle Varianten	6,5 x 16	45	5	108	X65164550521..	41				205/55, 225/50	
Typ PH2, PJ2, PT2, PU2	55 - 85	B	Silber	6,5 x 16	50	5	108	B656505052118	41				205/55	
	55 - 85	P	Silber	6,5 x 16	50	5	108	P6516505054318	56				205/55	
	55 - 85	E	alle Varianten	7,0 x 16	45	5	108	E7064550521..	41				205/55	
	55 - 85	Y	alle Varianten	7,0 x 16	45	5	108	Y70164550521..	41				205/55	

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
Transit / Tourneo [Frontantrieb / geschl. Aufbau] Typ F..6 [L745, L746]	63 - 147	Q	alle Varianten	6,5 x 16	55	5	160	Q65165551835..	Serie	✓			205/60-C (max. 103 kW), 205/65-C (max. 103 kW),...	225/70, 235/65-C
Transit / Tourneo [Frontantrieb / geschl. Aufbau] Typ F..6 [L744]	63 - 147	Q	alle Varianten	6,5 x 16	55	5	160	Q65165551835..	Serie	✓			205/60-C (max. 103 kW), 205/65-C (max. 103 kW),...	225/70, 235/65-C
Transit / Tourneo [Heckantrieb (Einzel- rad) / geschl. Aufbau] Typ F..6 [L743]	63 - 147 74 - 147	Q Q	alle Varianten alle Varianten	6,5 x 16 7,0 x 17	55 54	5 5	160 160	Q65165551835.. Q70175451835..	Serie Serie	✓ ✓			205/60-C (max. 103 kW), 205/65-C (max. 103 kW),... 225/65, 235/60-C	225/70, 235/65-C
Transit / Tourneo [Heckantrieb + Allrad / geschl. Aufbau] Typ F..6 [L740-742, 760]	63 - 147	Q	alle Varianten	6,5 x 16	55	5	160	Q65165551835..	Serie	✓			205/60-C (max. 103 kW), 205/65-C (max. 103 kW),...	225/70, 235/65-C
Transit (KMV) [Frontantrieb / geschl. Aufbau] Typ FCD, FAD, FDD	74 - 125 74 - 125	Q Q	alle Varianten alle Varianten	6,5 x 16 7,0 x 17	60 55	5 5	160 160	Q65166051835.. Q70175551835..	Serie Serie	✓ ✓			AUTEC in 17": www.autec-wheels.de 215/60-C, 215/65-C, 225/60-C, 235/60, 235/65-C wS 215/60-C, 225/55-C, 235/60-C	