

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
Genesis	232	V	Kristallsilber	8,5 x 18	40	5	114,3	V8518405092125	17	✓	X36		245/40, 245/45	
Typ DH	232	X	alle Varianten	8,5 x 18	40	5	114,3	X85184050921..	17	✓	X36		245/40, 245/45	
	232	S	alle Varianten	8,0 x 19	35	5	114,3	S80193550921..	17	✓	X36		245/35, 245/40	
	232	O	alle Varianten	8,0 x 19	40	5	114,3	O80194050921..	17	✓	X36		245/35, 245/40	
	232	U	alle Varianten	8,5 x 19	40	5	114,3	U85194050921..	17	✓	X36		245/35, 245/40	
	232	R	alle Varianten	8,5 x 20	36	5	114,3	R85203650921..	17	✓	X36		245/35	255/35
	232	U	alle Varianten	9,0 x 20	38	5	114,3	U90203850921..	17	✓	X36		245/35	275/30 HA
	232	V	Kristallsilber	9,0 x 20	38	5	114,3	V9020385092125	17	✓	X36		245/35	275/30 HA
Genesis Coupé	156 - 255	W	alle Varianten	8,0 x 18	35	5	114,3	W80183550921..	17	✓			225/45 VA, 245/45 HA	
Typ BK20 / BK38	156 - 255	X	alle Varianten	8,5 x 18	35	5	114,3	X85183550921..	17	✓			225/45 VA, 245/45 HA	
	156 - 255	S	alle Varianten	8,0 x 19	35	5	114,3	S80193550921..	17	✓			225/40 VA, 245/40 HA	
i10													Nähere Informationen in unserem Konfigurator unter: www.autec-wheels.de	
Typ PA													Further information in our configurator at: www.autec-wheels.de	
i10	48,5 - 64	N	alle Varianten	5,5 x 14	38	4	100	N5543840321..	31	✓			175/65	185/60, 195/55, 195/60
Typ IA, IA-HME	48 - 64	Z	Silber	5,5 x 14	43	4	100	Z5514434031118	631	✓			175/65, 185/60	195/55, 195/60
[inkl. Facelift 2017]	48 - 64	Za	Anthrazit matt	5,5 x 14	43	4	100	Z5514434031115	631	✓			175/65, 185/60	195/55, 195/60
	48 - 64	N	Silber	6,0 x 15	36	4	100	N605364032118	31	✓				175/55, 175/60, 185/55,...
	48 - 64	S	alle Varianten	6,0 x 15	40	4	100	S60154040311..	631	✓				175/55, 175/60, 185/55,...
	48 - 64	Z	Silber	6,0 x 15	44	4	100	Z6015444031118	631	✓			175/55, 175/60	185/55, 195/50, 205/50
	48 - 64	Za	Anthrazit matt	6,0 x 15	44	4	100	Z6015444031115	631	✓			175/55, 175/60	185/55, 195/50, 205/50
	48 - 64	P	Silber	6,0 x 15	48	4	100	P6015484031118	631	✓			175/55, 175/60, 185/55, 195/50	
	48 - 64	B	Silber	6,5 x 15	42	4	100	B655424032118	31	✓				185/55, 195/50, 205/45,...
	48 - 64	F	Schwarz matt	6,5 x 15	42	4	100	F6515424032122	31	✓				185/55, 195/50, 205/45,...
	48 - 64	W	alle Varianten	6,5 x 15	42	4	100	W65154240321..	31	✓				185/55, 195/50, 205/45,...
	48 - 64	P	Silber	6,5 x 16	44	4	100	P6516444031118	631	✓				195/40, 195/45, 205/45
	48 - 64	S	alle Varianten	6,5 x 16	45	4	100	S65164540311..	631	✓			195/40, 195/45	205/45
	48 - 64	Z	Silber	6,5 x 16	48	4	100	Z6516484031118	631	✓			195/40, 195/45, 205/45	
	48 - 64	Za	Anthrazit matt	6,5 x 16	48	4	100	Z6516484031115	631	✓			195/40, 195/45, 205/45	
	48 - 64	F	Schwarz matt	7,0 x 16	44	4	100	F7016444032122	31	✓				195/40, 195/45, 205/40,...
	48 - 64	H	alle Varianten	7,0 x 16	45	4	100	H70164540321..	31	✓				195/40, 195/45, 205/40,...
	48 - 64	S	alle Varianten	7,0 x 17	48	4	100	S70174840311..	631	✓			195/40	
	48 - 64	Z	Silber	7,0 x 17	48	4	100	Z7017484031118	631	✓			195/40	
	48 - 64	Za	Anthrazit matt	7,0 x 17	48	4	100	Z7017484031115	631	✓			195/40	
i20	55 - 94	N	alle Varianten	5,5 x 14	38	4	100	N5543840321..	31	✓				175/65, 175/70, 185/60,...
Typ PB, PBT	55 - 94	Z	Silber	5,5 x 14	43	4	100	Z5514434031118	631	✓			175/65, 175/70	185/60, 185/65, 195/60
	55 - 94	Za	Anthrazit matt	5,5 x 14	43	4	100	Z5514434031115	631	✓			175/65, 175/70	185/60, 185/65, 195/60
	55 - 94	P	Silber	6,0 x 15	35	4	100	P6015354031118	631	✓				175/60, 175/65, 185/55,...
	55 - 94	N	Silber	6,0 x 15	36	4	100	N605364032118	31	✓				175/60, 175/65, 185/55,...
	55 - 94	S	alle Varianten	6,0 x 15	40	4	100	S60154040311..	631	✓				175/60, 175/65, 185/55,...
	55 - 94	Z	Silber	6,0 x 15	44	4	100	Z6015444031118	631	✓			175/60, 175/65	185/55, 185/60, 195/55,...
	55 - 94	Za	Anthrazit matt	6,0 x 15	44	4	100	Z6015444031115	631	✓			175/60, 175/65	185/55, 185/60, 195/55,...
	55 - 94	B	Silber	6,5 x 15	42	4	100	B655424032118	31	✓				185/55, 185/60, 195/55
	55 - 94	F	Schwarz matt	6,5 x 15	42	4	100	F6515424032122	31	✓				185/55, 185/60, 195/55
	55 - 94	W	alle Varianten	6,5 x 15	42	4	100	W65154240321..	31	✓				185/55, 185/60, 195/55
	55 - 94	P	Silber	6,5 x 16	44	4	100	P6516444031118	631	✓				185/50, 195/45, 195/50,...
	55 - 94	S	alle Varianten	6,5 x 16	45	4	100	S65164540311..	631	✓				185/50, 195/45, 195/50,...
	55 - 94	Z	Silber	6,5 x 16	48	4	100	Z6516484031118	631	✓			195/45	185/50, 195/50, 205/45
	55 - 94	Za	Anthrazit matt	6,5 x 16	48	4	100	Z6516484031115	631	✓			195/45	185/50, 195/50, 205/45
	55 - 94	F	Schwarz matt	7,0 x 16	44	4	100	F7016444032122	31	✓				195/45, 195/50, 205/45,...

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	55 - 94	H	alle Varianten	7,0 x 16	45	4	100	H70164540321..	31	✓				195/45, 195/50, 205/45,...
										✓			AUTEC in 17": www.autec-wheels.de	
i20	55 - 88	P	Silber	6,0 x 15	35	4	100	P6015354031118	631	✓				185/60, 185/65, 195/60,...
i20 Coupé	55 - 88	N	Silber	6,0 x 15	36	4	100	N605364032118	31	✓				185/60, 185/65, 195/60,...
Typ GB, GB-HME	55 - 88	S	alle Varianten	6,0 x 15	40	4	100	S60154040311..	631	✓			185/60, 185/65, 195/60	205/55, 205/60
	55 - 88	Z	Silber	6,0 x 15	44	4	100	Z6015444031118	631	✓			185/60, 185/65, 195/60	205/55, 205/60
	55 - 88	Za	Anthrazit matt	6,0 x 15	44	4	100	Z6015444031115	631	✓			185/60, 185/65, 195/60	205/55, 205/60
	55 - 74	B	Silber	6,5 x 15	42	4	100	B655424032118	31	✓			185/60, 185/65	195/60, 205/55, 205/60
	55 - 88	F	Schwarz matt	6,5 x 15	42	4	100	F6515424032122	31	✓			185/60, 185/65	195/60, 205/55, 205/60
	55 - 88	W	alle Varianten	6,5 x 15	42	4	100	W65154240321..	31	✓			185/60, 185/65	195/60, 205/55, 205/60
	55 - 88	P	Silber	6,5 x 16	44	4	100	P6516444031118	631	✓			185/55, 195/50, 195/55	205/50
	55 - 88	S	alle Varianten	6,5 x 16	45	4	100	S65164540311..	631	✓			185/55, 195/50, 195/55	
	55 - 88	Z	Silber	6,5 x 16	48	4	100	Z6516484031118	631	✓			185/55, 195/50, 195/55	
	55 - 88	Za	Anthrazit matt	6,5 x 16	48	4	100	Z6516484031115	631	✓			185/55, 195/50, 195/55	
	55 - 88	W	alle Varianten	7,0 x 16	35	4	100	W70163540321..	31	✓				195/50, 195/55, 215/45
	55 - 88	F	Schwarz matt	7,0 x 16	44	4	100	F7016444032122	31	✓				195/50, 195/55, 215/45
	55 - 88	H	alle Varianten	7,0 x 16	45	4	100	H70164540321..	31	✓			195/50, 195/55	
	55 - 88	S	alle Varianten	7,0 x 17	48	4	100	S70174840311..	631	✓			195/45, 205/40, 205/45	
	55 - 88	Z	Silber	7,0 x 17	48	4	100	Z7017484031118	631	✓			195/45, 205/40, 205/45	
	55 - 88	Za	Anthrazit matt	7,0 x 17	48	4	100	Z7017484031115	631	✓			195/45, 205/40, 205/45	
	55 - 88	H	alle Varianten	7,5 x 17	38	4	100	H75173840321..	31	✓				195/45, 205/40, 205/45,...
	55 - 88	W	alle Varianten	7,5 x 17	38	4	100	W75173840321..	31	✓				195/45, 205/40, 205/45,...
i20 Active	66 - 88	P	Silber	6,0 x 15	35	4	100	P6015354031118	631	✓			185/60, 185/65, 195/60, 205/55, 205/60	
Typ GB, GB-HME	66 - 88	N	Silber	6,0 x 15	36	4	100	N605364032118	31	✓			185/60, 185/65, 195/60, 205/55, 205/60	
	66 - 88	S	alle Varianten	6,0 x 15	40	4	100	S60154040311..	631	✓			185/60, 185/65, 195/60, 205/55, 205/60	
	66 - 88	Z	Silber	6,0 x 15	44	4	100	Z6015444031118	631	✓			185/60, 185/65, 195/60, 205/55, 205/60	
	66 - 88	Za	Anthrazit matt	6,0 x 15	44	4	100	Z6015444031115	631	✓			185/60, 185/65, 195/60, 205/55, 205/60	
	66 - 88	B	Silber	6,5 x 15	42	4	100	B655424032118	31	✓			185/60, 185/65, 195/60, 205/55, 205/60	
	66 - 88	F	Schwarz matt	6,5 x 15	42	4	100	F6515424032122	31	✓			185/60, 185/65, 195/60, 205/55, 205/60	
	66 - 88	W	alle Varianten	6,5 x 15	42	4	100	W65154240321..	31	✓			185/60, 185/65, 195/60, 205/55, 205/60	
	66 - 88	S	alle Varianten	6,5 x 16	40	4	100	S65164040311..	631	✓			185/55, 195/50, 195/55, 205/50	
	66 - 88	P	Silber	6,5 x 16	44	4	100	P6516444031118	631	✓			185/55, 195/50, 195/55, 205/50	
	66 - 88	Z	Silber	6,5 x 16	48	4	100	Z6516484031118	631	✓			185/55, 195/50, 195/55	
	66 - 88	Za	Anthrazit matt	6,5 x 16	48	4	100	Z6516484031115	631	✓			185/55, 195/50, 195/55	
	66 - 88	W	alle Varianten	7,0 x 16	35	4	100	W70163540321..	31	✓				195/50, 195/55, 205/50,...
	66 - 88	F	Schwarz matt	7,0 x 16	44	4	100	F7016444032122	31	✓			195/50, 195/55, 215/45	
	66 - 88	H	alle Varianten	7,0 x 16	45	4	100	H70164540321..	31	✓			195/50, 195/55	
	66 - 88	Z	Silber	7,0 x 17	38	4	100	Z7017384031118	631	✓			195/45, 205/40, 205/45, 215/40, 215/45	
	66 - 88	Za	Anthrazit matt	7,0 x 17	38	4	100	Z7017384031115	631	✓			195/45, 205/40, 205/45, 215/40, 215/45	
	66 - 88	S	alle Varianten	7,0 x 17	48	4	100	S70174840311..	631	✓			195/45, 205/40, 205/45	
	66 - 88	H	alle Varianten	7,5 x 17	38	4	100	H75173840321..	31	✓			195/45, 205/40, 205/45	215/40, 215/45
	66 - 88	W	alle Varianten	7,5 x 17	38	4	100	W75173840321..	31	✓			195/45, 205/40, 205/45	215/40, 215/45
	66 - 88	F	Schwarz matt	8,0 x 18	35	4	100	F8018354032122	31	✓				205/40, 215/35, 225/35
	66 - 88	W	alle Varianten	8,0 x 18	35	4	100	W80183540321..	31	✓				205/40, 215/35, 225/35
i30													Nähere Informationen in unserem Konfigurator unter: www.autec-wheels.de	
Typ FD, FDH													Further information in our configurator at: www.autec-wheels.de	
i30	66 - 100	S	alle Varianten	6,0 x 15	43	5	114,3	S60154350921..	17	✓	*		195/65, 205/60, 215/60	
i30 cw	66 - 100	N	Graphit matt	6,0 x 15	44	5	114,3	N605445092129	17	✓	*		195/65, 205/60, 215/60	
i30 Coupé	66 - 100	Z	Silber	6,0 x 15	44	5	114,3	Z6015445092118	17	✓	*		195/65, 205/60, 215/60	

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
Typ GDH, GDH-HME	66 - 100	Za	Anthrazit matt	6,0 x 15	44	5	114,3	Z6015445092115	17	✓	*		195/65, 205/60, 215/60	
	66 - 100	P	Silber	6,0 x 15	45	5	114,3	P6015455092118	17	✓	*		195/65, 205/60, 215/60	
	66 - 100	PE	Silber	6,0 x 15	46	5	114,3	PE6015465094718	Serie	✓	B81	✓	195/65	
	66 - 100	B	Silber	6,5 x 15	45	5	114,3	B655455092118	17	✓	*		195/65, 205/60	215/60
	66 - 100	E	alle Varianten	6,5 x 15	45	5	114,3	E6554550921..	17	✓	*		195/65, 205/60	215/60
	66 - 100	F	Schwarz matt	6,5 x 15	45	5	114,3	F6515455092122	17	✓	*		195/65, 205/60	215/60
	66 - 100	W	alle Varianten	6,5 x 15	45	5	114,3	W65154550921..	17	✓	*		195/65, 205/60	215/60
	66 - 100	Y	alle Varianten	6,5 x 15	45	5	114,3	Y65154550921..	17	✓	*		195/65, 205/60	215/60
	66 - 100	B	Silber	6,5 x 16	45	5	114,3	B656455092118	17	✓	VoM		195/55, 195/60, 205/55	215/50, 225/50
	66 - 100	P	Silber	6,5 x 16	45	5	114,3	P6516455092118	17	✓	VoM		195/55, 195/60, 205/55	215/50, 225/50
	66 - 100	S	alle Varianten	6,5 x 16	45	5	114,3	S65164550921..	17	✓	VoM		195/55, 195/60, 205/55	215/50, 225/50
	66 - 100	X	alle Varianten	6,5 x 16	45	5	114,3	X65164550921..	17	✓	*		195/55, 195/60, 205/55	215/50, 225/50
	66 - 100	E	alle Varianten	6,5 x 16	50	5	114,3	E6565050921..	17	✓	VoM		195/55, 195/60, 205/55, 215/50	
	66 - 100	N	Silber	6,5 x 16	50	5	114,3	N656505092118	17	✓	VoM		195/55, 195/60, 205/55, 215/50	
	66 - 100	PE	Silber	6,5 x 16	50	5	114,3	PE6516505094718	Serie	✓		✓	205/55	
	66 - 100	Z	Silber	6,5 x 16	50	5	114,3	Z6516505092118	17	✓	VoM		195/55, 195/60, 205/55, 215/50	
	66 - 100	Za	Anthrazit matt	6,5 x 16	50	5	114,3	Z6516505092115	17	✓	VoM		195/55, 195/60, 205/55, 215/50	
	66 - 100	H	alle Varianten	7,0 x 16	45	5	114,3	H70164550921..	17	✓	VoM		195/55, 195/60, 205/55	215/50, 225/50
	66 - 100	W	alle Varianten	7,0 x 16	45	5	114,3	W70164550921..	17	✓	VoM		195/55, 195/60, 205/55	215/50, 225/50
	66 - 100	Y	alle Varianten	7,0 x 16	45	5	114,3	Y70164550921..	17	✓	VoM		195/55, 195/60, 205/55	215/50, 225/50
	66 - 100	S	alle Varianten	7,0 x 17	45	5	114,3	S70174550921..	17	✓			205/50, 215/45, 225/45	
	66 - 100	Z	Silber	7,0 x 17	46	5	114,3	Z7017465092118	17	✓			205/50, 215/45, 225/45	
	66 - 100	Za	Anthrazit matt	7,0 x 17	46	5	114,3	Z7017465092115	17	✓			205/50, 215/45, 225/45	
	66 - 100	P	Silber	7,0 x 17	48	5	114,3	P7017485092118	17	✓			205/50, 215/45, 225/45	
	66 - 100	X	alle Varianten	7,0 x 17	49	5	114,3	X70174950921..	17	✓			205/50, 215/45, 225/45	
	66 - 100	D	alle Varianten	7,5 x 17	38	5	114,3	D75173850921..	17	✓	VoM			205/50, 215/45, 225/45
	66 - 99	B	Silber	7,5 x 17	40	5	114,3	B757405092118	17	✓				205/50, 215/45, 225/45
	66 - 100	E	alle Varianten	7,5 x 17	45	5	114,3	E7574550921..	17	✓			215/45	205/50, 225/45
	66 - 100	H	alle Varianten	7,5 x 17	45	5	114,3	H75174550921..	17	✓			215/45	205/50, 225/45
	66 - 100	W	alle Varianten	7,5 x 17	45	5	114,3	W75174550921..	17	✓			215/45	205/50, 225/45
	66 - 100	Y	alle Varianten	7,5 x 17	45	5	114,3	Y75174550921..	17	✓			215/45	205/50, 225/45
	66 - 100	N	alle Varianten	7,5 x 17	47	5	114,3	N7574750921..	17	✓			215/45	205/50, 225/45
	66 - 100	V	alle Varianten	8,0 x 17	40	5	114,3	V80174050921..	17	✓	VoM			215/45, 225/45, 235/40
	66 - 137	H	alle Varianten	8,0 x 18	40	5	114,3	H80184050921..	17	✓				215/40 (max. 100 kW),...
	66 - 137	O	alle Varianten	8,0 x 18	42	5	114,3	O80184250921..	17	✓				215/40 (max. 100 kW),...
i30 Turbo	137	S	alle Varianten	7,5 x 18	48	5	114,3	S75184850921..	17	✓			225/40	
Typ GDH, GDH-HME	137	P	Silber	7,5 x 18	49	5	114,3	P7518495092118	17	✓			225/40	
	137	E	alle Varianten	8,0 x 18	40	5	114,3	E8084050921..	17	✓				225/40, 235/35
	137	H	alle Varianten	8,0 x 18	40	5	114,3	H80184050921..	17	✓				225/40, 235/35
	137	Y	alle Varianten	8,0 x 18	40	5	114,3	Y80184050921..	17	✓				225/40, 235/35
	137	Z	Silber	8,0 x 18	40	5	114,3	Z8018405092118	17	✓				225/40, 235/35
	137	Za	Anthrazit matt	8,0 x 18	40	5	114,3	Z8018405092115	17	✓				225/40, 235/35
	137	D	alle Varianten	8,0 x 18	42	5	114,3	D80184250921..	17	✓				225/40, 235/35
	137	O	alle Varianten	8,0 x 18	42	5	114,3	O80184250921..	17	✓				225/40, 235/35
	137	F	Schwarz matt	8,0 x 18	45	5	114,3	F8018455092122	17	✓				225/40, 235/35
	137	W	alle Varianten	8,0 x 18	50	5	114,3	W80185050921..	17	✓			225/40	
	137	V	Kristallsilber	8,5 x 18	40	5	114,3	V8518405092125	17	✓	VoM			225/40, 235/35
	137	X	alle Varianten	8,5 x 18	40	5	114,3	X85184050921..	17	✓				225/40, 235/35
	137	P	Silber	7,5 x 19	40	5	114,3	P7519405092118	17	✓				225/35

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	137	P	Silber	7,5 x 19	50	5	114,3	P7519505092118	17	✓			225/35	
	137	D	alle Varianten	8,0 x 19	40	5	114,3	D80194050921..	17	✓				225/35
	137	O	alle Varianten	8,0 x 19	45	5	114,3	O80194550921..	17	✓				225/35
	137	S	alle Varianten	8,0 x 19	45	5	114,3	S80194550921..	17	✓				225/35
	137	W	alle Varianten	8,0 x 19	45	5	114,3	W80194550921..	17	✓				225/35
	137	U	alle Varianten	8,5 x 19	40	5	114,3	U85194050921..	17	✓				225/35, 235/30
	137	R	alle Varianten	8,5 x 19	45	5	114,3	R85194550921..	17	✓				225/35
	137	X	alle Varianten	8,5 x 19	45	5	114,3	X85194550921..	17	✓				225/35
i30	70 - 103	S	alle Varianten	6,0 x 15	43	5	114,3	S60154350921..	17	✓	*		195/65, 205/60, 215/60	
i30 cw	70 - 103	N	Graphit matt	6,0 x 15	44	5	114,3	N605445092129	17	✓	*		195/65, 205/60, 215/60	
Typ PDE	70 - 103	Z	Silber	6,0 x 15	44	5	114,3	Z6015445092118	17	✓	*		195/65, 205/60, 215/60	
	70 - 103	Za	Anthrazit matt	6,0 x 15	44	5	114,3	Z6015445092115	17	✓	*		195/65, 205/60, 215/60	
	70 - 103	P	Silber	6,0 x 15	45	5	114,3	P6015455092118	17	✓	*		195/65, 205/60, 215/60	
	70 - 103	PE	Silber	6,0 x 15	46	5	114,3	PE6015465094718	Serie	✓	B81	✓	195/65	
	70 - 103	B	Silber	6,5 x 15	45	5	114,3	B655455092118	17	✓	*		195/65, 205/60, 215/60	
	70 - 103	E	alle Varianten	6,5 x 15	45	5	114,3	E6554550921..	17	✓	*		195/65, 205/60, 215/60	
	70 - 103	F	Schwarz matt	6,5 x 15	45	5	114,3	F6515455092122	17	✓	*		195/65, 205/60, 215/60	
	70 - 103	W	alle Varianten	6,5 x 15	45	5	114,3	W65154550921..	17	✓	*		195/65, 205/60, 215/60	
	70 - 103	Y	alle Varianten	6,5 x 15	45	5	114,3	Y65154550921..	17	✓	*		195/65, 205/60, 215/60	
	70 - 103	B	Silber	6,5 x 16	45	5	114,3	B656455092118	17	✓			195/55, 195/60, 205/55, 215/50	225/50
	70 - 103	P	Silber	6,5 x 16	45	5	114,3	P6516455092118	17	✓			195/55, 195/60, 205/55, 215/50	225/50
	70 - 103	S	alle Varianten	6,5 x 16	45	5	114,3	S65164550921..	17	✓			195/55, 195/60, 205/55, 215/50	225/50
	70 - 103	X	alle Varianten	6,5 x 16	45	5	114,3	X65164550921..	17	✓			195/55, 195/60, 205/55, 215/50	225/50
	70 - 103	E	alle Varianten	6,5 x 16	50	5	114,3	E6565050921..	17	✓			195/55, 195/60, 205/55, 215/50, 225/50	
	70 - 103	N	Silber	6,5 x 16	50	5	114,3	N656505092118	17	✓			195/55, 195/60, 205/55, 215/50, 225/50	
	70 - 103	PE	Silber	6,5 x 16	50	5	114,3	PE6516505094718	Serie	✓		✓	205/55	
	70 - 103	Z	Silber	6,5 x 16	50	5	114,3	Z6516505092118	17	✓			195/55, 195/60, 205/55, 215/50, 225/50	
	70 - 103	Za	Anthrazit matt	6,5 x 16	50	5	114,3	Z6516505092115	17	✓			195/55, 195/60, 205/55, 215/50, 225/50	
	70 - 103	E	Silber	7,0 x 16	45	5	114,3	E706455092118	17	✓			205/55	215/50, 225/50
	70 - 103	H	alle Varianten	7,0 x 16	45	5	114,3	H70164550921..	17	✓			195/55, 195/60, 205/55	215/50, 225/50
	70 - 103	W	alle Varianten	7,0 x 16	45	5	114,3	W70164550921..	17	✓			205/55	215/50, 225/50
	70 - 103	Y	alle Varianten	7,0 x 16	45	5	114,3	Y70164550921..	17	✓			195/55, 195/60, 205/55	215/50, 225/50
	70 - 103	S	alle Varianten	7,0 x 17	45	5	114,3	S70174550921..	17	✓			205/50, 215/45, 225/45	
	70 - 103	Z	Silber	7,0 x 17	46	5	114,3	Z7017465092118	17	✓			205/50, 215/45, 225/45	
	70 - 103	Za	Anthrazit matt	7,0 x 17	46	5	114,3	Z7017465092115	17	✓			205/50, 215/45, 225/45	
	70 - 103	P	Silber	7,0 x 17	48	5	114,3	P7017485092118	17	✓			205/50, 215/45, 225/45	
	70 - 103	X	alle Varianten	7,0 x 17	49	5	114,3	X70174950921..	17	✓			205/50, 215/45, 225/45	
	70 - 103	D	alle Varianten	7,5 x 17	38	5	114,3	D75173850921..	17	✓				205/50, 215/45, 225/45
	70 - 103	B	Silber	7,5 x 17	40	5	114,3	B757405092118	17	✓				205/50, 215/45, 225/45
	70 - 103	E	alle Varianten	7,5 x 17	45	5	114,3	E7574550921..	17	✓			215/45	205/50, 225/45
	70 - 103	H	alle Varianten	7,5 x 17	45	5	114,3	H75174550921..	17	✓			215/45	205/50, 225/45
	70 - 103	W	alle Varianten	7,5 x 17	45	5	114,3	W75174550921..	17	✓			215/45	205/50, 225/45
	70 - 103	Y	alle Varianten	7,5 x 17	45	5	114,3	Y75174550921..	17	✓			215/45	205/50, 225/45
	70 - 103	N	alle Varianten	7,5 x 17	47	5	114,3	N7574750921..	17	✓			205/50, 215/45, 225/45	
	70 - 103	V	alle Varianten	8,0 x 17	40	5	114,3	V80174050921..	17	✓				215/45, 225/45, 235/40,...
	70 - 103	S	alle Varianten	7,5 x 18	48	5	114,3	S75184850921..	17	✓			205/45, 215/40, 225/35, 225/40	
	70 - 103	P	Silber	7,5 x 18	49	5	114,3	P7518495092118	17	✓			205/45, 215/40, 225/35, 225/40	
	70 - 103	D	alle Varianten	8,0 x 18	38	5	114,3	D80183850921..	17	✓				215/40, 225/35, 225/40,...
	70 - 103	E	alle Varianten	8,0 x 18	40	5	114,3	E8084050921..	17	✓				215/40, 225/35, 225/40,...

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	70 - 103	H	alle Varianten	8,0 x 18	40	5	114,3	H80184050921..	17	✓				215/40, 225/35, 225/40,...
	70 - 103	Y	alle Varianten	8,0 x 18	40	5	114,3	Y80184050921..	17	✓				215/40, 225/35, 225/40,...
	70 - 103	Z	Silber	8,0 x 18	40	5	114,3	Z8018405092118	17	✓				215/40, 225/35, 225/40,...
	70 - 103	Za	Anthrazit matt	8,0 x 18	40	5	114,3	Z8018405092115	17	✓				215/40, 225/35, 225/40,...
	70 - 103	D	alle Varianten	8,0 x 18	42	5	114,3	D80184250921..	17	✓				215/40, 225/35, 225/40,...
	70 - 103	O	alle Varianten	8,0 x 18	42	5	114,3	O80184250921..	17	✓				215/40, 225/35, 225/40,...
	70 - 103	F	Schwarz matt	8,0 x 18	45	5	114,3	F8018455092122	17	✓				215/40, 225/35, 225/40,...
	70 - 103	W	alle Varianten	8,0 x 18	50	5	114,3	W80185050921..	17	✓			215/40, 225/35, 225/40	
	70 - 103	X	alle Varianten	8,5 x 18	48	5	114,3	X85184850921..	17	✓				215/40, 225/35, 225/40
	70 - 103	P	Silber	7,5 x 19	40	5	114,3	P7519405092118	17	✓				225/35
	70 - 103	P	Silber	7,5 x 19	50	5	114,3	P7519505092118	17	✓			225/35	
	70 - 103	D	alle Varianten	8,0 x 19	40	5	114,3	D80194050921..	17	✓				225/35, 245/30 HA
	70 - 103	O	alle Varianten	8,0 x 19	45	5	114,3	O80194550921..	17	✓				225/35, 245/30
	70 - 103	S	alle Varianten	8,0 x 19	45	5	114,3	S80194550921..	17	✓				225/35, 245/30
	70 - 103	W	alle Varianten	8,0 x 19	45	5	114,3	W80194550921..	17	✓				225/35, 245/30
	70 - 103	R	alle Varianten	8,5 x 19	45	5	114,3	R85194550921..	17	✓				nicht alle Fzg.: 225/35,...
	70 - 103	X	alle Varianten	8,5 x 19	45	5	114,3	X85194550921..	17	✓				225/35, 235/30
	70 - 103	U	alle Varianten	8,5 x 19	48	5	114,3	U85194850921..	17	✓				nicht alle Fzg.: 225/35
i40 Limousine	85 - 131	N	alle Varianten	7,0 x 16	38	5	114,3	N7063850921..	17	✓	HO1		205/55, 205/60, 215/55	225/50, 225/55
i40 Kombi	85 - 131	B	Silber	7,0 x 16	42	5	114,3	B706425092118	17	✓	HO1		205/55, 205/60, 215/55, 225/50	225/55
Typ VF	85 - 131	Z	Silber	7,0 x 16	42	5	114,3	Z7016425092118	17	✓	HO1		205/55, 205/60, 215/55, 225/50	225/55
	85 - 131	Za	Anthrazit matt	7,0 x 16	42	5	114,3	Z7016425092115	17	✓	HO1		205/55, 205/60, 215/55, 225/50	225/55
	85 - 131	E	Silber	7,0 x 16	45	5	114,3	E706455092118	17	✓	HO1		205/55, 205/60, 215/55, 225/50	225/55
	85 - 131	H	alle Varianten	7,0 x 16	45	5	114,3	H70164550921..	17	✓	HO1		205/55, 205/60, 215/55, 225/50	225/55
	85 - 131	W	alle Varianten	7,0 x 16	45	5	114,3	W70164550921..	17	✓	HO1		205/55 (1.200 kg), 205/60 (1.200 kg), 215/55 (1.200 kg),...	225/55 (1.200 kg)
	85 - 131	Y	alle Varianten	7,0 x 16	45	5	114,3	Y70164550921..	17	✓	HO1		205/55, 205/60, 215/55, 225/50	225/55
	85 - 131	P	Silber	7,0 x 17	40	5	114,3	P7017405092118	17	✓	HO1		205/50, 205/55, 215/50, 225/45	225/50
	85 - 131	X	alle Varianten	7,0 x 17	40	5	114,3	X70174050921..	17	✓	HO1		205/50, 205/55, 215/50, 225/45	225/50
	85 - 131	D	alle Varianten	7,5 x 17	38	5	114,3	D75173850921..	17	✓			205/50, 225/45	205/55, 215/50, 225/50,...
	85 - 131	B	Silber	7,5 x 17	40	5	114,3	B757405092118	17	✓			205/50, 215/50, 225/45, 235/45	205/55, 225/50, 245/45
	85 - 131	S	alle Varianten	7,5 x 17	40	5	114,3	S75174050921..	17	✓			205/50, 215/50, 225/45, 235/45	205/55, 225/50, 245/45
	85 - 131	Z	Silber	7,5 x 17	40	5	114,3	Z7517405092118	17	✓			205/50, 215/50, 225/45, 235/45	205/55, 225/50, 245/45
	85 - 131	Za	Anthrazit matt	7,5 x 17	40	5	114,3	Z7517405092115	17	✓			205/50, 215/50, 225/45, 235/45	205/55, 225/50, 245/45
	85 - 131	E	alle Varianten	7,5 x 17	45	5	114,3	E7574550921..	17	✓			205/50, 205/55, 215/50, 225/45, 235/45	225/50, 245/45
	85 - 131	H	alle Varianten	7,5 x 17	45	5	114,3	H75174550921..	17	✓			205/50, 205/55, 215/50, 225/45, 235/45	225/50, 245/45
	85 - 131	W	alle Varianten	7,5 x 17	45	5	114,3	W75174550921..	17	✓			205/50 (1.200 kg), 205/55 (1.200 kg), 215/50 (1.200 kg),...	225/50 (1.200 kg),...
	85 - 131	Y	alle Varianten	7,5 x 17	45	5	114,3	Y75174550921..	17	✓			205/50, 205/55, 215/50, 225/45, 235/45	225/50, 245/45
	85 - 131	N	alle Varianten	7,5 x 17	47	5	114,3	N7574750921..	17	✓			205/50, 205/55, 215/50, 225/45, 235/45	225/50, 245/45
	85 - 131	V	alle Varianten	8,0 x 17	40	5	114,3	V80174050921..	17	✓			225/45	225/50, 235/45, 245/40,...
	85 - 131	H	alle Varianten	8,0 x 18	40	5	114,3	H80184050921..	17	✓			215/45, 225/40	225/45, 235/40, 245/40
	85 - 131	O	alle Varianten	8,0 x 18	42	5	114,3	O80184250921..	17	✓			215/45, 225/40, 235/40	225/45, 245/40
	85 - 131	O	alle Varianten	8,0 x 19	45	5	114,3	O80194550921..	17	✓			225/40, 235/35	245/35
										✓			AUTEC in 20": www.autec-wheels.de	
ix20	57 - 94	S	alle Varianten	6,0 x 15	43	5	114,3	S60154350921..	17	✓			195/65, 205/60	215/60
Typ JC, JC-HME	57 - 94	N	Graphit matt	6,0 x 15	44	5	114,3	N605445092129	17	✓			195/65, 205/60	215/60
	57 - 94	Z	Silber	6,0 x 15	44	5	114,3	Z6015445092118	17	✓			195/65, 205/60	215/60
	57 - 94	Za	Anthrazit matt	6,0 x 15	44	5	114,3	Z6015445092115	17	✓			195/65, 205/60	215/60
	57 - 94	P	Silber	6,0 x 15	45	5	114,3	P6015455092118	17	✓			195/65, 205/60, 215/60	
	57 - 94	B	Silber	6,5 x 15	45	5	114,3	B655455092118	17	✓			195/65, 205/60	215/60

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
57 - 94	E	alle Varianten	6,5 x 15	45	5	114,3	E6554550921..	17	✓				195/65, 205/60	215/60
57 - 94	F	Schwarz matt	6,5 x 15	45	5	114,3	F6515455092122	17	✓				195/65, 205/60	215/60
57 - 94	W	alle Varianten	6,5 x 15	45	5	114,3	W65154550921..	17	✓				195/65, 205/60	215/60
57 - 94	Y	alle Varianten	6,5 x 15	45	5	114,3	Y65154550921..	17	✓				195/65, 205/60	215/60
57 - 94	B	Silber	6,5 x 16	45	5	114,3	B656455092118	17	✓				195/55, 195/60, 205/55	215/55, 225/50
57 - 94	P	Silber	6,5 x 16	45	5	114,3	P6516455092118	17	✓				195/55, 195/60, 205/55	215/55, 225/50
57 - 94	S	alle Varianten	6,5 x 16	45	5	114,3	S65164550921..	17	✓				195/55, 195/60, 205/55	215/55, 225/50
57 - 94	X	alle Varianten	6,5 x 16	45	5	114,3	X65164550921..	17	✓				195/55, 195/60, 205/55	215/55, 225/50
57 - 94	E	alle Varianten	6,5 x 16	50	5	114,3	E6565050921..	17	✓				195/55, 195/60, 205/55	
57 - 94	N	Silber	6,5 x 16	50	5	114,3	N656505092118	17	✓				195/55, 195/60, 205/55	
57 - 94	Z	Silber	6,5 x 16	50	5	114,3	Z6516505092118	17	✓				195/55, 195/60, 205/55	
57 - 94	Za	Anthrazit matt	6,5 x 16	50	5	114,3	Z6516505092115	17	✓				195/55, 195/60, 205/55	
57 - 94	H	alle Varianten	7,0 x 16	45	5	114,3	H70164550921..	17	✓				195/55, 195/60	205/55, 215/55
57 - 94	W	alle Varianten	7,0 x 16	45	5	114,3	W70164550921..	17	✓				195/55, 195/60	205/55, 215/55
57 - 94	Y	alle Varianten	7,0 x 16	45	5	114,3	Y70164550921..	17	✓				195/55, 195/60	205/55, 215/55
57 - 94	S	alle Varianten	7,0 x 17	45	5	114,3	S70174550921..	17	✓				215/45	205/50, 225/45
57 - 94	Z	Silber	7,0 x 17	46	5	114,3	Z7017465092118	17	✓				215/45	205/50, 225/45
57 - 94	Za	Anthrazit matt	7,0 x 17	46	5	114,3	Z7017465092115	17	✓				215/45	205/50, 225/45
57 - 94	P	Silber	7,0 x 17	48	5	114,3	P7017485092118	17	✓				205/50, 215/45, 225/45	
57 - 94	X	alle Varianten	7,0 x 17	49	5	114,3	X70174950921..	17	✓				205/50, 215/45, 225/45	
57 - 94	D	alle Varianten	7,5 x 17	38	5	114,3	D75173850921..	17	✓					205/50, 215/45, 225/45
57 - 94	B	Silber	7,5 x 17	40	5	114,3	B757405092118	17	✓					205/50, 215/45, 225/45
57 - 94	E	alle Varianten	7,5 x 17	45	5	114,3	E7574550921..	17	✓					205/50, 215/45, 225/45
57 - 94	H	alle Varianten	7,5 x 17	45	5	114,3	H75174550921..	17	✓					205/50, 215/45, 225/45
57 - 94	W	alle Varianten	7,5 x 17	45	5	114,3	W75174550921..	17	✓					205/50, 215/45, 225/45
57 - 94	Y	alle Varianten	7,5 x 17	45	5	114,3	Y75174550921..	17	✓					205/50, 215/45, 225/45
57 - 94	N	alle Varianten	7,5 x 17	47	5	114,3	N7574750921..	17	✓				215/45	205/50, 225/45
57 - 94	V	alle Varianten	8,0 x 17	40	5	114,3	V80174050921..	17	✓					205/50 MF, 215/45, 225/45,...
57 - 94	H	alle Varianten	8,0 x 18	40	5	114,3	H80184050921..	17	✓					215/40, 225/35, 225/40
57 - 94	O	alle Varianten	8,0 x 18	42	5	114,3	O80184250921..	17	✓					215/40, 225/35, 225/40
57 - 94	O	alle Varianten	8,0 x 19	45	5	114,3	O80194550921..	17	✓					215/35, 225/35

ix35 Nähere Informationen in unserem Konfigurator unter: www.autec-wheels.de
 Typ EL, ELH, LM *Further information in our configurator at: www.autec-wheels.de*

ix35	85 - 135	B	Silber	6,5 x 16	45	5	114,3	B656455092118	17	✓			215/70, 225/65, 235/60, 235/65	
Typ ELH, LM	85 - 135	P	Silber	6,5 x 16	45	5	114,3	P6516455092118	17	✓			215/70, 225/65, 235/60, 235/65	
[Facelift 2013]	85 - 135	S	alle Varianten	6,5 x 16	45	5	114,3	S65164550921..	17	✓			215/70, 225/65, 235/60, 235/65	
	85 - 135	X	alle Varianten	6,5 x 16	45	5	114,3	X65164550921..	17	✓			215/70, 225/65, 235/60, 235/65	
	85 - 135	N	alle Varianten	7,0 x 16	38	5	114,3	N7063850921..	17	✓				215/70, 225/65, 235/60,...
	85 - 135	Z	Silber	7,0 x 16	42	5	114,3	Z7016425092118	17	✓			215/70	225/65, 235/60, 235/65
	85 - 135	Za	Anthrazit matt	7,0 x 16	42	5	114,3	Z7016425092115	17	✓			215/70	225/65, 235/60, 235/65
	85 - 135	E	Silber	7,0 x 16	45	5	114,3	E706455092118	17	✓			215/70, 225/65	235/60, 235/65
	85 - 135	H	alle Varianten	7,0 x 16	45	5	114,3	H70164550921..	17	✓			215/70, 225/65	235/60, 235/65
	85 - 135	Y	alle Varianten	7,0 x 16	45	5	114,3	Y70164550921..	17	✓			215/70, 225/65	235/60, 235/65
	85 - 135	S	alle Varianten	7,0 x 17	45	5	114,3	S70174550921..	17	✓			215/60, 215/65, 225/60	235/55, 235/60
	85 - 135	Z	Silber	7,0 x 17	46	5	114,3	Z7017465092118	17	✓			215/60, 215/65, 225/60	235/55, 235/60
	85 - 135	Za	Anthrazit matt	7,0 x 17	46	5	114,3	Z7017465092115	17	✓			215/60, 215/65, 225/60	235/55, 235/60
	85 - 135	P	Silber	7,0 x 17	48	5	114,3	P7017485092118	17	✓			215/60, 215/65, 225/60	
	85 - 135	X	alle Varianten	7,0 x 17	49	5	114,3	X70174950921..	17	✓			215/60, 215/65, 225/60	
	85 - 135	D	alle Varianten	7,5 x 17	38	5	114,3	D75173850921..	17	✓				215/60, 215/65, 225/60,...

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	85 - 135	B	Silber	7,5 x 17	40	5	114,3	B757405092118	17	✓				215/60, 215/65, 225/60,...
	85 - 135	E	alle Varianten	7,5 x 17	45	5	114,3	E7574550921..	17	✓			215/60, 215/65, 225/60	
	85 - 135	H	alle Varianten	7,5 x 17	45	5	114,3	H75174550921..	17	✓			215/60, 215/65, 225/60	
	85 - 135	Y	alle Varianten	7,5 x 17	45	5	114,3	Y75174550921..	17	✓			215/60, 215/65, 225/60	
	85 - 135	N	alle Varianten	7,5 x 17	47	5	114,3	N7574750921..	17	✓			215/60, 215/65, 225/60	
	85 - 135	V	alle Varianten	8,0 x 17	40	5	114,3	V80174050921..	17	✓				225/60, 235/55, 235/60
	85 - 135	H	alle Varianten	8,0 x 18	40	5	114,3	H80184050921..	17	✓				225/50, 225/55, 235/50,...
	85 - 135	O	alle Varianten	8,0 x 18	42	5	114,3	O80184250921..	17	✓				225/50, 225/55, 235/50,...
	85 - 135	O	alle Varianten	8,0 x 19	45	5	114,3	O80194550921..	17	✓			225/45, 235/45	245/45
													AUTEC in 20": www.autec-wheels.de	
ix35 Fuel Cell	100	P	Silber	7,0 x 17	40	5	114,3	P7017405092118	17	✓				225/60, 235/55
Typ LMFC	100	X	alle Varianten	7,0 x 17	40	5	114,3	X70174050921..	17	✓				225/60, 235/55
	100	S	alle Varianten	7,0 x 17	45	5	114,3	S70174550921..	17	✓			225/60	
	100	D	alle Varianten	7,5 x 17	38	5	114,3	D75173850921..	17	✓				225/60
	100	H	alle Varianten	7,5 x 17	38	5	114,3	H75173850921..	17	✓				225/60
	100	Y	alle Varianten	7,5 x 17	38	5	114,3	Y75173850921..	17	✓				225/60
	100	B	Silber	7,5 x 17	40	5	114,3	B757405092118	17	✓				225/60
	100	E	alle Varianten	7,5 x 17	40	5	114,3	E7574050921..	17	✓				225/60
	100	N	alle Varianten	7,5 x 17	40	5	114,3	N7574050921..	17	✓				225/60
	100	Z	Silber	7,5 x 17	40	5	114,3	Z7517405092118	17	✓				225/60
	100	Za	Anthrazit matt	7,5 x 17	40	5	114,3	Z7517405092115	17	✓				225/60
	100	V	alle Varianten	8,0 x 17	40	5	114,3	V80174050921..	17	✓				225/60
	100	S	alle Varianten	7,5 x 18	38	5	114,3	S75183850921..	17	✓				225/50, 225/55, 235/50
	100	P	Silber	7,5 x 18	40	5	114,3	P7518405092118	17	✓				225/50, 225/55
	100	D	alle Varianten	8,0 x 18	38	5	114,3	D80183850921..	17	✓				225/50, 225/55
	100	O	alle Varianten	8,0 x 18	38	5	114,3	O80183850921..	17	✓				225/50, 225/55
	100	E	alle Varianten	8,0 x 18	40	5	114,3	E8084050921..	17	✓				225/50, 225/55
	100	H	alle Varianten	8,0 x 18	40	5	114,3	H80184050921..	17	✓				225/50, 225/55
	100	Y	alle Varianten	8,0 x 18	40	5	114,3	Y80184050921..	17	✓				225/50, 225/55
	100	Z	Silber	8,0 x 18	40	5	114,3	Z8018405092118	17	✓				225/50, 225/55
	100	Za	Anthrazit matt	8,0 x 18	40	5	114,3	Z8018405092115	17	✓				225/50, 225/55
	100	P	Silber	7,5 x 19	40	5	114,3	P7519405092118	17	✓			225/45	235/45, 245/45
	100	D	alle Varianten	8,0 x 19	45	5	114,3	D80194550921..	17	✓			225/45	
	100	O	alle Varianten	8,0 x 19	45	5	114,3	O80194550921..	17	✓			225/45	
	100	S	alle Varianten	8,0 x 19	45	5	114,3	S80194550921..	17	✓			225/45	
	100	W	alle Varianten	8,0 x 19	45	5	114,3	W80194550921..	17	✓			225/45	
Santa Fe	110 - 147	P	Silber	7,0 x 17	40	5	114,3	P7017405092118	17	✓			235/60, 235/65	255/55, 255/60
Typ DM	110 - 147	X	alle Varianten	7,0 x 17	40	5	114,3	X70174050921..	17	✓			235/60, 235/65	255/55, 255/60
	110 - 147	B	Silber	7,5 x 17	40	5	114,3	B757405092118	17	✓				235/60, 235/65, 255/55,...
	110 - 147	E	alle Varianten	7,5 x 17	45	5	114,3	E7574550921..	17	✓			235/60, 235/65	255/55, 255/60
	110 - 147	H	alle Varianten	7,5 x 17	45	5	114,3	H75174550921..	17	✓			235/60	255/55
	110 - 147	N	alle Varianten	7,5 x 17	47	5	114,3	N7574750921..	17	✓			235/60, 235/65	
	110 - 147	V	alle Varianten	8,0 x 17	40	5	114,3	V80174050921..	17	✓				255/55
	110 - 147	P	Silber	7,5 x 18	49	5	114,3	P7518495092118	17	✓			235/55, 235/60	
	110 - 147	E	alle Varianten	8,0 x 18	40	5	114,3	E8084050921..	17	✓				235/55, 235/60, 255/50,...
	110 - 147	H	alle Varianten	8,0 x 18	40	5	114,3	H80184050921..	17	✓				235/55, 255/50
	110 - 147	Y	alle Varianten	8,0 x 18	40	5	114,3	Y80184050921..	17	✓				235/55, 255/50
	110 - 147	D	alle Varianten	8,0 x 18	42	5	114,3	D80184250921..	17	✓				235/55, 235/60, 255/50,...
	110 - 147	O	alle Varianten	8,0 x 18	42	5	114,3	O80184250921..	17	✓				235/55, 255/50

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	110 - 147	F	Schwarz matt	8,0 x 18	45	5	114,3	F8018455092122	17	✓			235/55, 235/60	
	110 - 147	V	Kristallsilber	8,5 x 18	40	5	114,3	V8518405092125	17	✓				235/55, 245/55, 255/50
	110 - 147	X	alle Varianten	8,5 x 18	48	5	114,3	X85184850921..	17	✓			235/55, 235/60	
	110 - 147	P	Silber	7,5 x 19	40	5	114,3	P7519405092118	17	✓				235/50, 235/55, 245/50,...
	110 - 147	P	Silber	7,5 x 19	50	5	114,3	P7519505092118	17	✓			235/50, 235/55	
	110 - 147	D	alle Varianten	8,0 x 19	45	5	114,3	D80194550921..	17	✓			235/50, 235/55, 255/45	245/50
	110 - 147	O	alle Varianten	8,0 x 19	45	5	114,3	O80194550921..	17	✓			235/50, 255/45	
	110 - 147	S	alle Varianten	8,0 x 19	45	5	114,3	S80194550921..	17	✓			235/50, 235/55, 255/45	245/50
	110 - 147	X	alle Varianten	8,5 x 19	45	5	114,3	X85194550921..	17	✓				235/50, 235/55, 255/45
	110 - 147	U	alle Varianten	8,5 x 19	48	5	114,3	U85194850921..	17	✓			235/50, 235/55, 255/45	
										✓			AUTEC in 20" & 21": www.autec-wheels.de	
Grand Santa Fe	145, 147	P	Silber	7,5 x 18	49	5	114,3	P7518495092118	17	✓			235/55, 235/60	
Typ DM	145, 147	D	alle Varianten	8,0 x 18	38	5	114,3	D80183850921..	17	✓				235/55, 235/60, 255/50,...
	145, 147	O	alle Varianten	8,0 x 18	38	5	114,3	O80183850921..	17	✓				235/55, 255/50
	145, 147	E	alle Varianten	8,0 x 18	40	5	114,3	E8084050921..	17	✓				235/55, 235/60, 255/50,...
	145, 147	H	alle Varianten	8,0 x 18	40	5	114,3	H80184050921..	17	✓				235/55, 255/50
	145, 147	Y	alle Varianten	8,0 x 18	40	5	114,3	Y80184050921..	17	✓				235/55, 255/50
	145, 147	D	alle Varianten	8,0 x 18	42	5	114,3	D80184250921..	17	✓				235/55, 235/60, 255/50,...
	145, 147	O	alle Varianten	8,0 x 18	42	5	114,3	O80184250921..	17	✓				235/55, 255/50
	145, 147	F	Schwarz matt	8,0 x 18	45	5	114,3	F8018455092122	17	✓			235/55, 235/60	
	145, 147	X	alle Varianten	8,5 x 18	35	5	114,3	X85183550921..	17	✓				235/55, 235/60
	145, 147	V	Kristallsilber	8,5 x 18	40	5	114,3	V8518405092125	17	✓				235/55, 255/50
	145, 147	X	alle Varianten	8,5 x 18	48	5	114,3	X85184850921..	17	✓			235/55, 235/60	
	145, 147	P	Silber	7,5 x 19	40	5	114,3	P7519405092118	17	✓				235/50, 235/55, 245/50,...
	145, 147	P	Silber	7,5 x 19	50	5	114,3	P7519505092118	17	✓			235/50, 235/55	
	145, 147	O	alle Varianten	8,0 x 19	40	5	114,3	O80194050921..	17	✓				235/50, 255/45
	145, 147	D	alle Varianten	8,0 x 19	45	5	114,3	D80194550921..	17	✓			235/50, 235/55, 255/45	245/50
	145, 147	O	alle Varianten	8,0 x 19	45	5	114,3	O80194550921..	17	✓			235/50, 255/45	
	145, 147	S	alle Varianten	8,0 x 19	45	5	114,3	S80194550921..	17	✓			235/50, 235/55, 255/45	245/50
	145, 147	X	alle Varianten	8,5 x 19	45	5	114,3	X85194550921..	17	✓				235/50, 235/55, 255/45
	145, 147	U	alle Varianten	8,5 x 19	48	5	114,3	U85194850921..	17	✓			235/50, 235/55, 255/45	
	145, 147	D	alle Varianten	8,5 x 20	36	5	114,3	D85203650921..	17	✓				235/45, 245/45, 255/40,...
	145, 147	D	alle Varianten	8,5 x 20	42	5	114,3	D85204250921..	17	✓			235/45	245/45, 255/40, 255/45,...
	145, 147	V	Kristallsilber	9,0 x 20	38	5	114,3	V9020385092125	17	✓				235/45, 245/45, 255/40,...
	145, 147	U	alle Varianten	9,0 x 20	45	5	114,3	U90204550921..	17	✓			235/45	245/45, 255/40, 255/45
	145, 147	X	alle Varianten	9,0 x 20	45	5	114,3	X90204550921..	17	✓			235/45	245/45, 255/40, 255/45
										✓			AUTEC in 21": www.autec-wheels.de	
Tucson													Nähere Informationen in unserem Konfigurator unter: www.autec-wheels.de	
Typ JM													Further information in our configurator at: www.autec-wheels.de	
Tucson	85 - 136	E	Silber	6,5 x 16	32	5	114,3	E656325092118	17	✓	B81		215/65, 215/70, 225/65,...	
Typ TLE, TLE-HME	85 - 136	B	Silber	6,5 x 16	45	5	114,3	B656455092118	17	✓	B81		215/65, 215/70, 225/65	235/60, 235/65
	85 - 136	P	Silber	6,5 x 16	45	5	114,3	P6516455092118	17	✓	B81		215/65, 215/70, 225/65	235/60, 235/65
	85 - 136	PE	Silber	6,5 x 16	45	5	114,3	PE6516455094718	Serie	✓	B81	✓	215/70	
	85 - 136	S	alle Varianten	6,5 x 16	45	5	114,3	S65164550921..	17	✓	B81		215/65, 215/70, 225/65	235/60, 235/65
	85 - 136	X	alle Varianten	6,5 x 16	45	5	114,3	X65164550921..	17	✓	B81		215/65, 215/70, 225/65	235/60, 235/65
	85 - 136	E	alle Varianten	6,5 x 16	50	5	114,3	E6565050921..	17	✓	B81		215/65, 215/70, 225/65, 235/60, 235/65	
	85 - 136	N	alle Varianten	7,0 x 16	38	5	114,3	N7063850921..	17	✓	B81			215/65, 235/60
	85 - 136	Y	alle Varianten	7,0 x 16	38	5	114,3	Y70163850921..	17	✓	B81			215/65, 215/70, 225/65,...
	85 - 136	H	alle Varianten	7,0 x 16	45	5	114,3	H70164550921..	17	✓	B81		215/65, 215/70	225/65, 235/60, 235/65,...

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	85 - 136	B	Silber	7,5 x 16	35	5	114,3	B756355092118	17	✓	B81			215/65, 215/70 MF, 225/65,...
	85 - 136	S	alle Varianten	7,0 x 17	45	5	114,3	S70174550921..	17	✓			215/60, 215/65	225/55, 225/60, 235/55,...
	85 - 136	P	Silber	7,0 x 17	48	5	114,3	P7017485092118	17	✓			215/60, 215/65, 225/55, 225/60	235/55, 235/60, 245/55
	85 - 136	X	alle Varianten	7,0 x 17	49	5	114,3	X70174950921..	17	✓			215/60, 215/65, 225/55, 225/60	235/55, 235/60
	85 - 136	B	Silber	7,5 x 17	40	5	114,3	B757405092118	17	✓				215/60, 215/65, 225/55,...
	85 - 136	Z	Silber	7,5 x 17	40	5	114,3	Z7517405092118	17	✓				215/60, 215/65, 225/55,...
	85 - 136	Za	Anthrazit matt	7,5 x 17	40	5	114,3	Z7517405092115	17	✓				215/60, 215/65, 225/55,...
	85 - 136	D	alle Varianten	7,5 x 17	45	5	114,3	D75174550921..	17	✓				215/60, 215/65, 225/55,...
	85 - 136	E	alle Varianten	7,5 x 17	45	5	114,3	E7574550921..	17	✓				215/60, 215/65, 225/55,...
	85 - 136	H	alle Varianten	7,5 x 17	45	5	114,3	H75174550921..	17	✓				215/60, 215/65, 225/55,...
	85 - 136	Y	alle Varianten	7,5 x 17	45	5	114,3	Y75174550921..	17	✓				215/60, 215/65, 225/55,...
	85 - 136	N	alle Varianten	7,5 x 17	47	5	114,3	N7574750921..	17	✓			215/60, 215/65	225/55, 225/60, 235/55,...
	85 - 136	V	alle Varianten	8,0 x 17	40	5	114,3	V80174050921..	17	✓				225/55, 225/60, 235/55,...
	85 - 136	S	alle Varianten	7,5 x 18	48	5	114,3	S75184850921..	17	✓			215/55	225/50, 225/55, 235/50,...
	85 - 136	P	Silber	7,5 x 18	49	5	114,3	P7518495092118	17	✓			215/55, 225/50, 225/55	235/50, 235/55
	85 - 136	E	alle Varianten	8,0 x 18	40	5	114,3	E8084050921..	17	✓				225/50, 225/55, 235/50,...
	85 - 136	H	alle Varianten	8,0 x 18	40	5	114,3	H80184050921..	17	✓				225/50, 225/55, 235/50,...
	85 - 136	Y	alle Varianten	8,0 x 18	40	5	114,3	Y80184050921..	17	✓				225/50, 225/55, 235/50,...
	85 - 136	Z	Silber	8,0 x 18	40	5	114,3	Z8018405092118	17	✓				225/50, 225/55, 235/50,...
	85 - 136	Za	Anthrazit matt	8,0 x 18	40	5	114,3	Z8018405092115	17	✓				225/50, 225/55, 235/50,...
	85 - 136	D	alle Varianten	8,0 x 18	42	5	114,3	D80184250921..	17	✓				225/50, 225/55, 235/50,...
	85 - 136	O	alle Varianten	8,0 x 18	42	5	114,3	O80184250921..	17	✓				225/50, 225/55, 235/50,...
	85 - 136	F	Schwarz matt	8,0 x 18	45	5	114,3	F8018455092122	17	✓				225/50, 225/55, 235/50,...
	85 - 136	W	alle Varianten	8,0 x 18	50	5	114,3	W80185050921..	17	✓				225/50
	85 - 136	V	Kristallsilber	8,5 x 18	40	5	114,3	V8518405092125	17	✓				235/50, 235/55, 255/45
	85 - 136	X	alle Varianten	8,5 x 18	40	5	114,3	X85184050921..	17	✓				235/50, 235/55, 255/45
	85 - 136	P	Silber	7,5 x 19	40	5	114,3	P7519405092118	17	✓				225/45, 235/45, 245/45
	85 - 136	P	Silber	7,5 x 19	50	5	114,3	P7519505092118	17	✓			225/45, 235/45, 245/45	
	85 - 136	D	alle Varianten	8,0 x 19	45	5	114,3	D80194550921..	17	✓			225/45	235/45, 245/45, 255/45
	85 - 136	O	alle Varianten	8,0 x 19	45	5	114,3	O80194550921..	17	✓			225/45	235/45, 245/45, 255/45
	85 - 136	S	alle Varianten	8,0 x 19	45	5	114,3	S80194550921..	17	✓			225/45	235/45, 245/45, 255/45
	85 - 136	W	alle Varianten	8,0 x 19	45	5	114,3	W80194550921..	17	✓			225/45	235/45, 245/45, 255/45
	85 - 136	R	alle Varianten	8,5 x 19	45	5	114,3	R85194550921..	17	✓				225/45, 235/45, 245/45,...
	85 - 136	X	alle Varianten	8,5 x 19	45	5	114,3	X85194550921..	17	✓				225/45, 235/45, 245/45,...
	85 - 136	U	alle Varianten	8,5 x 19	48	5	114,3	U85194850921..	17	✓			225/45	235/45, 245/45
	85 - 136	D	alle Varianten	8,5 x 20	42	5	114,3	D85204250921..	17	✓				235/40, 245/35, 245/40,...
	85 - 136	R	alle Varianten	8,5 x 20	45	5	114,3	R85204550921..	17	✓				235/40, 245/35, 245/40,...
	85 - 136	U	alle Varianten	9,0 x 20	45	5	114,3	U90204550921..	17	✓				235/40, 245/35, 245/40
	85 - 136	X	alle Varianten	9,0 x 20	45	5	114,3	X90204550921..	17	✓				235/40, 245/35, 245/40
Veloster													Nähere Informationen in unserem Konfigurator unter: www.autec-wheels.de	
Typ FS													Further information in our configurator at: www.autec-wheels.de	
Veloster	97 - 137	S	alle Varianten	7,0 x 17	45	5	114,3	S70174550921..	17	✓			215/45	225/45
Typ FS	97 - 137	Z	Silber	7,0 x 17	46	5	114,3	Z7017465092118	17	✓			215/45, 225/45	
[Facelift 2015]	97 - 137	Za	Anthrazit matt	7,0 x 17	46	5	114,3	Z7017465092115	17	✓			215/45, 225/45	
	97 - 137	P	Silber	7,0 x 17	48	5	114,3	P7017485092118	17	✓			215/45, 225/45	
	97 - 137	X	alle Varianten	7,0 x 17	49	5	114,3	X70174950921..	17	✓			215/45, 225/45	
	97 - 137	D	alle Varianten	7,5 x 17	38	5	114,3	D75173850921..	17	✓				215/45, 225/45
	97 - 137	B	Silber	7,5 x 17	40	5	114,3	B757405092118	17	✓				215/45, 225/45
	97 - 137	E	alle Varianten	7,5 x 17	45	5	114,3	E7574550921..	17	✓			215/45	225/45

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	97 - 137	H	alle Varianten	7,5 x 17	45	5	114,3	H75174550921..	17	✓			215/45	225/45
	97 - 137	W	alle Varianten	7,5 x 17	45	5	114,3	W75174550921..	17	✓			215/45	225/45
	97 - 137	Y	alle Varianten	7,5 x 17	45	5	114,3	Y75174550921..	17	✓			215/45	225/45
	97 - 137	N	alle Varianten	7,5 x 17	47	5	114,3	N7574750921..	17	✓			215/45	225/45
	97 - 137	V	alle Varianten	8,0 x 17	40	5	114,3	V80174050921..	17	✓				215/45, 225/45, 235/40
	97 - 137	S	alle Varianten	7,5 x 18	48	5	114,3	S75184850921..	17	✓			215/40, 225/35, 225/40	
	97 - 137	P	Silber	7,5 x 18	49	5	114,3	P7518495092118	17	✓			215/40, 225/35, 225/40	
	97 - 137	W	alle Varianten	8,0 x 18	35	5	114,3	W80183550921..	17	✓				215/40, 225/35, 225/40,...
	97 - 137	E	alle Varianten	8,0 x 18	40	5	114,3	E8084050921..	17	✓				215/40, 225/35, 225/40,...
	97 - 137	H	alle Varianten	8,0 x 18	40	5	114,3	H80184050921..	17	✓				215/40, 225/35, 225/40,...
	97 - 137	Y	alle Varianten	8,0 x 18	40	5	114,3	Y80184050921..	17	✓				215/40, 225/35, 225/40,...
	97 - 137	Z	Silber	8,0 x 18	40	5	114,3	Z8018405092118	17	✓				215/40, 225/35, 225/40,...
	97 - 137	Za	Anthrazit matt	8,0 x 18	40	5	114,3	Z8018405092115	17	✓				215/40, 225/35, 225/40,...
	97 - 137	D	alle Varianten	8,0 x 18	42	5	114,3	D80184250921..	17	✓				215/40, 225/35, 225/40,...
	97 - 137	O	alle Varianten	8,0 x 18	42	5	114,3	O80184250921..	17	✓				215/40, 225/35, 225/40,...
	97 - 137	F	Schwarz matt	8,0 x 18	45	5	114,3	F8018455092122	17	✓				215/40, 225/35, 225/40,...
	97 - 137	V	Kristallsilber	8,5 x 18	40	5	114,3	V8518405092125	17	✓				215/40, 225/35, 225/40,...
	97 - 137	X	alle Varianten	8,5 x 18	40	5	114,3	X85184050921..	17	✓				215/40, 225/35, 225/40,...
	97 - 137	P	Silber	7,5 x 19	40	5	114,3	P7519405092118	17	✓				215/35, 225/35
	97 - 137	P	Silber	7,5 x 19	50	5	114,3	P7519505092118	17	✓			215/35, 225/35	
	97 - 137	D	alle Varianten	8,0 x 19	40	5	114,3	D80194050921..	17	✓				215/35, 225/35, 245/30
	97 - 137	O	alle Varianten	8,0 x 19	45	5	114,3	O80194550921..	17	✓				215/35, 225/35
	97 - 137	S	alle Varianten	8,0 x 19	45	5	114,3	S80194550921..	17	✓				215/35, 225/35
	97 - 137	W	alle Varianten	8,0 x 19	45	5	114,3	W80194550921..	17	✓				215/35, 225/35
	97 - 137	R	alle Varianten	8,5 x 19	40	5	114,3	R85194050921..	17	✓				215/35, 225/35
	97 - 137	U	alle Varianten	8,5 x 19	40	5	114,3	U85194050921..	17	✓				215/35, 225/35
H-1 Travel / Starex	81 - 125	Q	alle Varianten	6,5 x 16	56	6	139,7	Q65165661652..	Serie	✓			215/65-C M+S, 215/70-C, , 225/65-C, 235/65-C	
H-1 Cargo / Starex	81 - 125	Q	alle Varianten	7,0 x 17	57	6	139,7	Q70175761652..	Serie	✓			215/60-C, 235/60-C	
Typ TQ														
IONIQ Elektro	25	B	Silber	6,5 x 16	45	5	114,3	B656455092118	17	✓			205/55	215/50
Typ AE	25	P	Silber	6,5 x 16	45	5	114,3	P6516455092118	17	✓			205/55	215/50
	25	S	alle Varianten	6,5 x 16	45	5	114,3	S65164550921..	17	✓			205/55	215/50
	25	X	alle Varianten	6,5 x 16	45	5	114,3	X65164550921..	17	✓			205/55	215/50
	25	E	alle Varianten	6,5 x 16	50	5	114,3	E6565050921..	17	✓			205/55, 215/50	
	25	N	Silber	6,5 x 16	50	5	114,3	N656505092118	17	✓			205/55, 215/50	
	25	PE	Silber	6,5 x 16	50	5	114,3	PE6516505094718	Serie	✓		✓	205/55	
	25	Z	Silber	6,5 x 16	50	5	114,3	Z6516505092118	17	✓			205/55, 215/50	
	25	Za	Anthrazit matt	6,5 x 16	50	5	114,3	Z6516505092115	17	✓			205/55, 215/50	
	25	E	Silber	7,0 x 16	45	5	114,3	E706455092118	17	✓			205/55	215/50
	25	H	alle Varianten	7,0 x 16	45	5	114,3	H70164550921..	17	✓			205/55	215/50
	25	W	alle Varianten	7,0 x 16	45	5	114,3	W70164550921..	17	✓			205/55	215/50
	25	Y	alle Varianten	7,0 x 16	45	5	114,3	Y70164550921..	17	✓			205/55	215/50
	25	S	alle Varianten	7,0 x 17	45	5	114,3	S70174550921..	17	✓			205/45, 205/50, 215/45, 225/45	
	25	Z	Silber	7,0 x 17	46	5	114,3	Z7017465092118	17	✓			205/45, 205/50, 215/45, 225/45	
	25	Za	Anthrazit matt	7,0 x 17	46	5	114,3	Z7017465092115	17	✓			205/45, 205/50, 215/45, 225/45	
	25	P	Silber	7,0 x 17	48	5	114,3	P7017485092118	17	✓			205/45, 205/50, 215/45, 225/45	
	25	X	alle Varianten	7,0 x 17	49	5	114,3	X70174950921..	17	✓			205/45, 205/50, 215/45, 225/45	
	25	D	alle Varianten	7,5 x 17	45	5	114,3	D75174550921..	17	✓			205/45, 215/45	205/50, 225/45
	25	E	alle Varianten	7,5 x 17	45	5	114,3	E7574550921..	17	✓			205/45, 215/45	205/50, 225/45

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	25	H	alle Varianten	7,5 x 17	45	5	114,3	H75174550921..	17	✓			205/45, 215/45	205/50, 225/45
	25	W	alle Varianten	7,5 x 17	45	5	114,3	W75174550921..	17	✓			205/45, 215/45	205/50, 225/45
	25	Y	alle Varianten	7,5 x 17	45	5	114,3	Y75174550921..	17	✓			215/45	205/50, 225/45
	25	N	alle Varianten	7,5 x 17	47	5	114,3	N7574750921..	17	✓			205/45, 215/45	205/50, 225/45
	25	S	alle Varianten	7,5 x 18	48	5	114,3	S75184850921..	17	✓			205/40, 205/45, 215/40, 225/35, 225/40	
	25	P	Silber	7,5 x 18	49	5	114,3	P7518495092118	17	✓			205/40, 205/45, 215/40, 225/35, 225/40	
	25	W	alle Varianten	8,0 x 18	50	5	114,3	W80185050921..	17	✓			205/40, 215/40, 225/35, 225/40	
	25	P	Silber	7,5 x 19	50	5	114,3	P7519505092118	17	✓				
	25	D	alle Varianten	8,0 x 19	45	5	114,3	D80194550921..	17	✓				225/35
	25	S	alle Varianten	8,0 x 19	45	5	114,3	S80194550921..	17	✓				225/35
	25	W	alle Varianten	8,0 x 19	45	5	114,3	W80194550921..	17	✓				225/35
IONIQ Hybrid	77,2	S	alle Varianten	6,0 x 15	43	5	114,3	S60154350921..	17	✓			195/60, 195/65, 205/60, 215/60	
Typ AE	77,2	N	Graphit matt	6,0 x 15	44	5	114,3	N605445092129	17	✓			195/60, 195/65, 205/60, 215/60	
	77	Z	Silber	6,0 x 15	44	5	114,3	Z6015445092118	17	✓			195/60, 195/65, 205/60, 215/60	
	77	Za	Anthrazit matt	6,0 x 15	44	5	114,3	Z6015445092115	17	✓			195/60, 195/65, 205/60, 215/60	
	77,2	P	Silber	6,0 x 15	45	5	114,3	P6015455092118	17	✓			195/60, 195/65, 205/60, 215/60	
	77	PE	Silber	6,0 x 15	46	5	114,3	PE6015465094718	Serie	✓		✓	195/65	
	77,2	B	Silber	6,5 x 15	45	5	114,3	B655455092118	17	✓			195/60, 195/65, 205/60	215/60
	77,2	E	alle Varianten	6,5 x 15	45	5	114,3	E6554550921..	17	✓			195/60, 195/65, 205/60	215/60
	77,2	F	Schwarz matt	6,5 x 15	45	5	114,3	F6515455092122	17	✓			195/60, 195/65, 205/60	215/60
	77,2	W	alle Varianten	6,5 x 15	45	5	114,3	W65154550921..	17	✓			195/60, 195/65, 205/60	215/60
	77,2	Y	alle Varianten	6,5 x 15	45	5	114,3	Y65154550921..	17	✓			195/60, 195/65, 205/60	215/60
	77,2	X	alle Varianten	6,5 x 16	40	5	114,3	X65164050921..	17	✓			195/55, 195/60	205/55, 215/50, 225/50
	77,2	B	Silber	6,5 x 16	45	5	114,3	B656455092118	17	✓			195/55, 195/60, 205/55	215/50, 225/50
	77,2	P	Silber	6,5 x 16	45	5	114,3	P6516455092118	17	✓			195/55, 195/60, 205/55	215/50, 225/50
	77,2	S	alle Varianten	6,5 x 16	45	5	114,3	S65164550921..	17	✓			195/55, 195/60, 205/55	215/50, 225/50
	77,2	X	alle Varianten	6,5 x 16	45	5	114,3	X65164550921..	17	✓			195/55, 195/60, 205/55	215/50, 225/50
	77,2	E	alle Varianten	6,5 x 16	50	5	114,3	E6565050921..	17	✓			195/55, 195/60, 205/55, 215/50, 225/50	
	77,2	N	Silber	6,5 x 16	50	5	114,3	N656505092118	17	✓			195/55, 195/60, 205/55, 215/50, 225/50	
	77	Z	Silber	6,5 x 16	50	5	114,3	Z6516505092118	17	✓			195/55, 195/60, 205/55, 215/50, 225/50	
	77	Za	Anthrazit matt	6,5 x 16	50	5	114,3	Z6516505092115	17	✓			195/55, 195/60, 205/55, 215/50, 225/50	
	77,2	E	Silber	7,0 x 16	45	5	114,3	E706455092118	17	✓			195/55, 195/60, 205/55	215/50, 225/50
	77	H	alle Varianten	7,0 x 16	45	5	114,3	H70164550921..	17	✓			195/55, 195/60, 205/55	215/50, 225/50
	77,2	W	alle Varianten	7,0 x 16	45	5	114,3	W70164550921..	17	✓			195/55, 195/60, 205/55	215/50, 225/50
	77	Y	alle Varianten	7,0 x 16	45	5	114,3	Y70164550921..	17	✓			195/55, 195/60, 205/55	215/50, 225/50
	77,2	X	alle Varianten	7,0 x 17	40	5	114,3	X70174050921..	17	✓			205/45	205/50, 215/45, 225/45
	77,2	S	alle Varianten	7,0 x 17	45	5	114,3	S70174550921..	17	✓			205/45, 205/50, 215/45, 225/45	
	77	Z	Silber	7,0 x 17	46	5	114,3	Z7017465092118	17	✓			205/45, 205/50, 215/45, 225/45	
	77	Za	Anthrazit matt	7,0 x 17	46	5	114,3	Z7017465092115	17	✓			205/45, 205/50, 215/45, 225/45	
	77,2	P	Silber	7,0 x 17	48	5	114,3	P7017485092118	17	✓			205/45, 205/50, 215/45, 225/45	
	77,2	X	alle Varianten	7,0 x 17	49	5	114,3	X70174950921..	17	✓			205/45, 205/50, 215/45, 225/45	
	77,2	D	alle Varianten	7,5 x 17	38	5	114,3	D75173850921..	17	✓				205/45, 205/50, 215/45,...
	77,2	B	Silber	7,5 x 17	40	5	114,3	B757405092118	17	✓			205/45	205/50, 215/45, 225/45
	77,2	E	alle Varianten	7,5 x 17	45	5	114,3	E7574550921..	17	✓			205/45, 215/45	205/50, 225/45
	77	H	alle Varianten	7,5 x 17	45	5	114,3	H75174550921..	17	✓			205/45, 215/45	205/50, 225/45
	77,2	W	alle Varianten	7,5 x 17	45	5	114,3	W75174550921..	17	✓			205/45, 215/45	205/50, 225/45
	77	Y	alle Varianten	7,5 x 17	45	5	114,3	Y75174550921..	17	✓			215/45	205/50, 225/45
	77,2	N	alle Varianten	7,5 x 17	47	5	114,3	N7574750921..	17	✓			205/45, 215/45	205/50, 225/45
	77,2	S	alle Varianten	7,5 x 18	48	5	114,3	S75184850921..	17	✓			205/40, 205/45, 215/40, 225/35, 225/40	

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	77	P	Silber	7,5 x 18	49	5	114,3	P7518495092118	17	✓			205/40, 205/45, 215/40, 225/35, 225/40	
	77,2	D	alle Varianten	8,0 x 18	42	5	114,3	D80184250921..	17	✓				205/40, 215/40, 225/35,...
	77,2	O	alle Varianten	8,0 x 18	42	5	114,3	O80184250921..	17	✓				205/40, 215/40, 225/35,...
	77,2	F	Schwarz matt	8,0 x 18	45	5	114,3	F8018455092122	17	✓		205/40		215/40, 225/35, 225/40,...
	77,2	W	alle Varianten	8,0 x 18	50	5	114,3	W80185050921..	17	✓			205/40, 215/40, 225/35, 225/40	
	77,2	P	Silber	7,5 x 19	40	5	114,3	P7519405092118	17	✓				215/35, 225/35
	77	P	Silber	7,5 x 19	50	5	114,3	P7519505092118	17	✓			215/35, 225/35	
	77,2	D	alle Varianten	8,0 x 19	45	5	114,3	D80194550921..	17	✓				215/35, 225/35
	77,2	O	alle Varianten	8,0 x 19	45	5	114,3	O80194550921..	17	✓				215/35, 225/35
	77	S	alle Varianten	8,0 x 19	45	5	114,3	S80194550921..	17	✓				215/35, 225/35
	77,2	W	alle Varianten	8,0 x 19	45	5	114,3	W80194550921..	17	✓				215/35, 225/35
IONIQ Plug-in-Hybrid	77	Z	Silber	6,5 x 16	40	5	114,3	Z6516405092118	17	✓				205/55, 215/50, 225/50
Typ AE	77	Za	Anthrazit matt	6,5 x 16	40	5	114,3	Z6516405092115	17	✓				205/55, 215/50, 225/50
	77	B	Silber	6,5 x 16	45	5	114,3	B656455092118	17	✓		205/55		215/50, 225/50
	77	P	Silber	6,5 x 16	45	5	114,3	P6516455092118	17	✓			205/55	215/50, 225/50
	77	S	alle Varianten	6,5 x 16	45	5	114,3	S65164550921..	17	✓			205/55	215/50, 225/50
	77	X	alle Varianten	6,5 x 16	45	5	114,3	X65164550921..	17	✓			205/55	215/50, 225/50
	77	E	alle Varianten	6,5 x 16	50	5	114,3	E6565050921..	17	✓			205/55, 215/50, 225/50	
	77	N	Silber	6,5 x 16	50	5	114,3	N656505092118	17	✓			205/55, 215/50, 225/50	
	77	PE	Silber	6,5 x 16	50	5	114,3	PE6516505094718	Serie	✓		✓	205/55	
	77	Z	Silber	6,5 x 16	50	5	114,3	Z6516505092118	17	✓			205/55, 215/50, 225/50	
	77	Za	Anthrazit matt	6,5 x 16	50	5	114,3	Z6516505092115	17	✓			205/55, 215/50, 225/50	
	77	Y	alle Varianten	7,0 x 16	38	5	114,3	Y70163850921..	17	✓				205/55, 215/50
	77	H	alle Varianten	7,0 x 16	45	5	114,3	H70164550921..	17	✓			205/55	215/50, 225/50
	77	W	alle Varianten	7,0 x 16	45	5	114,3	W70164550921..	17	✓			205/55	215/50, 225/50
	77	Y	alle Varianten	7,0 x 16	45	5	114,3	Y70164550921..	17	✓			205/55	215/50, 225/50
	77	S	alle Varianten	7,0 x 17	45	5	114,3	S70174550921..	17	✓			205/45, 205/50, 215/45, 225/45	
	77	Z	Silber	7,0 x 17	46	5	114,3	Z7017465092118	17	✓			205/45, 205/50, 215/45, 225/45	
	77	Za	Anthrazit matt	7,0 x 17	46	5	114,3	Z7017465092115	17	✓			205/45, 205/50, 215/45, 225/45	
	77	P	Silber	7,0 x 17	48	5	114,3	P7017485092118	17	✓			205/45, 205/50, 215/45, 225/45	
	77	X	alle Varianten	7,0 x 17	49	5	114,3	X70174950921..	17	✓			205/45, 205/50, 215/45, 225/45	
	77	D	alle Varianten	7,5 x 17	38	5	114,3	D75173850921..	17	✓				205/45, 205/50, 215/45,...
	77	Y	alle Varianten	7,5 x 17	38	5	114,3	Y75173850921..	17	✓				205/45, 205/50, 215/45,...
	77	B	Silber	7,5 x 17	40	5	114,3	B757405092118	17	✓			205/45	205/50, 215/45, 225/45
	77	E	alle Varianten	7,5 x 17	45	5	114,3	E7574550921..	17	✓			205/45, 215/45	205/50, 225/45
	77	H	alle Varianten	7,5 x 17	45	5	114,3	H75174550921..	17	✓			205/45, 215/45	205/50, 225/45
	77	W	alle Varianten	7,5 x 17	45	5	114,3	W75174550921..	17	✓			205/45, 215/45	205/50, 225/45
	77	Y	alle Varianten	7,5 x 17	45	5	114,3	Y75174550921..	17	✓			215/45	205/50, 225/45
	77	N	alle Varianten	7,5 x 17	47	5	114,3	N7574750921..	17	✓			205/45, 215/45	205/50, 225/45
	77	S	alle Varianten	7,5 x 18	48	5	114,3	S75184850921..	17	✓			205/40, 205/45, 215/40, 225/35, 225/40	
	77	P	Silber	7,5 x 18	49	5	114,3	P7518495092118	17	✓			205/40, 205/45, 215/40, 225/35, 225/40	
	77	P	Silber	7,5 x 19	50	5	114,3	P7519505092118	17	✓				
	77	S	alle Varianten	8,0 x 19	45	5	114,3	S80194550921..	17	✓				215/35, 225/35
Kona	88	B	Silber	6,5 x 16	45	5	114,3	B656455092118	17	✓			205/60, 215/55, 215/60, 225/55	
Typ OS	88	P	Silber	6,5 x 16	45	5	114,3	P6516455092118	17	✓			205/60, 215/55, 215/60, 225/55	
	88	S	alle Varianten	6,5 x 16	45	5	114,3	S65164550921..	17	✓			205/60, 215/55, 215/60, 225/55	
	88	X	alle Varianten	6,5 x 16	45	5	114,3	X65164550921..	17	✓			205/60, 215/55, 215/60, 225/55	
	88	Z	Silber	6,5 x 16	50	5	114,3	Z6516505092118	17	✓			205/60, 215/55, 215/60, 225/55	
	88	Za	Anthrazit matt	6,5 x 16	50	5	114,3	Z6516505092115	17	✓			205/60, 215/55, 215/60, 225/55	

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
88	E	Silber	7,0 x 16	45	5	114,3	E706455092118	17	✓				205/60, 215/55, 215/60, 225/55	235/50
88	W	alle Varianten	7,0 x 16	45	5	114,3	W70164550921..	17	✓				205/60, 215/55, 215/60, 225/55	235/50
88	Y	alle Varianten	7,0 x 16	45	5	114,3	Y70164550921..	17	✓				205/60, 215/55, 215/60, 225/55	235/50
88	S	alle Varianten	7,0 x 17	45	5	114,3	S70174550921..	17	✓				205/55, 215/50, 215/55, 225/50	235/50
88	Z	Silber	7,0 x 17	46	5	114,3	Z7017465092118	17	✓				205/55, 215/50, 215/55, 225/50	235/50
88	Za	Anthrazit matt	7,0 x 17	46	5	114,3	Z7017465092115	17	✓				205/55, 215/50, 215/55, 225/50	235/50
88	P	Silber	7,0 x 17	48	5	114,3	P7017485092118	17	✓				205/55, 215/50, 215/55, 225/50	235/50
88	X	alle Varianten	7,0 x 17	49	5	114,3	X70174950921..	17	✓				205/55, 215/50, 215/55, 225/50	
88	D	alle Varianten	7,5 x 17	38	5	114,3	D75173850921..	17	✓					205/55, 215/50, 215/55,...
88	B	Silber	7,5 x 17	40	5	114,3	B757405092118	17	✓			205/55		215/50, 215/55, 225/50,...
88	E	alle Varianten	7,5 x 17	45	5	114,3	E7574550921..	17	✓				205/55, 215/50, 215/55, 235/45	225/50, 235/50
88	H	alle Varianten	7,5 x 17	45	5	114,3	H75174550921..	17	✓				205/55, 215/50, 215/55, 235/45	225/50, 235/50
88	W	alle Varianten	7,5 x 17	45	5	114,3	W75174550921..	17	✓				205/55, 215/50, 215/55, 235/45	225/50, 235/50
88	Y	alle Varianten	7,5 x 17	45	5	114,3	Y75174550921..	17	✓				205/55, 215/50, 215/55, 235/45	225/50, 235/50
88	V	alle Varianten	8,0 x 17	40	5	114,3	V80174050921..	17	✓					215/50 MF, 215/55 MF, 225/50,...
88	S	alle Varianten	7,5 x 18	48	5	114,3	S75184850921..	17	✓				215/45, 225/45, 235/45	
88	P	Silber	7,5 x 18	49	5	114,3	P7518495092118	17	✓				215/45, 225/45, 235/45	
88	E	alle Varianten	8,0 x 18	40	5	114,3	E8084050921..	17	✓				215/45	225/45, 235/40, 235/45,...
88	H	alle Varianten	8,0 x 18	40	5	114,3	H80184050921..	17	✓				215/45	225/45, 235/40, 235/45,...
88	Y	alle Varianten	8,0 x 18	40	5	114,3	Y80184050921..	17	✓				215/45	225/45, 235/40, 235/45,...
88	Z	Silber	8,0 x 18	40	5	114,3	Z8018405092118	17	✓				215/45	225/45, 235/40, 235/45,...
88	Za	Anthrazit matt	8,0 x 18	40	5	114,3	Z8018405092115	17	✓				215/45	225/45, 235/40, 235/45,...
88	D	alle Varianten	8,0 x 18	42	5	114,3	D80184250921..	17	✓				215/45	225/45, 235/40, 235/45,...
88	O	alle Varianten	8,0 x 18	42	5	114,3	O80184250921..	17	✓				215/45	225/45, 235/40, 235/45,...
88	W	alle Varianten	8,0 x 18	50	5	114,3	W80185050921..	17	✓				215/45, 225/45, 235/40, 235/45	
88	V	Kristallsilber	8,5 x 18	40	5	114,3	V8518405092125	17	✓					225/45, 235/40, 235/45,...
88	X	alle Varianten	8,5 x 18	48	5	114,3	X85184850921..	17	✓				225/45	235/40, 235/45
88	P	Silber	7,5 x 19	40	5	114,3	P7519405092118	17	✓					225/40
88	P	Silber	7,5 x 19	50	5	114,3	P7519505092118	17	✓				225/40	
88	D	alle Varianten	8,0 x 19	40	5	114,3	D80194050921..	17	✓					225/40, 235/35, 235/40,...
88	O	alle Varianten	8,0 x 19	45	5	114,3	O80194550921..	17	✓				225/40	235/35, 235/40, 245/35
88	S	alle Varianten	8,0 x 19	45	5	114,3	S80194550921..	17	✓				225/40	235/35, 235/40, 245/35
88	W	alle Varianten	8,0 x 19	45	5	114,3	W80194550921..	17	✓				225/40	235/35, 235/40, 245/35
88	R	alle Varianten	8,5 x 19	45	5	114,3	R85194550921..	17	✓					225/40, 235/35, 235/40
88	X	alle Varianten	8,5 x 19	45	5	114,3	X85194550921..	17	✓					225/40, 235/35, 235/40
88	U	alle Varianten	8,5 x 19	48	5	114,3	U85194850921..	17	✓				225/40	235/35, 235/40
88	D	alle Varianten	8,5 x 20	42	5	114,3	D85204250921..	17	✓					225/35, 235/30, 245/30
88	R	alle Varianten	8,5 x 20	45	5	114,3	R85204550921..	17	✓					225/35, 235/30, 235/35
Kona 4WD	130	S	alle Varianten	7,0 x 17	45	5	114,3	S70174550921..	17	✓			215/50, 215/55, 225/50, 235/50	
Typ OS	130	Z	Silber	7,0 x 17	46	5	114,3	Z7017465092118	17	✓			215/50, 215/55, 225/50, 235/50	
	130	Za	Anthrazit matt	7,0 x 17	46	5	114,3	Z7017465092115	17	✓			215/50, 215/55, 225/50, 235/50	
	130	P	Silber	7,0 x 17	48	5	114,3	P7017485092118	17	✓			215/50, 215/55, 225/50, 235/50	
	130	X	alle Varianten	7,0 x 17	49	5	114,3	X70174950921..	17	✓			215/50, 215/55, 225/50, 235/50	
	130	D	alle Varianten	7,5 x 17	38	5	114,3	D75173850921..	17	✓				215/50, 215/55, 225/50,...
	130	B	Silber	7,5 x 17	40	5	114,3	B757405092118	17	✓			215/50, 215/55, 235/45	225/50, 235/50
	130	E	alle Varianten	7,5 x 17	45	5	114,3	E7574550921..	17	✓			215/50, 215/55, 225/50, 235/45	235/50
	130	H	alle Varianten	7,5 x 17	45	5	114,3	H75174550921..	17	✓			215/50, 215/55, 225/50, 235/45	235/50
	130	W	alle Varianten	7,5 x 17	45	5	114,3	W75174550921..	17	✓			215/50, 215/55, 225/50, 235/45	235/50
	130	Y	alle Varianten	7,5 x 17	45	5	114,3	Y75174550921..	17	✓			215/50, 215/55, 225/50, 235/45	235/50

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part no.	Fitting kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	130	V	alle Varianten	8,0 x 17	40	5	114,3	V80174050921..	17	✓				215/50 MF, 215/55 MF, 225/50,...
	130	S	alle Varianten	7,5 x 18	48	5	114,3	S75184850921..	17	✓			215/45, 225/45, 235/45	
	130	P	Silber	7,5 x 18	49	5	114,3	P7518495092118	17	✓			215/45, 225/45, 235/45	
	130	E	alle Varianten	8,0 x 18	40	5	114,3	E8084050921..	17	✓			215/45, 225/45	235/40, 235/45, 245/40
	130	H	alle Varianten	8,0 x 18	40	5	114,3	H80184050921..	17	✓			215/45, 225/45	235/40, 235/45, 245/40
	130	Y	alle Varianten	8,0 x 18	40	5	114,3	Y80184050921..	17	✓			215/45, 225/45	235/40, 235/45, 245/40
	130	Z	Silber	8,0 x 18	40	5	114,3	Z8018405092118	17	✓			215/45, 225/45	235/40, 235/45, 245/40
	130	Za	Anthrazit matt	8,0 x 18	40	5	114,3	Z8018405092115	17	✓			215/45, 225/45	235/40, 235/45, 245/40
	130	D	alle Varianten	8,0 x 18	42	5	114,3	D80184250921..	17	✓			215/45, 225/45, 235/40, 235/45	245/40
	130	O	alle Varianten	8,0 x 18	42	5	114,3	O80184250921..	17	✓			215/45, 225/45, 235/40, 235/45	245/40
	130	W	alle Varianten	8,0 x 18	50	5	114,3	W80185050921..	17	✓			215/45, 225/45, 235/40, 235/45	
	130	V	Kristallsilber	8,5 x 18	40	5	114,3	V8518405092125	17	✓				225/45, 235/40, 235/45,...
	130	X	alle Varianten	8,5 x 18	48	5	114,3	X85184850921..	17	✓			225/45, 235/40, 235/45	
	130	P	Silber	7,5 x 19	40	5	114,3	P7519405092118	17	✓			225/40	
	130	P	Silber	7,5 x 19	50	5	114,3	P7519505092118	17	✓			225/40	
	130	D	alle Varianten	8,0 x 19	45	5	114,3	D80194550921..	17	✓			225/40, 235/35	235/40, 245/35
	130	O	alle Varianten	8,0 x 19	45	5	114,3	O80194550921..	17	✓			225/40, 235/35	235/40, 245/35
	130	S	alle Varianten	8,0 x 19	45	5	114,3	S80194550921..	17	✓			225/40, 235/35	235/40, 245/35
	130	W	alle Varianten	8,0 x 19	45	5	114,3	W80194550921..	17	✓			225/40, 235/35	235/40, 245/35
	130	R	alle Varianten	8,5 x 19	45	5	114,3	R85194550921..	17	✓			225/40, 235/35	235/40
	130	X	alle Varianten	8,5 x 19	45	5	114,3	X85194550921..	17	✓			225/40, 235/35	235/40
	130	U	alle Varianten	8,5 x 19	48	5	114,3	U85194850921..	17	✓			225/40, 235/35	235/40
	130	D	alle Varianten	8,5 x 20	42	5	114,3	D85204250921..	17	✓			225/35	235/30, 245/30
	130	R	alle Varianten	8,5 x 20	45	5	114,3	R85204550921..	17	✓			225/35, 235/30	235/35