

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part No.	Fitting-Kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
ASX	85 - 110	E	Silber	6,5 x 16	32	5	114,3	E656325092118	17	✓				215/65, 225/60
Typ GA0	85 - 110	P	Silber	6,5 x 16	36	5	114,3	P6516365092118	17	✓				215/65, 225/60, 235/60
	85 - 110	E	alle Varianten	6,5 x 16	38	5	114,3	E6563850921..	17	✓				215/65, 225/60, 235/60
	85 - 110	S	alle Varianten	6,5 x 16	38	5	114,3	S65163850921..	17	✓				215/65, 225/60, 235/60
	85 - 110	X	alle Varianten	6,5 x 16	40	5	114,3	X65164050921..	17	✓			215/65	225/60, 235/60
	85 - 110	Z	Silber	6,5 x 16	40	5	114,3	Z6516405092118	17	✓			215/65	225/60, 235/60
	85 - 110	Za	Anthrazit matt	6,5 x 16	40	5	114,3	Z6516405092115	17	✓			215/65	225/60, 235/60
	85 - 110	B	Silber	6,5 x 16	45	5	114,3	B656455092118	17	✓			215/65, 225/60	235/60
	85 - 110	P	Silber	6,5 x 16	45	5	114,3	P6516455092118	17	✓			215/65, 225/60	235/60
	85 - 110	S	alle Varianten	6,5 x 16	45	5	114,3	S65164550921..	17	✓			215/65, 225/60	235/60
	85 - 110	X	alle Varianten	6,5 x 16	45	5	114,3	X65164550921..	17	✓			215/65, 225/60	235/60
	85 - 110	PE	Silber	6,5 x 16	46	5	114,3	PE6516465094718	Serie	✓		✓	215/65	
	85 - 110	N	alle Varianten	7,0 x 16	38	5	114,3	N7063850921..	17	✓				215/65, 225/60, 235/60
	85 - 110	Y	alle Varianten	7,0 x 16	38	5	114,3	Y70163850921..	17	✓				215/65, 225/60, 235/60
	85 - 110	H	alle Varianten	7,0 x 16	40	5	114,3	H70164050921..	17	✓				215/65, 225/60, 235/60
	85 - 110	B	Silber	7,0 x 16	42	5	114,3	B706425092118	17	✓			215/65	225/60, 235/60
	85 - 110	Z	Silber	7,0 x 16	42	5	114,3	Z7016425092118	17	✓			215/65	225/60, 235/60
	85 - 110	Za	Anthrazit matt	7,0 x 16	42	5	114,3	Z7016425092115	17	✓			215/65	225/60, 235/60
	85 - 110	E	Silber	7,0 x 16	45	5	114,3	E706455092118	17	✓			215/65, 225/60	
	85 - 110	H	alle Varianten	7,0 x 16	45	5	114,3	H70164550921..	17	✓			215/65, 225/60	
	85 - 110	Y	alle Varianten	7,0 x 16	45	5	114,3	Y70164550921..	17	✓			215/65, 225/60	
	85 - 110	B	Silber	7,5 x 16	35	5	114,3	B756355092118	17	✓				215/65, 225/60
	85 - 110	P	Silber	7,0 x 17	40	5	114,3	P7017405092118	17	✓				215/60, 225/55, 235/50,...
	85 - 110	S	alle Varianten	7,0 x 17	40	5	114,3	S70174050921..	17	✓				215/60, 225/55, 235/50,...
	85 - 110	X	alle Varianten	7,0 x 17	40	5	114,3	X70174050921..	17	✓				215/60, 225/55, 235/50,...
	85 - 110	S	alle Varianten	7,0 x 17	45	5	114,3	S70174550921..	17	✓			215/60, 225/55	
	85 - 110	Z	Silber	7,0 x 17	46	5	114,3	Z7017465092118	17	✓			215/60, 225/55	
	85 - 110	Za	Anthrazit matt	7,0 x 17	46	5	114,3	Z7017465092115	17	✓			215/60, 225/55	
	85 - 110	D	alle Varianten	7,5 x 17	38	5	114,3	D75173850921..	17	✓				215/60, 225/55, 235/50,...
	85 - 110	H	alle Varianten	7,5 x 17	38	5	114,3	H75173850921..	17	✓				215/60, 225/55, 235/50,...
	85 - 110	Y	alle Varianten	7,5 x 17	38	5	114,3	Y75173850921..	17	✓				215/60, 225/55, 235/50,...
	85 - 110	B	Silber	7,5 x 17	40	5	114,3	B757405092118	17	✓				215/60, 225/55, 235/50,...
	85 - 110	E	alle Varianten	7,5 x 17	40	5	114,3	E7574050921..	17	✓				215/60, 225/55, 235/50,...
	85 - 110	N	alle Varianten	7,5 x 17	40	5	114,3	N7574050921..	17	✓				215/60, 225/55, 235/50,...
	85 - 110	S	alle Varianten	7,5 x 17	40	5	114,3	S75174050921..	17	✓				215/60, 225/55, 235/50,...
	85 - 110	Z	Silber	7,5 x 17	40	5	114,3	Z7517405092118	17	✓				215/60, 225/55, 235/50,...
	85 - 110	Za	Anthrazit matt	7,5 x 17	40	5	114,3	Z7517405092115	17	✓				215/60, 225/55, 235/50,...
	85 - 110	D	alle Varianten	7,5 x 17	45	5	114,3	D75174550921..	17	✓			215/60	225/55
	85 - 110	E	alle Varianten	7,5 x 17	45	5	114,3	E7574550921..	17	✓			215/60	225/55
	85 - 110	H	alle Varianten	7,5 x 17	45	5	114,3	H75174550921..	17	✓			215/60	225/55
	85 - 110	Y	alle Varianten	7,5 x 17	45	5	114,3	Y75174550921..	17	✓			215/60	225/55
	85 - 110	V	alle Varianten	8,0 x 17	40	5	114,3	V80174050921..	17	✓				215/60 MF, 225/55, 235/50,
	85 - 110	S	alle Varianten	7,5 x 18	38	5	114,3	S75183850921..	17	✓				215/55, 225/50, 235/45,...
	85 - 110	P	Silber	7,5 x 18	40	5	114,3	P7518405092118	17	✓				215/55, 225/50, 235/45,...
	85 - 110	W	alle Varianten	8,0 x 18	35	5	114,3	W80183550921..	17	✓				225/50, 235/45, 245/45
	85 - 110	D	alle Varianten	8,0 x 18	38	5	114,3	D80183850921..	17	✓				225/50, 235/45, 245/45
	85 - 110	O	alle Varianten	8,0 x 18	38	5	114,3	O80183850921..	17	✓				225/50, 235/45, 245/45
	85 - 110	E	alle Varianten	8,0 x 18	40	5	114,3	E8084050921..	17	✓				225/50, 235/45, 235/50,...
	85 - 110	H	alle Varianten	8,0 x 18	40	5	114,3	H80184050921..	17	✓				225/50, 235/45, 235/50,...

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part No.	Fitting-Kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	85 - 110	Y	alle Varianten	8,0 x 18	40	5	114,3	Y80184050921..	17	✓				225/50, 235/45, 235/50,...
	85 - 110	Z	Silber	8,0 x 18	40	5	114,3	Z8018405092118	17	✓				225/50, 235/45, 235/50,...
	85 - 110	Za	Anthrazit matt	8,0 x 18	40	5	114,3	Z8018405092115	17	✓				225/50, 235/45, 235/50,...
	85 - 110	D	alle Varianten	8,0 x 18	42	5	114,3	D80184250921..	17	✓				225/50, 235/45, 245/45
	85 - 110	O	alle Varianten	8,0 x 18	42	5	114,3	O80184250921..	17	✓				225/50, 235/45, 245/45
	85 - 110	F	Schwarz matt	8,0 x 18	45	5	114,3	F8018455092122	17	✓				235/45
	85 - 110	V	Kristallsilber	8,5 x 18	40	5	114,3	V8518405092125	17	✓				235/45, 245/45
	85 - 110	X	alle Varianten	8,5 x 18	40	5	114,3	X85184050921..	17	✓				235/45, 245/45
	85 - 110	P	Silber	7,5 x 19	40	5	114,3	P7519405092118	17	✓				225/45, 235/45
	85 - 110	S	alle Varianten	8,0 x 19	35	5	114,3	S80193550921..	17	✓				225/45, 235/40, 235/45,...
	85 - 110	D	alle Varianten	8,0 x 19	40	5	114,3	D80194050921..	17	✓				225/45, 235/40, 235/45,...
	85 - 110	O	alle Varianten	8,0 x 19	40	5	114,3	O80194050921..	17	✓				225/45, 235/40, 235/45,...
	85 - 110	D	alle Varianten	8,0 x 19	45	5	114,3	D80194550921..	17	✓			225/45	235/40, 235/45
	85 - 110	O	alle Varianten	8,0 x 19	45	5	114,3	O80194550921..	17	✓			225/45	235/40, 235/45
	85 - 110	S	alle Varianten	8,0 x 19	45	5	114,3	S80194550921..	17	✓			225/45	235/40, 235/45
	85 - 110	W	alle Varianten	8,0 x 19	45	5	114,3	W80194550921..	17	✓			225/45	235/40, 235/45
	85 - 110	R	alle Varianten	8,5 x 19	40	5	114,3	R85194050921..	17	✓				225/45, 235/40, 235/45,...
	85 - 110	U	alle Varianten	8,5 x 19	40	5	114,3	U85194050921..	17	✓				225/45, 235/40, 235/45,...
	85 - 110	R	alle Varianten	8,5 x 19	45	5	114,3	R85194550921..	17	✓				225/45, 235/40, 235/45
	85 - 110	X	alle Varianten	8,5 x 19	45	5	114,3	X85194550921..	17	✓				225/45, 235/40, 235/45
ASX	84 - 110	E	Silber	6,5 x 16	32	5	114,3	E656325092118	17	✓				215/65, 215/70, 225/65
Typ GA0	84 - 110	P	Silber	6,5 x 16	36	5	114,3	P6516365092118	17	✓				215/65, 215/70, 225/65,...
[Facelift 2015]	84 - 110	E	alle Varianten	6,5 x 16	38	5	114,3	E6563850921..	17	✓			215/65, 215/70	225/65, 235/60
	84 - 110	S	alle Varianten	6,5 x 16	38	5	114,3	S65163850921..	17	✓			215/65, 215/70	225/65, 235/60
	84 - 110	X	alle Varianten	6,5 x 16	40	5	114,3	X65164050921..	17	✓			215/65, 215/70	225/65, 235/60
	84 - 110	Z	Silber	6,5 x 16	40	5	114,3	Z6516405092118	17	✓			215/65, 215/70	225/65, 235/60
	84 - 110	Za	Anthrazit matt	6,5 x 16	40	5	114,3	Z6516405092115	17	✓			215/65, 215/70	225/65, 235/60
	84 - 110	B	Silber	6,5 x 16	45	5	114,3	B656455092118	17	✓			215/65, 215/70, 225/65, 235/60	
	84 - 110	P	Silber	6,5 x 16	45	5	114,3	P6516455092118	17	✓			215/65, 215/70, 225/65, 235/60	
	84 - 110	S	alle Varianten	6,5 x 16	45	5	114,3	S65164550921..	17	✓			215/65, 215/70, 225/65, 235/60	
	84 - 110	X	alle Varianten	6,5 x 16	45	5	114,3	X65164550921..	17	✓			215/65, 215/70, 225/65, 235/60	
	84 - 110	PE	Silber	6,5 x 16	46	5	114,3	PE6516465094718	Serie	✓		✓	215/65, 215/70	
	84 - 110	N	alle Varianten	7,0 x 16	38	5	114,3	N7063850921..	17	✓				215/65, 215/70, 225/65,...
	84 - 110	Y	alle Varianten	7,0 x 16	38	5	114,3	Y70163850921..	17	✓				215/65, 215/70, 225/65,...
	84 - 110	H	alle Varianten	7,0 x 16	40	5	114,3	H70164050921..	17	✓			215/65, 215/70	225/65, 235/60
	84 - 110	B	Silber	7,0 x 16	42	5	114,3	B706425092118	17	✓			215/65, 215/70	225/65, 235/60
	84 - 110	Z	Silber	7,0 x 16	42	5	114,3	Z7016425092118	17	✓			215/65, 215/70	225/65, 235/60
	84 - 110	Za	Anthrazit matt	7,0 x 16	42	5	114,3	Z7016425092115	17	✓			215/65, 215/70	225/65, 235/60
	84 - 110	E	Silber	7,0 x 16	45	5	114,3	E706455092118	17	✓			215/65, 215/70, 225/65	235/60
	84 - 110	H	alle Varianten	7,0 x 16	45	5	114,3	H70164550921..	17	✓			215/65, 215/70, 225/65	235/60
	84 - 110	W	alle Varianten	7,0 x 16	45	5	114,3	W70164550921..	17	✓			215/65, 215/70, 225/65	235/60
	84 - 110	Y	alle Varianten	7,0 x 16	45	5	114,3	Y70164550921..	17	✓			215/65, 215/70, 225/65	235/60
	84 - 110	B	Silber	7,5 x 16	35	5	114,3	B756355092118	17	✓				215/65, 215/70, 225/65
	84 - 110	P	Silber	7,0 x 17	40	5	114,3	P7017405092118	17	✓			215/60	225/60, 235/55, 245/55
	84 - 110	S	alle Varianten	7,0 x 17	40	5	114,3	S70174050921..	17	✓			215/60	225/60, 235/55, 245/55
	84 - 110	X	alle Varianten	7,0 x 17	40	5	114,3	X70174050921..	17	✓				215/60, 225/60, 235/55
	84 - 110	S	alle Varianten	7,0 x 17	45	5	114,3	S70174550921..	17	✓			215/60, 225/60	235/55, 245/55
	84 - 110	Z	Silber	7,0 x 17	46	5	114,3	Z7017465092118	17	✓			215/60, 225/60	235/55, 245/55
	84 - 110	Za	Anthrazit matt	7,0 x 17	46	5	114,3	Z7017465092115	17	✓			215/60, 225/60	235/55, 245/55

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part No.	Fitting-Kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
84 - 110	D		alle Varianten	7,5 x 17	38	5	114,3	D75173850921..	17	✓				215/60, 225/60, 235/55
84 - 110	H		alle Varianten	7,5 x 17	38	5	114,3	H75173850921..	17	✓				215/60, 225/60, 235/55
84 - 110	Y		alle Varianten	7,5 x 17	38	5	114,3	Y75173850921..	17	✓				215/60, 225/60, 235/55
84 - 110	B		Silber	7,5 x 17	40	5	114,3	B757405092118	17	✓				215/60, 225/60, 235/55,...
84 - 110	E		alle Varianten	7,5 x 17	40	5	114,3	E7574050921..	17	✓				215/60, 225/60, 235/55,...
84 - 110	N		alle Varianten	7,5 x 17	40	5	114,3	N7574050921..	17	✓				215/60, 225/60, 235/55,...
84 - 110	S		alle Varianten	7,5 x 17	40	5	114,3	S75174050921..	17	✓				215/60, 225/60, 235/55,...
84 - 110	Z		Silber	7,5 x 17	40	5	114,3	Z7517405092118	17	✓				215/60, 225/60, 235/55,...
84 - 110	Za		Anthrazit matt	7,5 x 17	40	5	114,3	Z7517405092115	17	✓				215/60, 225/60, 235/55,...
84 - 110	D		alle Varianten	7,5 x 17	45	5	114,3	D75174550921..	17	✓			215/60	225/60, 235/55
84 - 110	E		alle Varianten	7,5 x 17	45	5	114,3	E7574550921..	17	✓			215/60	225/60, 235/55
84 - 110	H		alle Varianten	7,5 x 17	45	5	114,3	H75174550921..	17	✓			215/60	225/60, 235/55
84 - 110	W		alle Varianten	7,5 x 17	45	5	114,3	W75174550921..	17	✓			215/60	225/60, 235/55
84 - 110	Y		alle Varianten	7,5 x 17	45	5	114,3	Y75174550921..	17	✓			215/60	225/60, 235/55
84 - 110	V		alle Varianten	8,0 x 17	40	5	114,3	V80174050921..	17	✓				215/60 MF, 225/60, 235/55
84 - 110	S		alle Varianten	7,5 x 18	38	5	114,3	S75183850921..	17	✓				215/55, 225/55, 235/50
84 - 110	P		Silber	7,5 x 18	40	5	114,3	P7518405092118	17	✓				215/55, 225/55, 235/50,...
84 - 110	W		alle Varianten	8,0 x 18	35	5	114,3	W80183550921..	17	✓				225/55
84 - 110	D		alle Varianten	8,0 x 18	38	5	114,3	D80183850921..	17	✓				225/55
84 - 110	O		alle Varianten	8,0 x 18	38	5	114,3	O80183850921..	17	✓				225/55
84 - 110	E		alle Varianten	8,0 x 18	40	5	114,3	E8084050921..	17	✓				225/55, 235/50, 255/45
84 - 110	H		alle Varianten	8,0 x 18	40	5	114,3	H80184050921..	17	✓				225/55, 235/50, 255/45
84 - 110	Y		alle Varianten	8,0 x 18	40	5	114,3	Y80184050921..	17	✓				225/55, 235/50, 255/45
84 - 110	Z		Silber	8,0 x 18	40	5	114,3	Z8018405092118	17	✓				225/55, 235/50, 255/45
84 - 110	Za		Anthrazit matt	8,0 x 18	40	5	114,3	Z8018405092115	17	✓				225/55, 235/50, 255/45
84 - 110	D		alle Varianten	8,0 x 18	42	5	114,3	D80184250921..	17	✓				225/55, 235/50, 255/45
84 - 110	O		alle Varianten	8,0 x 18	42	5	114,3	O80184250921..	17	✓				225/55, 235/50, 255/45
84 - 110	F		Schwarz matt	8,0 x 18	45	5	114,3	F8018455092122	17	✓				225/55, 235/50, 255/45
84 - 110	P		Silber	7,5 x 19	40	5	114,3	P7519405092118	17	✓			225/45	235/45, 245/45
84 - 110	S		alle Varianten	8,0 x 19	35	5	114,3	S80193550921..	17	✓				225/45, 235/45, 245/45
84 - 110	D		alle Varianten	8,0 x 19	40	5	114,3	D80194050921..	17	✓				225/45, 235/45, 245/45
84 - 110	O		alle Varianten	8,0 x 19	40	5	114,3	O80194050921..	17	✓				225/45, 235/45, 245/45
84 - 110	D		alle Varianten	8,0 x 19	45	5	114,3	D80194550921..	17	✓			225/45, 235/45	245/45
84 - 110	O		alle Varianten	8,0 x 19	45	5	114,3	O80194550921..	17	✓			225/45, 235/45	245/45
84 - 110	S		alle Varianten	8,0 x 19	45	5	114,3	S80194550921..	17	✓			225/45, 235/45	245/45
84 - 110	W		alle Varianten	8,0 x 19	45	5	114,3	W80194550921..	17	✓			225/45, 235/45	245/45
84 - 110	R		alle Varianten	8,5 x 19	40	5	114,3	R85194050921..	17	✓				225/45, 235/45, 245/45
84 - 110	U		alle Varianten	8,5 x 19	40	5	114,3	U85194050921..	17	✓				225/45, 235/45, 245/45
84 - 110	R		alle Varianten	8,5 x 19	45	5	114,3	R85194550921..	17	✓			225/45	235/45, 245/45
84 - 110	X		alle Varianten	8,5 x 19	45	5	114,3	X85194550921..	17	✓			225/45	235/45, 245/45
84 - 110	D		alle Varianten	8,5 x 20	42	5	114,3	D85204250921..	17	✓				235/40, 245/40, 255/35
84 - 110	R		alle Varianten	8,5 x 20	45	5	114,3	R85204550921..	17	✓				235/40, 245/40
<b>ASX (KMV)</b>	84 - 110	E	Silber	6,5 x 16	32	5	114,3	E656325092118	17	✓			215/65, 215/70, 225/65	
Typ GA0	84 - 110	P	Silber	6,5 x 16	36	5	114,3	P6516365092118	17	✓			215/65, 215/70, 225/65, 235/60	
[Facelift 2015]	84 - 110	E	alle Varianten	6,5 x 16	38	5	114,3	E6563850921..	17	✓			215/65, 215/70, 225/65, 235/60	
	84 - 110	S	alle Varianten	6,5 x 16	38	5	114,3	S65163850921..	17	✓			215/65, 215/70, 225/65, 235/60	
	84 - 110	X	alle Varianten	6,5 x 16	40	5	114,3	X65164050921..	17	✓			215/65, 215/70, 225/65, 235/60	
	84 - 110	Z	Silber	6,5 x 16	40	5	114,3	Z6516405092118	17	✓			215/65, 215/70, 225/65, 235/60	
	84 - 110	Za	Anthrazit matt	6,5 x 16	40	5	114,3	Z6516405092115	17	✓			215/65, 215/70, 225/65, 235/60	

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part No.	Fitting-Kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
84 - 110	B	Silber	6,5 x 16	45	5	114,3	B656455092118	17	✓				215/65, 215/70, 225/65, 235/60	
84 - 110	P	Silber	6,5 x 16	45	5	114,3	P6516455092118	17	✓				215/65, 215/70, 225/65, 235/60	
84 - 110	S	alle Varianten	6,5 x 16	45	5	114,3	S65164550921..	17	✓				215/65, 215/70, 225/65, 235/60	
84 - 110	X	alle Varianten	6,5 x 16	45	5	114,3	X65164550921..	17	✓				215/65, 215/70, 225/65, 235/60	
84 - 110	PE	Silber	6,5 x 16	46	5	114,3	PE6516465094718	Serie	✓			✓	215/65, 215/70	
84 - 110	N	alle Varianten	7,0 x 16	38	5	114,3	N7063850921..	17	✓				215/65, 215/70, 225/65, 235/60	
84 - 110	Y	alle Varianten	7,0 x 16	38	5	114,3	Y70163850921..	17	✓				215/65, 215/70, 225/65, 235/60	
84 - 110	H	alle Varianten	7,0 x 16	40	5	114,3	H70164050921..	17	✓				215/65, 215/70, 225/65, 235/60	
84 - 110	B	Silber	7,0 x 16	42	5	114,3	B706425092118	17	✓				215/65, 215/70, 225/65, 235/60	
84 - 110	Z	Silber	7,0 x 16	42	5	114,3	Z7016425092118	17	✓				215/65, 215/70, 225/65, 235/60	
84 - 110	Za	Anthrazit matt	7,0 x 16	42	5	114,3	Z7016425092115	17	✓				215/65, 215/70, 225/65, 235/60	
84 - 110	E	Silber	7,0 x 16	45	5	114,3	E706455092118	17	✓				215/65, 215/70, 225/65, 235/60	
84 - 110	H	alle Varianten	7,0 x 16	45	5	114,3	H70164550921..	17	✓				215/65, 215/70, 225/65, 235/60	
84 - 110	W	alle Varianten	7,0 x 16	45	5	114,3	W70164550921..	17	✓				215/65, 215/70, 225/65, 235/60	
84 - 110	Y	alle Varianten	7,0 x 16	45	5	114,3	Y70164550921..	17	✓				215/65, 215/70, 225/65, 235/60	
84 - 110	B	Silber	7,5 x 16	35	5	114,3	B756355092118	17	✓				215/65, 215/70, 225/65	
84 - 110	P	Silber	7,0 x 17	40	5	114,3	P7017405092118	17	✓				215/60, 225/60, 235/55	
84 - 110	S	alle Varianten	7,0 x 17	40	5	114,3	S70174050921..	17	✓				215/60, 225/60, 235/55	
84 - 110	X	alle Varianten	7,0 x 17	40	5	114,3	X70174050921..	17	✓				215/60, 225/60, 235/55	
84 - 110	S	alle Varianten	7,0 x 17	45	5	114,3	S70174550921..	17	✓				215/60, 225/60, 235/55, 245/55	
84 - 110	Z	Silber	7,0 x 17	46	5	114,3	Z7017465092118	17	✓				215/60, 225/60, 235/55, 245/55	
84 - 110	Za	Anthrazit matt	7,0 x 17	46	5	114,3	Z7017465092115	17	✓				215/60, 225/60, 235/55, 245/55	
84 - 110	D	alle Varianten	7,5 x 17	38	5	114,3	D75173850921..	17	✓				215/60, 225/60, 235/55	
84 - 110	H	alle Varianten	7,5 x 17	38	5	114,3	H75173850921..	17	✓				215/60, 225/60, 235/55	
84 - 110	Y	alle Varianten	7,5 x 17	38	5	114,3	Y75173850921..	17	✓				215/60, 225/60, 235/55	
84 - 110	B	Silber	7,5 x 17	40	5	114,3	B757405092118	17	✓				215/60, 225/60, 235/55, 245/55	
84 - 110	E	alle Varianten	7,5 x 17	40	5	114,3	E7574050921..	17	✓				215/60, 225/60, 235/55, 245/55	
84 - 110	N	alle Varianten	7,5 x 17	40	5	114,3	N7574050921..	17	✓				215/60, 225/60, 235/55, 245/55	
84 - 110	S	alle Varianten	7,5 x 17	40	5	114,3	S75174050921..	17	✓				215/60, 225/60, 235/55, 245/55	
84 - 110	Z	Silber	7,5 x 17	40	5	114,3	Z7517405092118	17	✓				215/60, 225/60, 235/55, 245/55	
84 - 110	Za	Anthrazit matt	7,5 x 17	40	5	114,3	Z7517405092115	17	✓				215/60, 225/60, 235/55, 245/55	
84 - 110	D	alle Varianten	7,5 x 17	45	5	114,3	D75174550921..	17	✓				215/60, 225/60, 235/55	
84 - 110	E	alle Varianten	7,5 x 17	45	5	114,3	E7574550921..	17	✓				215/60, 225/60, 235/55	
84 - 110	H	alle Varianten	7,5 x 17	45	5	114,3	H75174550921..	17	✓				215/60, 225/60, 235/55	
84 - 110	W	alle Varianten	7,5 x 17	45	5	114,3	W75174550921..	17	✓				215/60, 225/60, 235/55	
84 - 110	Y	alle Varianten	7,5 x 17	45	5	114,3	Y75174550921..	17	✓				215/60, 225/60, 235/55	
84 - 110	V	alle Varianten	8,0 x 17	40	5	114,3	V80174050921..	17	✓				215/60 MF, 225/60, 235/55	
84 - 110	S	alle Varianten	7,5 x 18	38	5	114,3	S75183850921..	17	✓				215/55, 225/55, 235/50	
84 - 110	P	Silber	7,5 x 18	40	5	114,3	P7518405092118	17	✓				215/55, 225/55, 235/50	245/50
84 - 110	W	alle Varianten	8,0 x 18	35	5	114,3	W80183550921..	17	✓				225/55	
84 - 110	D	alle Varianten	8,0 x 18	38	5	114,3	D80183850921..	17	✓				225/55	
84 - 110	O	alle Varianten	8,0 x 18	38	5	114,3	O80183850921..	17	✓				225/55	
84 - 110	E	alle Varianten	8,0 x 18	40	5	114,3	E8084050921..	17	✓				225/55, 235/50	255/45
84 - 110	H	alle Varianten	8,0 x 18	40	5	114,3	H80184050921..	17	✓				225/55, 235/50	255/45
84 - 110	Y	alle Varianten	8,0 x 18	40	5	114,3	Y80184050921..	17	✓				225/55, 235/50	255/45
84 - 110	Z	Silber	8,0 x 18	40	5	114,3	Z8018405092118	17	✓				225/55, 235/50	255/45
84 - 110	Za	Anthrazit matt	8,0 x 18	40	5	114,3	Z8018405092115	17	✓				225/55, 235/50	255/45
84 - 110	D	alle Varianten	8,0 x 18	42	5	114,3	D80184250921..	17	✓				225/55, 235/50	255/45
84 - 110	O	alle Varianten	8,0 x 18	42	5	114,3	O80184250921..	17	✓				225/55, 235/50	255/45

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part No.	Fitting-Kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	84 - 110	F	Schwarz matt	8,0 x 18	45	5	114,3	F8018455092122	17	✓			225/55, 235/50, 255/45	
	84 - 110	P	Silber	7,5 x 19	40	5	114,3	P7519405092118	17	✓			225/45, 235/45, 245/45	
	84 - 110	S	alle Varianten	8,0 x 19	35	5	114,3	S80193550921..	17	✓			225/45, 235/45	245/45
	84 - 110	D	alle Varianten	8,0 x 19	40	5	114,3	D80194050921..	17	✓			225/45, 235/45, 245/45	
	84 - 110	O	alle Varianten	8,0 x 19	40	5	114,3	O80194050921..	17	✓			225/45, 235/45, 245/45	
	84 - 110	D	alle Varianten	8,0 x 19	45	5	114,3	D80194550921..	17	✓			225/45, 235/45, 245/45	
	84 - 110	O	alle Varianten	8,0 x 19	45	5	114,3	O80194550921..	17	✓			225/45, 235/45, 245/45	
	84 - 110	S	alle Varianten	8,0 x 19	45	5	114,3	S80194550921..	17	✓			225/45, 235/45, 245/45	
	84 - 110	W	alle Varianten	8,0 x 19	45	5	114,3	W80194550921..	17	✓			225/45, 235/45, 245/45	
	84 - 110	R	alle Varianten	8,5 x 19	40	5	114,3	R85194050921..	17	✓			225/45, 235/45, 245/45	
	84 - 110	U	alle Varianten	8,5 x 19	40	5	114,3	U85194050921..	17	✓			225/45, 235/45, 245/45	
	84 - 110	R	alle Varianten	8,5 x 19	45	5	114,3	R85194550921..	17	✓			225/45, 235/45, 245/45	
	84 - 110	X	alle Varianten	8,5 x 19	45	5	114,3	X85194550921..	17	✓			225/45, 235/45, 245/45	
	84 - 110	D	alle Varianten	8,5 x 20	42	5	114,3	D85204250921..	17	✓			235/40	245/40, 255/35
	84 - 110	R	alle Varianten	8,5 x 20	45	5	114,3	R85204550921..	17	✓			235/40, 245/40	
<b>Colt</b>	50 - 80	N	Silber	5,5 x 14	38	4	114,3	N554384092118	19				175/65, 185/60, 195/55 (max. 70 kW), 195/60 (max. 70 kW)	
Typ Z30, Z30G, Z3V	50 - 110	N	Silber	6,0 x 15	44	4	114,3	N605444092118	19				185/55, 195/50	205/50
<b>Colt CZC</b>	80 - 110	N	Silber	6,0 x 15	44	4	114,3	N605444092118	19				185/55 M+S, 195/50	205/50 (max. 80 kW)
Typ Z3B														
<b>Grandis</b>													Nähere Informationen in unserem Konfigurator unter: <a href="http://www.autec-wheels.de">www.autec-wheels.de</a>	
Typ NA0W													Further information in our configurator at: <a href="http://www.autec-wheels.de">www.autec-wheels.de</a>	
<b>Lancer Limousine</b>													Nähere Informationen in unserem Konfigurator unter: <a href="http://www.autec-wheels.de">www.autec-wheels.de</a>	
<b>Lancer Sportback</b>													Further information in our configurator at: <a href="http://www.autec-wheels.de">www.autec-wheels.de</a>	
<b>Lancer Ralliart</b>														
Typ CY0														
<b>Lancer Evolution X</b>	217	X	alle Varianten	8,5 x 18	35	5	114,3	X85183550921..	17	✓			245/40, 255/35	
Typ CZ0	217	U	alle Varianten	9,0 x 20	38	5	114,3	U90203850921..	17	✓			245/30	
	217	V	Kristallsilber	9,0 x 20	38	5	114,3	V9020385092125	17	✓			245/30	
<b>Outlander (II)</b>													Nähere Informationen in unserem Konfigurator unter: <a href="http://www.autec-wheels.de">www.autec-wheels.de</a>	
Typ CW0, CWB													Further information in our configurator at: <a href="http://www.autec-wheels.de">www.autec-wheels.de</a>	
<b>Outlander (III)</b>	108, 110	E	Silber	6,5 x 16	32	5	114,3	E656325092118	17	✓			215/70, 225/65, 235/60, 235/65	
Typ CW0	108, 110	P	Silber	6,5 x 16	36	5	114,3	P6516365092118	17	✓			215/70, 225/65, 235/60, 235/65	
[ab MJ 2013]	108, 110	E	alle Varianten	6,5 x 16	38	5	114,3	E6563850921..	17	✓			215/70, 225/65, 235/60, 235/65	
	108, 110	S	alle Varianten	6,5 x 16	38	5	114,3	S65163850921..	17	✓			215/70 (1.360 kg), 225/65 (1.360 kg), 235/60 (1.360 kg),...	
	108, 110	X	alle Varianten	6,5 x 16	40	5	114,3	X65164050921..	17	✓			215/70, 225/65, 235/60, 235/65	
	108, 110	N	alle Varianten	7,0 x 16	38	5	114,3	N7063850921..	17	✓			215/70 (1.260 kg), 225/65 (1.280 kg), 235/60 (1.290 kg),...	255/55 (1.300 kg),...
	108, 110	Y	alle Varianten	7,0 x 16	38	5	114,3	Y70163850921..	17	✓			215/70, 225/65, 235/60, 235/65 (1.380 kg), 245/60	255/55, 255/60 (1.380 kg)
	108, 110	H	alle Varianten	7,0 x 16	40	5	114,3	H70164050921..	17	✓			215/70 (1.390 kg), 225/65, 235/60, 235/65 (1.380 kg), 245/60	255/55, 255/60 (1.380 kg)
	108, 110	B	Silber	7,5 x 16	35	5	114,3	B756355092118	17	✓			215/70 MF, 225/65	235/60, 235/65, 245/60,...
	108, 110	P	Silber	7,0 x 17	40	5	114,3	P7017405092118	17	✓			215/60, 215/65, 225/60, 235/55, 235/60, 245/55	
	108, 110	S	alle Varianten	7,0 x 17	40	5	114,3	S70174050921..	17	✓			215/60 (1.360 kg), 215/65 (1.360 kg), 225/60 (1.360 kg),...	
	108, 110	X	alle Varianten	7,0 x 17	40	5	114,3	X70174050921..	17	✓			215/60, 215/65, 225/60, 235/55, 235/60, 245/55	
	108, 110	D	alle Varianten	7,5 x 17	38	5	114,3	D75173850921..	17	✓			215/60, 215/65, 225/60, 235/55, 235/60	245/55
	108, 110	H	alle Varianten	7,5 x 17	38	5	114,3	H75173850921..	17	✓			215/60, 215/65, 225/60, 235/55, 235/60	245/55
	108, 110	Y	alle Varianten	7,5 x 17	38	5	114,3	Y75173850921..	17	✓			215/60, 215/65, 225/60, 235/55, 235/60	245/55
	108, 110	B	Silber	7,5 x 17	40	5	114,3	B757405092118	17	✓			215/60, 215/65, 225/60, 235/55, 235/60, 245/55	
	108, 110	E	alle Varianten	7,5 x 17	40	5	114,3	E7574050921..	17	✓			215/60, 215/65, 225/60, 235/55, 235/60, 245/55	
	108, 110	N	alle Varianten	7,5 x 17	40	5	114,3	N7574050921..	17	✓			215/60, 215/65, 225/60, 235/55, 235/60, 245/55	
	108, 110	S	alle Varianten	7,5 x 17	40	5	114,3	S75174050921..	17	✓			215/60 (1.360 kg), 215/65 (1.360 kg), 225/60 (1.360 kg),...	

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part No.	Fitting-Kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
108, 110	Z	Silber	7,5 x 17	40	5	114,3	Z7517405092118	17	✓				215/60 (1.320 kg), 215/65 (1.280 kg), 225/60 (1.300 kg),...	
108, 110	Za	Anthrazit matt	7,5 x 17	40	5	114,3	Z7517405092115	17	✓				215/60 (1.320 kg), 215/65 (1.280 kg), 225/60 (1.300 kg),...	
108, 110	V	alle Varianten	8,0 x 17	40	5	114,3	V80174050921..	17	✓				225/60, 235/55, 235/60	
108, 110	S	alle Varianten	7,5 x 18	38	5	114,3	S75183850921..	17	✓				215/55 (1.360 kg), 225/55 (1.360 kg), 235/50 (1.360 kg)	245/50 (1.360 kg)
108, 110	P	Silber	7,5 x 18	40	5	114,3	P7518405092118	17	✓				215/55, 225/55, 235/50, 245/50	
108, 110	W	alle Varianten	8,0 x 18	35	5	114,3	W80183550921..	17	✓				225/55 (1.270 kg)	235/50 (1.290 kg),...
108, 110	D	alle Varianten	8,0 x 18	38	5	114,3	D80183850921..	17	✓				225/55	235/50, 245/50, 255/45
108, 110	O	alle Varianten	8,0 x 18	38	5	114,3	O80183850921..	17	✓				225/55	235/50, 245/50, 255/45
108, 110	E	alle Varianten	8,0 x 18	40	5	114,3	E8084050921..	17	✓				225/55, 235/50, 255/45	
108, 110	H	alle Varianten	8,0 x 18	40	5	114,3	H80184050921..	17	✓				225/55, 235/50, 255/45	
108, 110	Y	alle Varianten	8,0 x 18	40	5	114,3	Y80184050921..	17	✓				225/55, 235/50, 255/45	
108, 110	Z	Silber	8,0 x 18	40	5	114,3	Z8018405092118	17	✓				225/55 (1.330 kg), 235/50 (1.350 kg), 255/45 (1.360 kg)	
108, 110	Za	Anthrazit matt	8,0 x 18	40	5	114,3	Z8018405092115	17	✓				225/55 (1.330 kg), 235/50 (1.350 kg), 255/45 (1.360 kg)	
108, 110	X	alle Varianten	8,5 x 18	35	5	114,3	X85183550921..	17	✓					225/55 MF, 235/50, 245/50,
108, 110	V	Kristallsilber	8,5 x 18	40	5	114,3	V8518405092125	17	✓				225/55 MF	235/50, 255/45
108, 110	X	alle Varianten	8,5 x 18	40	5	114,3	X85184050921..	17	✓				225/55 MF	235/50, 255/45
108, 110	P	Silber	7,5 x 19	40	5	114,3	P7519405092118	17	✓				225/45, 235/45, 245/45	
108, 110	S	alle Varianten	8,0 x 19	35	5	114,3	S80193550921..	17	✓				225/45, 235/45, 245/45	255/45
108, 110	D	alle Varianten	8,0 x 19	40	5	114,3	D80194050921..	17	✓				225/45, 235/45, 245/45, 255/45	
108, 110	O	alle Varianten	8,0 x 19	40	5	114,3	O80194050921..	17	✓				225/45, 235/45, 245/45, 255/45	
108, 110	R	alle Varianten	8,5 x 19	40	5	114,3	R85194050921..	17	✓				225/45, 235/45, 245/45	255/40, 255/45
108, 110	U	alle Varianten	8,5 x 19	40	5	114,3	U85194050921..	17	✓				225/45, 235/45, 245/45	255/40, 255/45
108, 110	D	alle Varianten	8,5 x 20	36	5	114,3	D85203650921..	17	✓					245/40, 255/35, 255/40
108, 110	R	alle Varianten	8,5 x 20	36	5	114,3	R85203650921..	17	✓					245/40, 255/35, 255/40
108, 110	U	alle Varianten	9,0 x 20	38	5	114,3	U90203850921..	17	✓					245/40
108, 110	V	Kristallsilber	9,0 x 20	38	5	114,3	V9020385092125	17	✓					245/40
108, 110	X	alle Varianten	9,0 x 20	40	5	114,3	X90204050921..	17	✓				245/40	
108, 110	U	alle Varianten	9,0 x 21	40	5	114,3	U90214050921..	17	✓				245/35	
<b>Outlander (III) [4WD]</b>	110	E	Silber	6,5 x 16	32	5	114,3	E656325092118	17	✓			215/70, 225/65, 235/60, 235/65	
<b>(KMV)</b>	110	P	Silber	6,5 x 16	36	5	114,3	P6516365092118	17	✓			215/70, 225/65, 235/60, 235/65	
Typ CW0, GFO	110	E	alle Varianten	6,5 x 16	38	5	114,3	E6563850921..	17	✓			215/70, 225/65, 235/60, 235/65	
	110	S	alle Varianten	6,5 x 16	38	5	114,3	S65163850921..	17	✓			215/70 (1.360 kg), 225/65 (1.360 kg), 235/60 (1.360 kg),...	
	110	X	alle Varianten	6,5 x 16	40	5	114,3	X65164050921..	17	✓			215/70, 225/65, 235/60, 235/65	
	110	N	alle Varianten	7,0 x 16	38	5	114,3	N7063850921..	17	✓			215/70 (1.260 kg), 225/65 (1.280 kg), 235/60 (1.290 kg),...	
	110	Y	alle Varianten	7,0 x 16	38	5	114,3	Y70163850921..	17	✓			215/70, 225/65, 235/60, 235/65 (1.380 kg), 245/60, 255/55,...	
	110	H	alle Varianten	7,0 x 16	40	5	114,3	H70164050921..	17	✓			215/70 (1.390 kg), 225/65, 235/60, 235/65 (1.380 kg), 245/60, 255/55,...	
	110	B	Silber	7,5 x 16	35	5	114,3	B756355092118	17	✓			215/70 MF, 225/65, 235/60, 235/65	245/60, 255/55, 255/60
	110	P	Silber	7,0 x 17	40	5	114,3	P7017405092118	17	✓			215/60, 215/65, 225/60, 235/55, 235/60, 245/55	
	110	S	alle Varianten	7,0 x 17	40	5	114,3	S70174050921..	17	✓			215/60 (1.360 kg), 215/65 (1.360 kg), 225/60 (1.360 kg),...	
	110	X	alle Varianten	7,0 x 17	40	5	114,3	X70174050921..	17	✓			215/60, 215/65, 225/60, 235/55, 235/60, 245/55	
	110	D	alle Varianten	7,5 x 17	38	5	114,3	D75173850921..	17	✓			215/60, 215/65, 225/60, 235/55, 235/60, 245/55	
	110	H	alle Varianten	7,5 x 17	38	5	114,3	H75173850921..	17	✓			215/60, 215/65, 225/60, 235/55, 235/60, 245/55	
	110	Y	alle Varianten	7,5 x 17	38	5	114,3	Y75173850921..	17	✓			215/60, 215/65, 225/60, 235/55, 235/60, 245/55	
	110	B	Silber	7,5 x 17	40	5	114,3	B757405092118	17	✓			215/60, 215/65, 225/60, 235/55, 235/60, 245/55	
	110	E	alle Varianten	7,5 x 17	40	5	114,3	E7574050921..	17	✓			215/60, 215/65, 225/60, 235/55, 235/60, 245/55	
	110	N	alle Varianten	7,5 x 17	40	5	114,3	N7574050921..	17	✓			215/60, 215/65, 225/60, 235/55, 235/60, 245/55	
	110	S	alle Varianten	7,5 x 17	40	5	114,3	S75174050921..	17	✓			215/60 (1.360 kg), 215/65 (1.360 kg), 225/60 (1.360 kg),...	
	110	Z	Silber	7,5 x 17	40	5	114,3	Z7517405092118	17	✓			215/60 (1.320 kg), 215/65 (1.280 kg), 225/60 (1.300 kg),...	
	110	Za	Anthrazit matt	7,5 x 17	40	5	114,3	Z7517405092115	17	✓			215/60 (1.320 kg), 215/65 (1.280 kg), 225/60 (1.300 kg),...	

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part No.	Fitting-Kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	110	V	alle Varianten	8,0 x 17	40	5	114,3	V80174050921..	17	✓			225/60, 235/55, 235/60	
	110	S	alle Varianten	7,5 x 18	38	5	114,3	S75183850921..	17	✓			215/55 (1.360 kg), 225/55 (1.360 kg), 235/50 (1.360 kg),...	
	110	P	Silber	7,5 x 18	40	5	114,3	P7518405092118	17	✓			215/55, 225/55, 235/50, 245/50	
	110	W	alle Varianten	8,0 x 18	35	5	114,3	W80183550921..	17	✓			225/55 (1.270 kg), 235/50 (1.290 kg), 255/45 (1.300 kg)	245/50 (1.280 kg)
	110	D	alle Varianten	8,0 x 18	38	5	114,3	D80183850921..	17	✓			225/55, 235/50, 255/45	245/50
	110	O	alle Varianten	8,0 x 18	38	5	114,3	O80183850921..	17	✓			225/55, 235/50, 255/45	245/50
	110	E	alle Varianten	8,0 x 18	40	5	114,3	E8084050921..	17	✓			225/55, 235/50, 255/45	
	110	H	alle Varianten	8,0 x 18	40	5	114,3	H80184050921..	17	✓			225/55, 235/50, 255/45	
	110	Y	alle Varianten	8,0 x 18	40	5	114,3	Y80184050921..	17	✓			225/55, 235/50, 255/45	
	110	Z	Silber	8,0 x 18	40	5	114,3	Z8018405092118	17	✓			225/55 (1.330 kg), 235/50 (1.350 kg), 255/45 (1.360 kg)	
	110	Za	Anthrazit matt	8,0 x 18	40	5	114,3	Z8018405092115	17	✓			225/55 (1.330 kg), 235/50 (1.350 kg), 255/45 (1.360 kg)	
	110	X	alle Varianten	8,5 x 18	35	5	114,3	X85183550921..	17	✓			225/55 MF	235/50, 245/50, 255/45,...
	110	V	Kristallsilber	8,5 x 18	40	5	114,3	V8518405092125	17	✓			225/55 MF, 235/50, 255/45	
	110	X	alle Varianten	8,5 x 18	40	5	114,3	X85184050921..	17	✓			225/55 MF, 235/50, 255/45	
	110	P	Silber	7,5 x 19	40	5	114,3	P7519405092118	17	✓			225/45, 235/45, 245/45	
	110	S	alle Varianten	8,0 x 19	35	5	114,3	S80193550921..	17	✓			225/45, 235/45, 245/45, 255/45	
	110	D	alle Varianten	8,0 x 19	40	5	114,3	D80194050921..	17	✓			225/45, 235/45, 245/45, 255/45	
	110	O	alle Varianten	8,0 x 19	40	5	114,3	O80194050921..	17	✓			225/45, 235/45, 245/45, 255/45	
	110	R	alle Varianten	8,5 x 19	40	5	114,3	R85194050921..	17	✓			225/45, 235/45, 245/45, 255/40, 255/45	
	110	U	alle Varianten	8,5 x 19	40	5	114,3	U85194050921..	17	✓			225/45, 235/45, 245/45, 255/40, 255/45	
	110	D	alle Varianten	8,5 x 20	36	5	114,3	D85203650921..	17	✓			245/40	255/35, 255/40
	110	R	alle Varianten	8,5 x 20	36	5	114,3	R85203650921..	17	✓			245/40	255/35, 255/40
	110	U	alle Varianten	9,0 x 20	38	5	114,3	U90203850921..	17	✓			245/40	
	110	V	Kristallsilber	9,0 x 20	38	5	114,3	V9020385092125	17	✓			245/40	
	110	X	alle Varianten	9,0 x 20	40	5	114,3	X90204050921..	17	✓			245/40	
	110	U	alle Varianten	9,0 x 21	40	5	114,3	U90214050921..	17	✓			245/35	
<b>Outlander Hybrid (III)</b>	89	E	Silber	6,5 x 16	32	5	114,3	E656325092118	17	✓			215/70, 225/65, 235/60, 235/65	
[4WD]	89	P	Silber	6,5 x 16	36	5	114,3	P6516365092118	17	✓			215/70, 225/65, 235/60, 235/65	
Typ CW0	89	E	alle Varianten	6,5 x 16	38	5	114,3	E6563850921..	17	✓			215/70, 225/65, 235/60, 235/65	
	89	S	alle Varianten	6,5 x 16	38	5	114,3	S65163850921..	17	✓			215/70 (1.360 kg), 225/65 (1.360 kg), 235/60 (1.360 kg),...	
	89	X	alle Varianten	6,5 x 16	40	5	114,3	X65164050921..	17	✓			215/70, 225/65, 235/60, 235/65	
	89	N	alle Varianten	7,0 x 16	38	5	114,3	N7063850921..	17	✓			215/70 (1.260 kg), 225/65 (1.280 kg), 235/60 (1.290 kg),...	
	89	Y	alle Varianten	7,0 x 16	38	5	114,3	Y70163850921..	17	✓			215/70, 225/65, 235/60, 235/65, 245/60	
	89	H	alle Varianten	7,0 x 16	40	5	114,3	H70164050921..	17	✓			215/70, 225/65, 235/60, 235/65, 245/60	
	89	B	Silber	7,5 x 16	35	5	114,3	B756355092118	17	✓			215/70 MF, 225/65	235/60, 235/65, 245/60,...
	89	P	Silber	7,0 x 17	40	5	114,3	P7017405092118	17	✓			215/60, 215/65, 225/60, 235/55, 235/60, 245/55	
	89	S	alle Varianten	7,0 x 17	40	5	114,3	S70174050921..	17	✓			215/60 (1.360 kg), 215/65 (1.360 kg), 225/60 (1.360 kg),...	
	89	X	alle Varianten	7,0 x 17	40	5	114,3	X70174050921..	17	✓			215/60, 215/65, 225/60, 235/55, 235/60, 245/55	
	89	D	alle Varianten	7,5 x 17	38	5	114,3	D75173850921..	17	✓			215/60, 215/65, 225/60, 235/55, 235/60	245/55
	89	H	alle Varianten	7,5 x 17	38	5	114,3	H75173850921..	17	✓			215/60, 215/65, 225/60, 235/55, 235/60	245/55
	89	Y	alle Varianten	7,5 x 17	38	5	114,3	Y75173850921..	17	✓			215/60, 215/65, 225/60, 235/55, 235/60	245/55
	89	B	Silber	7,5 x 17	40	5	114,3	B757405092118	17	✓			215/60, 215/65, 225/60, 235/55, 235/60, 245/55	
	89	E	alle Varianten	7,5 x 17	40	5	114,3	E7574050921..	17	✓			215/60, 215/65, 225/60, 235/55, 235/60, 245/55	
	89	N	alle Varianten	7,5 x 17	40	5	114,3	N7574050921..	17	✓			215/60, 215/65, 225/60, 235/55, 235/60, 245/55	
	89	S	alle Varianten	7,5 x 17	40	5	114,3	S75174050921..	17	✓			215/60 (1.360 kg), 215/65 (1.360 kg), 225/60 (1.360 kg),...	
	89	Z	Silber	7,5 x 17	40	5	114,3	Z7517405092118	17	✓			215/60 (1.320 kg), 215/65 (1.280 kg), 225/60 (1.300 kg),...	
	89	Za	Anthrazit matt	7,5 x 17	40	5	114,3	Z7517405092115	17	✓			215/60 (1.320 kg), 215/65 (1.280 kg), 225/60 (1.300 kg),...	
	89	V	alle Varianten	8,0 x 17	40	5	114,3	V80174050921..	17	✓			225/60, 235/55, 235/60	
	89	S	alle Varianten	7,5 x 18	38	5	114,3	S75183850921..	17	✓			215/55 (1.360 kg), 225/55 (1.360 kg), 235/50 (1.360 kg)	245/50 (1.360 kg)

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part No.	Fitting-Kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
89		P	Silber	7,5 x 18	40	5	114,3	P7518405092118	17	✓			215/55, 225/55, 235/50, 245/50	
89		W	alle Varianten	8,0 x 18	35	5	114,3	W80183550921..	17	✓			225/55 (1.270 kg)	235/50 (1.290 kg),...
89		D	alle Varianten	8,0 x 18	38	5	114,3	D80183850921..	17	✓			225/55	235/50, 245/50
89		O	alle Varianten	8,0 x 18	38	5	114,3	O80183850921..	17	✓			225/55	235/50, 245/50
89		E	alle Varianten	8,0 x 18	40	5	114,3	E8084050921..	17	✓			225/55, 235/50	
89		H	alle Varianten	8,0 x 18	40	5	114,3	H80184050921..	17	✓			225/55, 235/50	
89		Y	alle Varianten	8,0 x 18	40	5	114,3	Y80184050921..	17	✓			225/55, 235/50	
89		Z	Silber	8,0 x 18	40	5	114,3	Z8018405092118	17	✓			225/55 (1.330 kg), 235/50 (1.350 kg)	
89		Za	Anthrazit matt	8,0 x 18	40	5	114,3	Z8018405092115	17	✓			225/55 (1.330 kg), 235/50 (1.350 kg)	
89		X	alle Varianten	8,5 x 18	35	5	114,3	X85183550921..	17	✓				225/55 MF, 235/50
89		V	Kristallsilber	8,5 x 18	40	5	114,3	V8518405092125	17	✓			225/55 MF	235/50
89		X	alle Varianten	8,5 x 18	40	5	114,3	X85184050921..	17	✓			225/55 MF	235/50
89		P	Silber	7,5 x 19	40	5	114,3	P7519405092118	17	✓			225/45, 235/45, 245/45	
89		S	alle Varianten	8,0 x 19	35	5	114,3	S80193550921..	17	✓			225/45, 235/45, 245/45	
89		D	alle Varianten	8,0 x 19	40	5	114,3	D80194050921..	17	✓			225/45, 235/45, 245/45	
89		O	alle Varianten	8,0 x 19	40	5	114,3	O80194050921..	17	✓			225/45, 235/45, 245/45	
89		R	alle Varianten	8,5 x 19	40	5	114,3	R85194050921..	17	✓			225/45, 235/45, 245/45	
89		U	alle Varianten	8,5 x 19	40	5	114,3	U85194050921..	17	✓			225/45, 235/45, 245/45	
89		D	alle Varianten	8,5 x 20	36	5	114,3	D85203650921..	17	✓				245/40
89		R	alle Varianten	8,5 x 20	36	5	114,3	R85203650921..	17	✓				245/40
89		U	alle Varianten	9,0 x 20	38	5	114,3	U90203850921..	17	✓				245/40
89		V	Kristallsilber	9,0 x 20	38	5	114,3	V9020385092125	17	✓				245/40
89		X	alle Varianten	9,0 x 20	40	5	114,3	X90204050921..	17	✓			245/40	
89		U	alle Varianten	9,0 x 21	40	5	114,3	U90214050921..	17	✓			245/35	
<b>Space Star</b>	52, 59	N	alle Varianten	5,5 x 14	38	4	100	N5543840321..	15	✓			165/65	175/60, 185/55, 185/60
Typ A00, Z30	52, 59	Z	Silber	5,5 x 14	38	4	100	Z5514384031118	615	✓			165/65	175/60, 185/55, 185/60
	52, 59	Za	Anthrazit matt	5,5 x 14	38	4	100	Z5514384031115	615	✓			165/65	175/60, 185/55, 185/60
	52, 59	Z	Silber	5,5 x 14	43	4	100	Z5514434031118	615	✓			165/65, 175/60	
	52, 59	Za	Anthrazit matt	5,5 x 14	43	4	100	Z5514434031115	615	✓			165/65, 175/60	
	52, 59	N	Silber	6,0 x 15	36	4	100	N605364032118	15	✓				165/55, 165/60, 175/50,...
	52, 59	Z	Silber	6,0 x 15	36	4	100	Z6015364031118	615	✓				165/55, 165/60, 175/50,...
	52, 59	Za	Anthrazit matt	6,0 x 15	36	4	100	Z6015364031115	615	✓				165/55, 165/60, 175/50,...
	52, 59	S	alle Varianten	6,0 x 15	40	4	100	S60154040311..	615	✓			165/55, 165/60	175/50, 175/55, 195/45
	52, 59	W	alle Varianten	6,5 x 15	35	4	100	W65153540321..	15	✓				195/45, 205/45
	52, 59	P	Silber	6,5 x 16	38	4	100	P6516384031118	615	✓				195/40
	52, 59	H	alle Varianten	7,0 x 16	35	4	100	H70163540321..	15	✓				195/40