

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part No.	Fitting-Kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
Captur	66	P	Silber	6,0 x 15	35	4	100	P6015354031118	642	✓			195/65, 195/70, 205/65, 215/60, 215/65	
Typ R	66	N	Silber	6,0 x 15	36	4	100	N605364032118	42	✓			195/65, 195/70, 205/65, 215/60, 215/65	
	66	Z	Silber	6,0 x 15	36	4	100	Z6015364031118	642	✓			195/65, 195/70, 205/65, 215/60, 215/65	
	66	Za	Anthrazit matt	6,0 x 15	36	4	100	Z6015364031115	642	✓			195/65, 195/70, 205/65, 215/60, 215/65	
	66	S	alle Varianten	6,0 x 15	40	4	100	S60154040311..	642	✓			195/65, 195/70, 205/65, 215/60	
	66	W	alle Varianten	6,5 x 15	35	4	100	W65153540321..	42	✓			195/65, 195/70, 205/65, 215/60, 215/65, 225/60	
	66 - 88	P	Silber	6,5 x 16	38	4	100	P6516384031118	642	✓			195/60 (max. 66 kW), 195/65 (max. 66 kW), 205/55, 205/60, 215/55	
	66 - 88	PE	Silber	6,5 x 16	40	4	100	PE6516404031118	Serie	✓		✓	205/60	
	66 - 88	S	alle Varianten	6,5 x 16	40	4	100	S65164040311..	642	✓			195/60 (max. 66 kW), 195/65 (max. 66 kW), 205/55, 205/60, 215/55	
	66 - 88	Z	Silber	6,5 x 16	40	4	100	Z6516404031118	642	✓			195/60 (max. 66 kW), 195/65 (max. 66 kW), 205/55, 205/60, 215/55	
	66 - 88	Za	Anthrazit matt	6,5 x 16	40	4	100	Z6516404031115	642	✓			195/60 (max. 66 kW), 195/65 (max. 66 kW), 205/55, 205/60, 215/55	
	66 - 88	H	alle Varianten	7,0 x 16	35	4	100	H70163540321..	42	✓			195/60 (max. 66 kW), 195/65 (max. 66 kW), 205/55, 205/60, 215/55	
	66, 88	W	alle Varianten	7,0 x 16	35	4	100	W70163540321..	42	✓			195/60 (max. 66 kW), 195/65 (max. 66 kW), 205/55, 205/60, 215/55	
	66 - 88	Z	Silber	7,0 x 17	38	4	100	Z7017384031118	642	✓			205/50, 205/55, 215/50, 225/45	
	66 - 88	Za	Anthrazit matt	7,0 x 17	38	4	100	Z7017384031115	642	✓			205/50, 205/55, 215/50, 225/45	
	66 - 88	H	alle Varianten	7,5 x 17	38	4	100	H75173840321..	42	✓			205/50, 205/55, 215/50, 225/45, 235/45	
	66 - 88	W	alle Varianten	7,5 x 17	38	4	100	W75173840321..	42	✓			205/50, 205/55, 215/50, 225/45, 235/45	
	66, 88	W	alle Varianten	8,0 x 18	35	4	100	W80183540321..	42	✓			215/45	
													225/40, 225/45, 235/40	
Clio (III)													Nähere Informationen in unserem Konfigurator unter: www.autec-wheels.de	
Clio (III) Grandtour													Further information in our configurator at: www.autec-wheels.de	
Typ R														
Clio (III) Sport	145 - 148	Z	Silber	7,5 x 17	53	5	108	Z7517535052118	46	✓			205/45, 215/45	
Typ R	145 - 148	Za	Anthrazit matt	7,5 x 17	53	5	108	Z7517535052115	46	✓			205/45, 215/45	
Clio (IV)	48 - 87	P	Silber	6,0 x 15	35	4	100	P6015354031118	642	✓			185/60, 185/65, 195/60	
Clio (IV) Grandtour	48 - 66	N	Silber	6,0 x 15	36	4	100	N605364032118	42	✓			185/60, 185/65, 195/60	
Typ R	48 - 87	PE	Silber	6,0 x 15	40	4	100	PE6015404031118	Serie	✓		✓	185/65	
	48 - 87	S	alle Varianten	6,0 x 15	40	4	100	S60154040311..	642	✓			185/60, 185/65, 195/60, 205/55, 205/60	
	48 - 87	Z	Silber	6,0 x 15	44	4	100	Z6015444031118	642	✓			185/60, 185/65, 195/60, 205/55, 205/60	
	48 - 87	Za	Anthrazit matt	6,0 x 15	44	4	100	Z6015444031115	642	✓			185/60, 185/65, 195/60, 205/55, 205/60	
	53 - 66	B	Silber	6,5 x 15	42	4	100	B655424032118	42	✓			185/60, 185/65, 195/60, 205/55, 205/60	
	53 - 66	F	Schwarz matt	6,5 x 15	42	4	100	F6515424032122	42	✓			185/60, 185/65, 195/60, 205/55, 205/60	
	48 - 66	W	alle Varianten	6,5 x 15	42	4	100	W65154240321..	42	✓			185/60, 185/65, 195/60, 205/55, 205/60	
	48 - 88	Z	Silber	6,5 x 16	40	4	100	Z6516404031118	642	✓			195/50, 195/55	
	48 - 88	Za	Anthrazit matt	6,5 x 16	40	4	100	Z6516404031115	642	✓			195/50, 195/55	
	48 - 88	P	Silber	6,5 x 16	44	4	100	P6516444031118	642	✓			185/55 (max. 87 kW), 185/60 (max. 87 kW), 195/50, 195/55, 205/50	
	48 - 88	PE	Silber	6,5 x 16	44	4	100	PE6516444031118	Serie	✓		✓	195/55	
	48 - 88	S	alle Varianten	6,5 x 16	45	4	100	S65164540311..	642	✓			185/55 (max. 87 kW), 185/60 (max. 87 kW), 195/50, 195/55, 205/50	
	53 - 88	W	alle Varianten	7,0 x 16	35	4	100	W70163540321..	42	✓			195/50, 195/55, 205/50,...	
	53 - 88	F	Schwarz matt	7,0 x 16	44	4	100	F7016444032122	42	✓			195/50, 195/55, 215/45	
	48 - 88	H	alle Varianten	7,0 x 16	45	4	100	H70164540321..	42	✓			185/55 MF (max. 87 kW), 185/60 MF (max. 87 kW), 195/50, 195/55,...	
	48 - 88	Z	Silber	7,0 x 17	38	4	100	Z7017384031118	642	✓			195/45, 205/45	
	48 - 88	Za	Anthrazit matt	7,0 x 17	38	4	100	Z7017384031115	642	✓			195/45, 205/45	
	48 - 88	H	alle Varianten	7,5 x 17	38	4	100	H75173840321..	42	✓			195/45	
	48 - 88	W	alle Varianten	7,5 x 17	38	4	100	W75173840321..	42	✓			195/45	
													AUTEC in 18" : www.autec-wheels.de	
Clio (IV) R.S.	147	Z	Silber	7,0 x 17	46	5	114,3	Z7017465092118	25	✓			205/45 M+S	
Typ R	147	Za	Anthrazit matt	7,0 x 17	46	5	114,3	Z7017465092115	25	✓			205/45 M+S	
	147	P	Silber	7,0 x 17	48	5	114,3	P7017485092118	25	✓			205/45 M+S	
	147	X	alle Varianten	7,0 x 17	49	5	114,3	X70174950921..	25	✓			205/45 M+S	
	147	B	Silber	7,5 x 17	40	5	114,3	B757405092118	25	✓			205/45, 215/40, 215/45	
	147, 162	S	alle Varianten	7,5 x 17	40	5	114,3	S75174050921..	25	✓			205/45, 215/40, 215/45	
	147, 162	D	alle Varianten	7,5 x 17	45	5	114,3	D75174550921..	25	✓			205/45, 215/40, 215/45	

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part No.	Fitting-Kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
147, 162	E	alle Varianten	7,5 x 17	45	5	114,3	E7574550921..	25	✓				205/45, 215/40, 215/45	
147, 162	H	alle Varianten	7,5 x 17	45	5	114,3	H75174550921..	25	✓				205/45, 215/40, 215/45	
147, 162	W	alle Varianten	7,5 x 17	45	5	114,3	W75174550921..	25	✓				205/45, 215/40, 215/45	
147, 162	Y	alle Varianten	7,5 x 17	45	5	114,3	Y75174550921..	25	✓				215/40, 215/45	
147, 162	N	alle Varianten	7,5 x 17	47	5	114,3	N7574750921..	25	✓				205/45, 215/40, 215/45	
147, 162	V	alle Varianten	8,0 x 17	40	5	114,3	V80174050921..	25	✓				205/45 MF	
147, 162	S	alle Varianten	7,5 x 18	48	5	114,3	S75184850921..	25	✓				205/40, 215/35, 225/35	
147, 162	P	Silber	7,5 x 18	49	5	114,3	P7518495092118	25	✓			205/40	215/35, 225/35	
147, 162	E	alle Varianten	8,0 x 18	40	5	114,3	E8084050921..	25	✓				205/40	
147, 162	H	alle Varianten	8,0 x 18	40	5	114,3	H80184050921..	25	✓				205/40	
147, 162	Y	alle Varianten	8,0 x 18	40	5	114,3	Y80184050921..	25	✓				205/40	
147, 162	Z	Silber	8,0 x 18	40	5	114,3	Z8018405092118	25	✓				205/40	
147, 162	Za	Anthrazit matt	8,0 x 18	40	5	114,3	Z8018405092115	25	✓				205/40	
147, 162	D	alle Varianten	8,0 x 18	42	5	114,3	D80184250921..	25	✓				205/40, 215/35	
147, 162	O	alle Varianten	8,0 x 18	42	5	114,3	O80184250921..	25	✓				205/40, 215/35	
147, 162	F	Schwarz matt	8,0 x 18	45	5	114,3	F8018455092122	25	✓				205/40, 215/35	
147, 162	W	alle Varianten	8,0 x 18	50	5	114,3	W80185050921..	25	✓				205/40, 215/35	
147, 162	X	alle Varianten	8,5 x 18	48	5	114,3	X85184850921..	25	✓				215/35	
Espace												Nähere Informationen in unserem Konfigurator unter: www.autec-wheels.de		
Typ K												Further information in our configurator at: www.autec-wheels.de		
Espace	96 - 147	P	Silber	7,0 x 17	40	5	114,3	P7017405092118	92	✓			235/65, 255/60	
Typ RFC	96 - 147	S	alle Varianten	7,0 x 17	40	5	114,3	S70174050921..	92	✓			235/65, 255/60	
	96 - 147	X	alle Varianten	7,0 x 17	40	5	114,3	X70174050921..	92	✓			235/65, 255/60	
	96 - 147	D	alle Varianten	7,5 x 17	38	5	114,3	D75173850921..	92	✓			235/65	
	96 - 147	N	alle Varianten	7,5 x 17	40	5	114,3	N7574050921..	92	✓			235/65	
	96 - 147	Z	Silber	7,5 x 17	40	5	114,3	Z7517405092118	92	✓			235/65 (1.240 kg)	
	96 - 147	Za	Anthrazit matt	7,5 x 17	40	5	114,3	Z7517405092115	92	✓			235/65 (1.240 kg)	
	96 - 147	E	alle Varianten	7,5 x 17	45	5	114,3	E7574550921..	92	✓			235/65	
	96 - 165	H	alle Varianten	7,5 x 17	45	5	114,3	H75174550921..	92	✓			235/65	
	96 - 147	Y	alle Varianten	7,5 x 17	45	5	114,3	Y75174550921..	92	✓			235/65	
	96 - 147	S	alle Varianten	7,5 x 18	38	5	114,3	S75183850921..	92	✓			235/60	
	96 - 165	P	Silber	7,5 x 18	40	5	114,3	P7518405092118	92	✓			235/60, 255/55	
	96 - 147	W	alle Varianten	8,0 x 18	35	5	114,3	W80183550921..	92	✓			235/60 (1.220 kg)	
	96 - 147	E	alle Varianten	8,0 x 18	40	5	114,3	E8084050921..	92	✓			235/60	
	96 - 165	H	alle Varianten	8,0 x 18	40	5	114,3	H80184050921..	92	✓			235/60	
	96 - 147	Y	alle Varianten	8,0 x 18	40	5	114,3	Y80184050921..	92	✓			235/60	
	96 - 147	Z	Silber	8,0 x 18	40	5	114,3	Z8018405092118	92	✓			235/60 (1.280 kg)	
	96 - 147	Za	Anthrazit matt	8,0 x 18	40	5	114,3	Z8018405092115	92	✓			235/60 (1.280 kg)	
	96 - 147	D	alle Varianten	8,0 x 18	42	5	114,3	D80184250921..	92	✓			235/60	
	96 - 147	O	alle Varianten	8,0 x 18	42	5	114,3	O80184250921..	92	✓			235/60	
	96 - 147	F	Schwarz matt	8,0 x 18	45	5	114,3	F8018455092122	92	✓			235/60	
	96 - 147	X	alle Varianten	8,5 x 18	40	5	114,3	X85184050921..	92	✓			235/60	
	96 - 165	P	Silber	7,5 x 19	40	5	114,3	P7519405092118	92	✓			235/50, 235/55, 245/50	
	96 - 147	D	alle Varianten	8,0 x 19	45	5	114,3	D80194550921..	92	✓			235/50, 235/55, 245/50	
	96 - 147	O	alle Varianten	8,0 x 19	45	5	114,3	O80194550921..	92	✓			235/50, 235/55, 245/50	
	96 - 165	S	alle Varianten	8,0 x 19	45	5	114,3	S80194550921..	92	✓			235/50, 235/55, 245/50	
	96 - 147	W	alle Varianten	8,0 x 19	45	5	114,3	W80194550921..	92	✓			235/50 (1.270 kg), 235/55 (1.240 kg), 245/50 (1.260 kg)	
	96 - 147	U	alle Varianten	8,5 x 19	40	5	114,3	U85194050921..	92	✓			235/50, 235/55	
	96 - 147	R	alle Varianten	8,5 x 19	45	5	114,3	R85194550921..	92	✓			235/50, 235/55	
	96 - 165	X	alle Varianten	8,5 x 19	45	5	114,3	X85194550921..	92	✓			235/50, 235/55	
	96 - 147	D	alle Varianten	8,5 x 20	42	5	114,3	D85204250921..	92	✓			235/45, 245/45, 255/45, 265/45	
	96 - 147	R	alle Varianten	8,5 x 20	45	5	114,3	R85204550921..	92	✓			235/45, 245/45, 255/45	

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part No.	Fitting-Kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	96 - 147	V	Kristallsilber	9,0 x 20	38	5	114,3	V9020385092125	92	✓			235/45, 245/45	255/45, 265/40, 265/45
	96 - 165	X	alle Varianten	9,0 x 20	40	5	114,3	X90204050921..	92	✓			235/45, 245/45, 255/45	265/40, 265/45
	96 - 147	U	alle Varianten	9,0 x 20	45	5	114,3	U90204550921..	92	✓			235/45, 245/45	
Kadjar [2WD]	81, 96	E	Silber	6,5 x 16	32	5	114,3	E656325092118	25	✓			215/65, 225/60, 225/65	235/60
Typ RFE	81, 96	P	Silber	6,5 x 16	36	5	114,3	P6516365092118	25	✓			215/65, 225/60, 225/65, 235/60	
	81, 96	E	alle Varianten	6,5 x 16	38	5	114,3	E6563850921..	25	✓			215/65, 225/60, 225/65, 235/60	
	81, 96	S	alle Varianten	6,5 x 16	38	5	114,3	S65163850921..	25	✓			215/65, 225/60, 225/65, 235/60	
	81, 96	PE	Silber	6,5 x 16	40	5	114,3	PE6516405094518	Serie	✓		✓	215/65	
	81, 96	X	alle Varianten	6,5 x 16	40	5	114,3	X65164050921..	25	✓			215/65, 225/60, 225/65, 235/60	
	81, 96	Z	Silber	6,5 x 16	40	5	114,3	Z6516405092118	25	✓			215/65, 225/60, 225/65, 235/60	
	81, 96	Za	Anthrazit matt	6,5 x 16	40	5	114,3	Z6516405092115	25	✓			215/65, 225/60, 225/65, 235/60	
	81, 96	N	alle Varianten	7,0 x 16	38	5	114,3	N7063850921..	25	✓			215/65, 225/60, 225/65	
	81, 96	Y	alle Varianten	7,0 x 16	38	5	114,3	Y70163850921..	25	✓			215/65, 225/60, 225/65	
	81 - 120	H	alle Varianten	7,0 x 16	40	5	114,3	H70164050921..	25	✓			215/65, 225/60, 225/65	
	81, 96	B	Silber	7,5 x 16	35	5	114,3	B756355092118	25	✓			215/65, 225/60, 225/65	235/60
	81, 96	P	Silber	7,0 x 17	40	5	114,3	P7017405092118	25	✓			215/60, 225/55	
	81, 96	S	alle Varianten	7,0 x 17	40	5	114,3	S70174050921..	25	✓			215/60, 225/55	
	81, 96	SE	alle Varianten	7,0 x 17	40	5	114,3	SE70174050945..	Serie	✓		✓	215/60	
	81, 96	X	alle Varianten	7,0 x 17	40	5	114,3	X70174050921..	25	✓			215/60, 225/55	
	81, 96	D	alle Varianten	7,5 x 17	38	5	114,3	D75173850921..	25	✓			215/60, 225/55	
	81 - 120	H	alle Varianten	7,5 x 17	38	5	114,3	H75173850921..	25	✓			215/60, 225/55	
	81 - 120	Y	alle Varianten	7,5 x 17	38	5	114,3	Y75173850921..	25	✓			215/60, 225/55	
	81, 96	B	Silber	7,5 x 17	40	5	114,3	B757405092118	25	✓			215/60	
	81 - 120	E	alle Varianten	7,5 x 17	40	5	114,3	E7574050921..	25	✓			215/60	
	81, 96	N	alle Varianten	7,5 x 17	40	5	114,3	N7574050921..	25	✓			215/60	
	81 - 120	Z	Silber	7,5 x 17	40	5	114,3	Z7517405092118	25	✓			215/60	
	81 - 120	Za	Anthrazit matt	7,5 x 17	40	5	114,3	Z7517405092115	25	✓			215/60	
	81, 96	S	alle Varianten	7,5 x 18	38	5	114,3	S75183850921..	25	✓			215/50, 215/55, 225/50, 235/45, 245/45	
	81 - 120	P	Silber	7,5 x 18	40	5	114,3	P7518405092118	25	✓			215/50, 215/55, 235/45	
	81, 96	W	alle Varianten	8,0 x 18	35	5	114,3	W80183550921..	25	✓			215/55 MF, 235/45	225/50, 245/45
	81, 96	D	alle Varianten	8,0 x 18	38	5	114,3	D80183850921..	25	✓			215/55 MF, 235/45	
	81, 96	O	alle Varianten	8,0 x 18	38	5	114,3	O80183850921..	25	✓			215/55 MF, 235/45	
	81, 96	E	alle Varianten	8,0 x 18	40	5	114,3	E8084050921..	25	✓			215/55 MF, 235/45	
	81 - 120	H	alle Varianten	8,0 x 18	40	5	114,3	H80184050921..	25	✓			215/55 MF, 235/45	
	81, 96	Y	alle Varianten	8,0 x 18	40	5	114,3	Y80184050921..	25	✓			215/55 MF, 235/45	
	81 - 120	Z	Silber	8,0 x 18	40	5	114,3	Z8018405092118	25	✓			215/55 MF, 235/45	
	81 - 120	Za	Anthrazit matt	8,0 x 18	40	5	114,3	Z8018405092115	25	✓			215/55 MF, 235/45	
	81 - 120	X	alle Varianten	8,5 x 18	35	5	114,3	X85183550921..	25	✓				235/45
	81 - 120	P	Silber	7,5 x 19	40	5	114,3	P7519405092118	25	✓			225/45, 235/45	
	81 - 120	S	alle Varianten	8,0 x 19	35	5	114,3	S80193550921..	25	✓			225/45, 235/40, 235/45	245/40
	81, 96	D	alle Varianten	8,0 x 19	40	5	114,3	D80194050921..	25	✓			225/45, 235/45	
	81, 96	O	alle Varianten	8,0 x 19	40	5	114,3	O80194050921..	25	✓			225/45, 235/45	
	81, 96	R	alle Varianten	8,5 x 19	40	5	114,3	R85194050921..	25	✓			225/45	
	81, 96	U	alle Varianten	8,5 x 19	40	5	114,3	U85194050921..	25	✓			225/45	
	81, 96	D	alle Varianten	8,5 x 20	36	5	114,3	D85203650921..	25	✓			235/35	
	81, 96	R	alle Varianten	8,5 x 20	36	5	114,3	R85203650921..	25	✓			235/35	
Kadjar [4WD]	96	P	Silber	7,0 x 17	40	5	114,3	P7017405092118	25	✓			215/60, 225/55	
Typ RFE	96	S	alle Varianten	7,0 x 17	40	5	114,3	S70174050921..	25	✓			215/60, 225/55	
	96	SE	alle Varianten	7,0 x 17	40	5	114,3	SE70174050945..	Serie	✓		✓	215/60	
	96	X	alle Varianten	7,0 x 17	40	5	114,3	X70174050921..	25	✓			215/60, 225/55	
	96	D	alle Varianten	7,5 x 17	38	5	114,3	D75173850921..	25	✓			215/60, 225/55	
	96	H	alle Varianten	7,5 x 17	38	5	114,3	H75173850921..	25	✓			215/60, 225/55	

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part No.	Fitting-Kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
96	Y	alle Varianten	7,5 x 17	38	5	114,3	Y75173850921..	25	✓				215/60, 225/55	
96	B	Silber	7,5 x 17	40	5	114,3	B757405092118	25	✓				215/60	
96	E	alle Varianten	7,5 x 17	40	5	114,3	E7574050921..	25	✓				215/60	
96	N	alle Varianten	7,5 x 17	40	5	114,3	N7574050921..	25	✓				215/60	
96	Z	Silber	7,5 x 17	40	5	114,3	Z7517405092118	25	✓				215/60	
96	Za	Anthrazit matt	7,5 x 17	40	5	114,3	Z7517405092115	25	✓				215/60	
96	S	alle Varianten	7,5 x 18	38	5	114,3	S75183850921..	25	✓				215/50, 215/55, 225/50, 235/45, 245/45	
96	P	Silber	7,5 x 18	40	5	114,3	P7518405092118	25	✓				215/50, 215/55, 235/45	
96	W	alle Varianten	8,0 x 18	35	5	114,3	W80183550921..	25	✓				215/55 MF, 235/45	225/50, 245/45
96	D	alle Varianten	8,0 x 18	38	5	114,3	D80183850921..	25	✓				215/55 MF, 235/45	
96	O	alle Varianten	8,0 x 18	38	5	114,3	O80183850921..	25	✓				215/55 MF, 235/45	
96	E	alle Varianten	8,0 x 18	40	5	114,3	E8084050921..	25	✓				215/55 MF, 235/45	
96	H	alle Varianten	8,0 x 18	40	5	114,3	H80184050921..	25	✓				215/55 MF, 235/45	
96	Y	alle Varianten	8,0 x 18	40	5	114,3	Y80184050921..	25	✓				215/55 MF, 235/45	
96	Z	Silber	8,0 x 18	40	5	114,3	Z8018405092118	25	✓				215/55 MF, 235/45	
96	Za	Anthrazit matt	8,0 x 18	40	5	114,3	Z8018405092115	25	✓				215/55 MF, 235/45	
96	X	alle Varianten	8,5 x 18	35	5	114,3	X85183550921..	25	✓					235/45
96	P	Silber	7,5 x 19	40	5	114,3	P7519405092118	25	✓				225/45, 235/45	
96	S	alle Varianten	8,0 x 19	35	5	114,3	S80193550921..	25	✓				225/45, 235/40, 235/45	245/40
96	D	alle Varianten	8,0 x 19	40	5	114,3	D80194050921..	25	✓				225/45, 235/45	
96	O	alle Varianten	8,0 x 19	40	5	114,3	O80194050921..	25	✓				225/45, 235/45	
96	R	alle Varianten	8,5 x 19	40	5	114,3	R85194050921..	25	✓				225/45	
96	U	alle Varianten	8,5 x 19	40	5	114,3	U85194050921..	25	✓				225/45	
96	D	alle Varianten	8,5 x 20	36	5	114,3	D85203650921..	25	✓				235/35	
96	R	alle Varianten	8,5 x 20	36	5	114,3	R85203650921..	25	✓				235/35	
Kangoo (II)	50 - 80	W	alle Varianten	6,5 x 15	45	5	108	W65154550521..	28	✓			195/65 (1.120 kg)	205/60 (1.120 kg),...
[EWG: e2*2001/116*0364*..]	50 - 80	Y	alle Varianten	6,5 x 15	45	5	108	Y65154550521..	28	✓			195/65	205/60, 215/60
	55 - 84	E	alle Varianten	6,5 x 16	43	5	108	E6564350521..	28	✓			195/55, 195/60, 205/55, 205/60 wS	215/50, 215/55
Kangoo (II) / Rapid	50 - 80	N	Silber	6,5 x 16	45	5	108	N656455052118	28	✓			nicht alle Fzg.: 195/55, 195/60	nicht alle Fzg.: 205/55,...
[EWG: N196, e2*2007/46*0006*..]	50 - 80	X	alle Varianten	6,5 x 16	45	5	108	X65164550521..	28	✓			195/55, 195/60	205/55, 215/50, 215/55
	55 - 84	Y	alle Varianten	7,0 x 16	45	5	108	Y70164550521..	28	✓			195/55, 195/60	205/55, 215/50, 215/55
Typ W, FW	55 - 84	Z	Silber	7,0 x 16	45	5	108	Z7016455052118	28	✓			195/55, 195/60	205/55, 215/50, 215/55
	55 - 84	Za	Anthrazit matt	7,0 x 16	45	5	108	Z7016455052115	28	✓			195/55, 195/60	205/55, 215/50, 215/55
													AUTEC in 17" : www.autec-wheels.de	
Kangoo BeBop													Nähere Informationen in unserem Konfigurator unter: www.autec-wheels.de	
Typ W													Further information in our configurator at: www.autec-wheels.de	
Koleos	110 - 127	P	Silber	7,0 x 17	40	5	114,3	P7017405092118	20	✓			225/60, 235/55	
Typ Y	110 - 127	X	alle Varianten	7,0 x 17	40	5	114,3	X70174050921..	20	✓			225/60, 235/55	
	110 - 127	D	alle Varianten	7,5 x 17	38	5	114,3	D75173850921..	20	✓			225/60, 235/55	
	110 - 127	H	alle Varianten	7,5 x 17	38	5	114,3	H75173850921..	20	✓			225/60, 235/55	
	110 - 127	Y	alle Varianten	7,5 x 17	38	5	114,3	Y75173850921..	20	✓			225/60, 235/55	
	110 - 127	B	Silber	7,5 x 17	40	5	114,3	B757405092118	20	✓			225/60, 235/55	
	110 - 127	E	alle Varianten	7,5 x 17	40	5	114,3	E7574050921..	20	✓			225/60, 235/55	
	110 - 127	N	alle Varianten	7,5 x 17	40	5	114,3	N7574050921..	20	✓			225/60, 235/55	
	110 - 127	S	alle Varianten	7,5 x 17	40	5	114,3	S75174050921..	20	✓			225/60, 235/55	
	110 - 127	Z	Silber	7,5 x 17	40	5	114,3	Z7517405092118	20	✓			225/60, 235/55	
	110 - 127	Za	Anthrazit matt	7,5 x 17	40	5	114,3	Z7517405092115	20	✓			225/60, 235/55	
	110 - 127	V	alle Varianten	8,0 x 17	40	5	114,3	V80174050921..	20	✓			225/60	
	110 - 127	S	alle Varianten	7,5 x 18	38	5	114,3	S75183850921..	20	✓			225/50, 225/55, 235/50	
	110 - 127	P	Silber	7,5 x 18	40	5	114,3	P7518405092118	20	✓			225/50, 225/55, 235/50	
	110 - 127	W	alle Varianten	8,0 x 18	35	5	114,3	W80183550921..	20	✓			225/50, 225/55, 235/50, 255/45	
	110 - 127	D	alle Varianten	8,0 x 18	38	5	114,3	D80183850921..	20	✓			225/50, 225/55, 235/50, 255/45	

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part No.	Fitting-Kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	110 - 127	O	alle Varianten	8,0 x 18	38	5	114,3	080183850921..	20	✓			225/50, 225/55, 235/50, 255/45	
	110 - 127	E	alle Varianten	8,0 x 18	40	5	114,3	E8084050921..	20	✓			225/50, 225/55	
	110 - 127	H	alle Varianten	8,0 x 18	40	5	114,3	H80184050921..	20	✓			225/50, 225/55	
	110 - 127	Y	alle Varianten	8,0 x 18	40	5	114,3	Y80184050921..	20	✓			225/50, 225/55	
	110 - 127	Z	Silber	8,0 x 18	40	5	114,3	Z8018405092118	20	✓			225/50, 225/55	
	110 - 127	Za	Anthrazit matt	8,0 x 18	40	5	114,3	Z8018405092115	20	✓			225/50, 225/55	
	110 - 127	X	alle Varianten	8,5 x 18	35	5	114,3	X85183550921..	20	✓			235/50, 255/45	
	110 - 127	S	alle Varianten	8,0 x 19	35	5	114,3	S80193550921..	20	✓			225/45, 235/45, 245/45	
	110 - 127	D	alle Varianten	8,0 x 19	40	5	114,3	D80194050921..	20	✓			225/45, 235/45, 245/45	
	110 - 127	O	alle Varianten	8,0 x 19	40	5	114,3	O80194050921..	20	✓			225/45, 235/45, 245/45	
	110 - 127	R	alle Varianten	8,5 x 19	40	5	114,3	R85194050921..	20	✓			225/45, 235/45	
	110 - 127	U	alle Varianten	8,5 x 19	40	5	114,3	U85194050921..	20	✓			225/45, 235/45	
AUTEK in 20" : www.autek-wheels.de														
Koleos	96, 130	P	Silber	7,0 x 17	40	5	114,3	P7017405092118	20	✓			225/65, 235/60, 235/65	
Typ RZG	96, 130	X	alle Varianten	7,0 x 17	40	5	114,3	X70174050921..	20	✓			225/65, 235/60, 235/65	
	96, 130	D	alle Varianten	7,5 x 17	38	5	114,3	D75173850921..	20	✓			225/65, 235/60, 235/65	
	96, 130	H	alle Varianten	7,5 x 17	38	5	114,3	H75173850921..	20	✓			225/65, 235/60, 235/65	
	96, 130	Y	alle Varianten	7,5 x 17	38	5	114,3	Y75173850921..	20	✓			225/65, 235/60, 235/65	
	96, 130	B	Silber	7,5 x 17	40	5	114,3	B757405092118	20	✓			225/65, 235/60, 235/65	
	96, 130	E	alle Varianten	7,5 x 17	40	5	114,3	E7574050921..	20	✓			225/65, 235/60, 235/65	
	96, 130	N	alle Varianten	7,5 x 17	40	5	114,3	N7574050921..	20	✓			225/65, 235/60, 235/65	
	96, 130	S	alle Varianten	7,5 x 17	40	5	114,3	S75174050921..	20	✓			225/65, 235/60, 235/65	
	96, 130	Z	Silber	7,5 x 17	40	5	114,3	Z7517405092118	20	✓			225/65 (1.260 kg), 235/60, 235/65 (1.240 kg)	
	96, 130	Za	Anthrazit matt	7,5 x 17	40	5	114,3	Z7517405092115	20	✓			225/65 (1.260 kg), 235/60, 235/65 (1.240 kg)	
	96, 130	V	alle Varianten	8,0 x 17	40	5	114,3	V80174050921..	20	✓			225/65, 235/60, 235/65	
	96, 130	S	alle Varianten	7,5 x 18	38	5	114,3	S75183850921..	20	✓			225/60, 235/55	
	96, 130	P	Silber	7,5 x 18	40	5	114,3	P7518405092118	20	✓			225/60, 235/55	
	96, 130	W	alle Varianten	8,0 x 18	35	5	114,3	W80183550921..	20	✓			225/60 (1.240 kg), 235/55 (1.250 kg)	
	96, 130	D	alle Varianten	8,0 x 18	38	5	114,3	D80183850921..	20	✓			225/60, 235/55	
	96, 130	O	alle Varianten	8,0 x 18	38	5	114,3	O80183850921..	20	✓			225/60, 235/55	
	96, 130	E	alle Varianten	8,0 x 18	40	5	114,3	E8084050921..	20	✓			225/60, 235/55	
	96, 130	H	alle Varianten	8,0 x 18	40	5	114,3	H80184050921..	20	✓			225/60, 235/55	
	96, 130	Y	alle Varianten	8,0 x 18	40	5	114,3	Y80184050921..	20	✓			225/60, 235/55	
	96, 130	Z	Silber	8,0 x 18	40	5	114,3	Z8018405092118	20	✓			225/60, 235/55	
	96, 130	Za	Anthrazit matt	8,0 x 18	40	5	114,3	Z8018405092115	20	✓			225/60, 235/55	
	96, 130	X	alle Varianten	8,5 x 18	35	5	114,3	X85183550921..	20	✓			225/60 MF	
	96, 130	P	Silber	7,5 x 19	40	5	114,3	P7519405092118	20	✓			225/55, 235/50, 245/50	
	96, 130	S	alle Varianten	8,0 x 19	35	5	114,3	S80193550921..	20	✓			225/55, 235/50, 255/45	
	96, 130	D	alle Varianten	8,0 x 19	40	5	114,3	D80194050921..	20	✓			225/55, 235/50, 255/45	
	96, 130	O	alle Varianten	8,0 x 19	40	5	114,3	O80194050921..	20	✓			225/55, 235/50, 255/45	
	96, 130	D	alle Varianten	8,5 x 20	36	5	114,3	D85203650921..	20	✓			235/45, 245/45	
	96, 130	R	alle Varianten	8,5 x 20	36	5	114,3	R85203650921..	20	✓			235/45, 245/45	
	96, 130	U	alle Varianten	9,0 x 20	38	5	114,3	U90203850921..	20	✓			235/45, 245/45	
	96, 130	V	Kristallsilber	9,0 x 20	38	5	114,3	V9020385092125	20	✓			235/45, 245/45	
	96, 130	X	alle Varianten	9,0 x 20	40	5	114,3	X90204050921..	20	✓			235/45, 245/45	
AUTEK in 21" : www.autek-wheels.de														
Laguna Limousine	81 - 110	P	Silber	6,5 x 16	45	5	114,3	P6516455092118	92	✓			195/60, 205/55, 205/60, 215/55, 225/50, 225/55	
Laguna Grandtour	81 - 110	S	alle Varianten	6,5 x 16	45	5	114,3	S65164550921..	92	✓			195/60, 205/55, 205/60, 215/55, 225/50, 225/55	
Typ T	81 - 110	X	alle Varianten	6,5 x 16	45	5	114,3	X65164550921..	92	✓			195/60, 205/55, 205/60, 215/55, 225/50, 225/55	
	81 - 131	N	alle Varianten	7,0 x 16	38	5	114,3	N7063850921..	92	✓			195/60 wS (max. 110 kW), 205/55 (max. 110 kW), 205/60 (max. 110 kW),...	
	81 - 131	B	Silber	7,0 x 16	42	5	114,3	B706425092118	92	✓			195/60 wS (max. 110 kW), 205/55 (max. 110 kW), 205/60 (max. 110 kW),...	
	81 - 131	Z	Silber	7,0 x 16	42	5	114,3	Z7016425092118	92	✓			195/60 wS (max. 110 kW), 205/55 (max. 110 kW), 205/60 (max. 110 kW),...	

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part No.	Fitting-Kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
81 - 131	Za	Anthrazit matt	7,0 x 16	42	5	114,3	Z7016425092115	92	✓				195/60 wS (max. 110 kW), 205/55 (max. 110 kW), 205/60 (max. 110 kW),...	
81 - 131	E	Silber	7,0 x 16	45	5	114,3	E706455092118	92	✓				195/60 wS (max. 110 kW), 205/55 (max. 110 kW), 205/60 (max. 110 kW),...	
81 - 131	H	alle Varianten	7,0 x 16	45	5	114,3	H70164550921..	92	✓				195/60 wS (max. 110 kW), 205/55 (max. 110 kW), 205/60 (max. 110 kW),...	
81 - 131	W	alle Varianten	7,0 x 16	45	5	114,3	W70164550921..	92	✓				195/60 wS (1.200 kg) (max. 110 kW), 205/55 (1.200 kg) (max. 110 kW),...	
81 - 131	Y	alle Varianten	7,0 x 16	45	5	114,3	Y70164550921..	92	✓				195/60 wS (max. 110 kW), 205/55 (max. 110 kW), 205/60 (max. 110 kW),...	
81 - 173	X	alle Varianten	7,0 x 17	40	5	114,3	X70174050921..	92	✓				205/50 (max. 110 kW), 205/55 (max. 110 kW), 215/50,...	
81 - 173	P	Silber	7,0 x 17	48	5	114,3	P7017485092118	92	✓				205/50 (max. 110 kW), 205/55 (max. 110 kW), 215/50,...	
81 - 173	B	Silber	7,5 x 17	40	5	114,3	B757405092118	92	✓				205/50 (max. 110 kW), 205/55 (max. 110 kW), 215/50,...	225/50
81 - 173	S	alle Varianten	7,5 x 17	40	5	114,3	S75174050921..	92	✓				205/50 (max. 110 kW), 205/55 (max. 110 kW), 215/50,...	225/50
81 - 173	Z	Silber	7,5 x 17	40	5	114,3	Z7517405092118	92	✓				205/50 (max. 110 kW), 205/55 (max. 110 kW), 215/50,...	225/50
81 - 173	Za	Anthrazit matt	7,5 x 17	40	5	114,3	Z7517405092115	92	✓				205/50 (max. 110 kW), 205/55 (max. 110 kW), 215/50,...	225/50
81 - 103	D	alle Varianten	7,5 x 17	45	5	114,3	D75174550921..	92	✓	*			205/50, 205/55, 215/50, 215/55 wS, 225/45, 225/50, 235/45	
81 - 173	E	alle Varianten	7,5 x 17	45	5	114,3	E7574550921..	92	✓				205/50 (max. 110 kW), 205/55 (max. 110 kW), 215/50,...	
81 - 173	H	alle Varianten	7,5 x 17	45	5	114,3	H75174550921..	92	✓				205/50 (max. 110 kW), 205/55 (max. 110 kW), 215/50,...	
81 - 173	W	alle Varianten	7,5 x 17	45	5	114,3	W75174550921..	92	✓				205/50 (1.200 kg) (max. 110 kW), 205/55 (1.200 kg) (max. 110 kW),...	
81 - 173	Y	alle Varianten	7,5 x 17	45	5	114,3	Y75174550921..	92	✓				205/50 (max. 110 kW), 205/55 (max. 110 kW), 215/50,...	
81 - 173	N	alle Varianten	7,5 x 17	47	5	114,3	N7574750921..	92	✓				205/50 (max. 110 kW), 205/55 (max. 110 kW), 215/50,...	
81 - 173	V	alle Varianten	8,0 x 17	40	5	114,3	V80174050921..	92	✓				215/50 MF, 215/55 wS MF (max. 131 kW), 225/45, 235/45	225/50, 245/45
81 - 173	S	alle Varianten	7,5 x 18	38	5	114,3	S75183850921..	92	✓				215/45, 225/40, 225/45	
81 - 173	P	Silber	7,5 x 18	40	5	114,3	P7518405092118	92	✓				215/45, 225/40, 225/45	
81 - 173	W	alle Varianten	8,0 x 18	35	5	114,3	W80183550921..	92	✓				215/45	225/40, 225/45, 235/40,...
81 - 173	E	alle Varianten	8,0 x 18	40	5	114,3	E8084050921..	92	✓				215/45, 225/40, 225/45	235/40, 245/40
81 - 173	H	alle Varianten	8,0 x 18	40	5	114,3	H80184050921..	92	✓				215/45, 225/40, 225/45	235/40, 245/40
81 - 173	Y	alle Varianten	8,0 x 18	40	5	114,3	Y80184050921..	92	✓				215/45, 225/40, 225/45	235/40, 245/40
81 - 173	Z	Silber	8,0 x 18	40	5	114,3	Z8018405092118	92	✓				215/45, 225/40, 225/45	235/40, 245/40
81 - 173	Za	Anthrazit matt	8,0 x 18	40	5	114,3	Z8018405092115	92	✓				215/45, 225/40, 225/45	235/40, 245/40
81 - 173	D	alle Varianten	8,0 x 18	42	5	114,3	D80184250921..	92	✓				215/45, 225/40, 225/45, 235/40	245/40
81 - 173	O	alle Varianten	8,0 x 18	42	5	114,3	O80184250921..	92	✓				215/45, 225/40, 225/45, 235/40	245/40
81 - 173	F	Schwarz matt	8,0 x 18	45	5	114,3	F8018455092122	92	✓				215/45, 225/40, 225/45, 235/40, 245/40 (max. 131 kW)	
81 - 173	V	Kristallsilber	8,5 x 18	40	5	114,3	V8518405092125	92	✓				225/40, 225/45	235/40, 245/40,...
81 - 173	X	alle Varianten	8,5 x 18	40	5	114,3	X85184050921..	92	✓				225/40, 225/45	235/40, 245/40,...
81 - 173	O	alle Varianten	8,0 x 19	45	5	114,3	O80194550921..	92	✓				235/35, 245/30 (max. 131 kW), 245/35 (max. 131 kW)	
AUTEC in 20" : www.autec-wheels.de														
Laguna Coupé	96 - 131	N	alle Varianten	7,0 x 16	38	5	114,3	N7063850921..	92	✓			205/55 (max. 110 kW), 205/60 (max. 110 kW), 215/55, 215/60 wS,...	
Typ T	96 - 131	B	Silber	7,0 x 16	42	5	114,3	B706425092118	92	✓			205/55 (max. 110 kW), 205/60 (max. 110 kW), 215/55, 215/60 wS,...	
	96 - 131	Z	Silber	7,0 x 16	42	5	114,3	Z7016425092118	92	✓			205/55 (max. 110 kW), 205/60 (max. 110 kW), 215/55, 215/60 wS,...	
	96 - 131	Za	Anthrazit matt	7,0 x 16	42	5	114,3	Z7016425092115	92	✓			205/55 (max. 110 kW), 205/60 (max. 110 kW), 215/55, 215/60 wS,...	
	96 - 131	E	Silber	7,0 x 16	45	5	114,3	E706455092118	92	✓			205/55 (max. 110 kW), 205/60 (max. 110 kW), 215/55, 215/60 wS,...	
	96 - 131	H	alle Varianten	7,0 x 16	45	5	114,3	H70164550921..	92	✓			205/55 (max. 110 kW), 205/60 (max. 110 kW), 215/55, 215/60 wS,...	
	96 - 131	W	alle Varianten	7,0 x 16	45	5	114,3	W70164550921..	92	✓			205/55 (1.200 kg) (max. 110 kW), 205/60 (1.200 kg) (max. 110 kW),...	
	96 - 131	Y	alle Varianten	7,0 x 16	45	5	114,3	Y70164550921..	92	✓			205/55 (max. 110 kW), 205/60 (max. 110 kW), 215/55, 215/60 wS,...	
	81 - 177	X	alle Varianten	7,0 x 17	40	5	114,3	X70174050921..	92	✓			205/50 (max. 110 kW), 205/55 (max. 110 kW), 215/50,...	
	81 - 177	P	Silber	7,0 x 17	48	5	114,3	P7017485092118	92	✓			205/50 (max. 110 kW), 205/55 (max. 110 kW), 215/50,...	
	81 - 177	D	alle Varianten	7,5 x 17	38	5	114,3	D75173850921..	92	✓			205/50 (max. 110 kW), 205/55 (max. 110 kW), 225/45	215/50,...
	96 - 177	B	Silber	7,5 x 17	40	5	114,3	B757405092118	92	✓			205/50 (max. 110 kW), 205/55 (max. 110 kW), 215/50,...	225/50
	81 - 177	S	alle Varianten	7,5 x 17	40	5	114,3	S75174050921..	92	✓			205/50 (max. 110 kW), 205/55 (max. 110 kW), 215/50,...	225/50
	81 - 177	Z	Silber	7,5 x 17	40	5	114,3	Z7517405092118	92	✓			205/50 (max. 110 kW), 205/55 (max. 110 kW), 215/50,...	225/50
	81 - 177	Za	Anthrazit matt	7,5 x 17	40	5	114,3	Z7517405092115	92	✓			205/50 (max. 110 kW), 205/55 (max. 110 kW), 215/50,...	225/50
	81 - 177	E	alle Varianten	7,5 x 17	45	5	114,3	E7574550921..	92	✓			205/50 (max. 110 kW), 205/55 (max. 110 kW), 215/50,...	
	81 - 177	H	alle Varianten	7,5 x 17	45	5	114,3	H75174550921..	92	✓			205/50 (max. 110 kW), 205/55 (max. 110 kW), 215/50,...	
	81 - 177	W	alle Varianten	7,5 x 17	45	5	114,3	W75174550921..	92	✓			205/50 (1.200 kg) (max. 110 kW), 205/55 (1.200 kg) (max. 110 kW),...	
	81 - 177	Y	alle Varianten	7,5 x 17	45	5	114,3	Y75174550921..	92	✓			205/50 (max. 110 kW), 205/55 (max. 110 kW), 215/50,...	

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part No.	Fitting-Kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
81 - 177	N	alle Varianten	7,5 x 17	47	5	114,3	N7574750921..	92	✓				205/50 (max. 110 kW), 205/55 (max. 110 kW), 215/50,...	
81 - 177	V	alle Varianten	8,0 x 17	40	5	114,3	V80174050921..	92	✓				215/50 MF, 215/55 wS MF (max. 131 kW), 225/45, 235/45	225/50, 245/45
81 - 177	S	alle Varianten	7,5 x 18	38	5	114,3	S75183850921..	92	✓				215/45, 225/40, 225/45	
81 - 177	P	Silber	7,5 x 18	40	5	114,3	P7518405092118	92	✓				215/45, 225/40, 225/45	
81 - 177	W	alle Varianten	8,0 x 18	35	5	114,3	W80183550921..	92	✓				215/45	225/40, 225/45, 235/40,...
81 - 177	E	alle Varianten	8,0 x 18	40	5	114,3	E8084050921..	92	✓				215/45, 225/40, 225/45	235/40, 245/40
81 - 177	H	alle Varianten	8,0 x 18	40	5	114,3	H80184050921..	92	✓				215/45, 225/40, 225/45	235/40, 245/40
81 - 177	Y	alle Varianten	8,0 x 18	40	5	114,3	Y80184050921..	92	✓				215/45, 225/40, 225/45	235/40, 245/40
81 - 177	Z	Silber	8,0 x 18	40	5	114,3	Z8018405092118	92	✓				215/45, 225/40, 225/45	235/40, 245/40
81 - 177	Za	Anthrazit matt	8,0 x 18	40	5	114,3	Z8018405092115	92	✓				215/45, 225/40, 225/45	235/40, 245/40
81 - 177	D	alle Varianten	8,0 x 18	42	5	114,3	D80184250921..	92	✓				215/45, 225/40, 225/45, 235/40	245/40
81 - 177	O	alle Varianten	8,0 x 18	42	5	114,3	O80184250921..	92	✓				215/45, 225/40, 225/45, 235/40	245/40
81 - 177	F	Schwarz matt	8,0 x 18	45	5	114,3	F8018455092122	92	✓				215/45, 225/40, 225/45, 235/40, 245/40	
81 - 177	V	Kristallsilber	8,5 x 18	40	5	114,3	V8518405092125	92	✓				225/40, 225/45	235/40, 245/40, 255/35,...
81 - 177	X	alle Varianten	8,5 x 18	40	5	114,3	X85184050921..	92	✓				225/40, 225/45	235/40, 245/40, 255/35,...
81 - 177	O	alle Varianten	8,0 x 19	45	5	114,3	O80194550921..	92	✓				235/35 (max. 175 kW), 245/30 (max. 175 kW), 245/35	
AUTEC in 20" : www.autec-wheels.de														
Latitude	81, 103	B	Silber	6,5 x 16	45	5	114,3	B656455092118	92	✓			195/60, 205/60, 215/55, 215/60, 225/55	
Typ T	81, 103	P	Silber	6,5 x 16	45	5	114,3	P6516455092118	92	✓			195/60, 205/60, 215/55, 215/60, 225/55	
	81, 103	S	alle Varianten	6,5 x 16	45	5	114,3	S65164550921..	92	✓			195/60, 205/60, 215/55, 215/60, 225/55	
	81, 103	X	alle Varianten	6,5 x 16	45	5	114,3	X65164550921..	92	✓			195/60, 205/60, 215/55, 215/60, 225/55	
	81, 103	N	Silber	6,5 x 16	50	5	114,3	N656505092118	92	✓			195/60 (1.230 kg), 205/60 (1.230 kg), 215/55 (1.230 kg),...	
	81, 103	Z	Silber	6,5 x 16	50	5	114,3	Z6516505092118	92	✓			195/60 (1.260 kg), 205/60 (1.250 kg), 215/55 (1.260 kg),...	
	81, 103	Za	Anthrazit matt	6,5 x 16	50	5	114,3	Z6516505092115	92	✓			195/60 (1.260 kg), 205/60 (1.250 kg), 215/55 (1.260 kg),...	
	81 - 127	E	Silber	7,0 x 16	45	5	114,3	E706455092118	92	✓			195/60 wS (max. 103 kW), 205/60, 215/55, 215/60, 225/55	
	81 - 127	H	alle Varianten	7,0 x 16	45	5	114,3	H70164550921..	92	✓			195/60 wS (max. 103 kW), 205/60, 215/55, 215/60, 225/55	
	81 - 127	W	alle Varianten	7,0 x 16	45	5	114,3	W70164550921..	92	✓			195/60 wS (1.200 kg) (max. 103 kW), 205/60 (1.200 kg),...	
	81 - 127	Y	alle Varianten	7,0 x 16	45	5	114,3	Y70164550921..	92	✓			195/60 wS (max. 103 kW), 205/60, 215/55, 215/60, 225/55	
	81 - 177	S	alle Varianten	7,0 x 17	45	5	114,3	S70174550921..	92	✓			205/50 (max. 127 kW), 205/55 (max. 127 kW), 215/50 (max. 127 kW),...	
	81 - 177	Z	Silber	7,0 x 17	46	5	114,3	Z7017465092118	92	✓			205/50 (max. 127 kW), 205/55 (max. 127 kW), 215/50 (max. 127 kW),...	
	81 - 177	Za	Anthrazit matt	7,0 x 17	46	5	114,3	Z7017465092115	92	✓			205/50 (max. 127 kW), 205/55 (max. 127 kW), 215/50 (max. 127 kW),...	
	81 - 177	P	Silber	7,0 x 17	48	5	114,3	P7017485092118	92	✓			205/50 (max. 127 kW), 205/55 (max. 127 kW), 215/50 (max. 127 kW),...	
	81 - 177	X	alle Varianten	7,0 x 17	49	5	114,3	X70174950921..	92	✓			205/50 (max. 127 kW), 205/55 (max. 127 kW), 215/50 (max. 127 kW),...	
	81 - 177	D	alle Varianten	7,5 x 17	38	5	114,3	D75173850921..	92	✓			205/50 (max. 127 kW), 205/55 (max. 127 kW), 225/45 (max. 127 kW)	215/50 (max. 127 kW), 225/50,...
	81 - 177	B	Silber	7,5 x 17	40	5	114,3	B757405092118	92	✓			205/50 (max. 103 kW), 205/55 (max. 103 kW), 225/45 (max. 127 kW)	215/50 (max. 127 kW), 225/50,...
	81 - 177	E	alle Varianten	7,5 x 17	45	5	114,3	E7574550921..	92	✓			205/50 (max. 127 kW), 205/55 (max. 127 kW), 215/50 (max. 127 kW),...	245/45
	81 - 177	H	alle Varianten	7,5 x 17	45	5	114,3	H75174550921..	92	✓			205/50 (max. 127 kW), 205/55 (max. 127 kW), 215/50 (max. 127 kW),...	245/45
	81 - 177	W	alle Varianten	7,5 x 17	45	5	114,3	W75174550921..	92	✓			205/50 (1.200 kg) (max. 127 kW), 205/55 (1.200 kg) (max. 127 kW),...	245/45 (1.200 kg)
	81 - 177	Y	alle Varianten	7,5 x 17	45	5	114,3	Y75174550921..	92	✓			205/50 (max. 127 kW), 205/55 (max. 127 kW), 215/50 (max. 127 kW),...	245/45
	81 - 177	N	alle Varianten	7,5 x 17	47	5	114,3	N7574750921..	92	✓			205/50 (max. 127 kW), 205/55 (max. 127 kW), 215/50 (max. 127 kW),...	245/45
	81 - 177	V	alle Varianten	8,0 x 17	40	5	114,3	V80174050921..	92	✓			225/45 (max. 127 kW)	225/50, 235/45, 245/45,...
	81 - 177	H	alle Varianten	8,0 x 18	40	5	114,3	H80184050921..	92	✓			215/45 (max. 127 kW), 225/40 (max. 127 kW), 225/45	235/40, 245/40
	81 - 177	O	alle Varianten	8,0 x 18	42	5	114,3	O80184250921..	92	✓			215/45 (max. 127 kW), 225/40 (max. 127 kW), 225/45	235/40, 245/40
	81 - 177	O	alle Varianten	8,0 x 19	45	5	114,3	O80194550921..	92	✓			225/35 (max. 103 kW), 225/40, 235/35 (max. 127 kW), 235/40	245/35
AUTEC in 20" : www.autec-wheels.de														
Master (II)	58,5 - 107	T	Silber	6,5 x 16	60	5	130	T656605153918	Serie				205/75-C wS, 215/65-C wS	225/65-C wS
Typ FD, JD, D	58,5 - 107	Q	alle Varianten	6,5 x 16	66	5	130	Q65166651539..	Serie				205/75-C wS, 215/65-C wS, 225/65-C wS	
AUTEC in 17" : www.autec-wheels.de														
Master (III)	74 - 107	T	Silber	6,5 x 16	60	5	130	T656605153918	Serie	✓			215/65-C wS, 225/60-C, 225/65-C wS, 235/65-C wS	
Typ MA/ML/MF/MM/VL/VM	74 - 110	Q	alle Varianten	6,5 x 16	66	5	130	Q65166651539..	Serie	✓			215/65-C wS, 225/60-C, 225/65-C wS, 235/65-C wS	
AUTEC in 17" : www.autec-wheels.de														

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part No.	Fitting-Kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
Mégane (II)													Nähere Informationen in unserem Konfigurator unter: www.autec-wheels.de	
Typ M													Further information in our configurator at: www.autec-wheels.de	
Mégane (III)	63 - 103	W	alle Varianten	6,5 x 15	45	5	114,3	W65154550921..	25	✓			195/65, 205/60	
Mégane (III) Grandtour	63 - 103	Y	alle Varianten	6,5 x 15	45	5	114,3	Y65154550921..	25	✓			195/65, 205/60	
Typ Z	63 - 103	B	Silber	6,5 x 16	45	5	114,3	B656455092118	25	✓			205/55, 215/50, 215/55, 225/50	
	63 - 103	P	Silber	6,5 x 16	45	5	114,3	P6516455092118	25	✓			205/55, 215/50, 215/55, 225/50	
	63 - 103	S	alle Varianten	6,5 x 16	45	5	114,3	S65164550921..	25	✓			205/55, 215/50, 215/55, 225/50	
	63 - 103	X	alle Varianten	6,5 x 16	45	5	114,3	X65164550921..	25	✓			205/55, 215/50, 215/55, 225/50	
	63 - 103	N	Silber	6,5 x 16	50	5	114,3	N656505092118	25	✓			205/55, 215/50, 215/55, 225/50	
	63 - 103	Z	Silber	6,5 x 16	50	5	114,3	Z6516505092118	25	✓			205/55, 215/50, 215/55, 225/50	
	63 - 103	Za	Anthrazit matt	6,5 x 16	50	5	114,3	Z6516505092115	25	✓			205/55, 215/50, 215/55, 225/50	
	63 - 103	E	Silber	7,0 x 16	45	5	114,3	E706455092118	25	✓			205/55, 215/50, 215/55, 225/50	
	63 - 103	H	alle Varianten	7,0 x 16	45	5	114,3	H70164550921..	25	✓			205/55, 215/50, 215/55, 225/50	
	63 - 103	W	alle Varianten	7,0 x 16	45	5	114,3	W70164550921..	25	✓			205/55, 215/50, 215/55, 225/50	
	63 - 103	Y	alle Varianten	7,0 x 16	45	5	114,3	Y70164550921..	25	✓			205/55, 215/50, 215/55, 225/50	
	63 - 132	P	Silber	7,0 x 17	48	5	114,3	P7017485092118	25	✓			205/50 (max. 103 kW), 215/45 (max. 103 kW), 225/45	
	63 - 132	X	alle Varianten	7,0 x 17	49	5	114,3	X70174950921..	25	✓			205/50 (max. 103 kW), 215/45 (max. 103 kW), 225/45	
	63 - 132	B	Silber	7,5 x 17	40	5	114,3	B757405092118	25	✓			205/50 (max. 103 kW), 215/45 (max. 103 kW), 225/45 235/45	
	63 - 132	S	alle Varianten	7,5 x 17	40	5	114,3	S75174050921..	25	✓			205/50 (max. 103 kW), 215/45 (max. 103 kW), 225/45 235/45	
	63 - 132	Z	Silber	7,5 x 17	40	5	114,3	Z7517405092118	25	✓			205/50 (max. 103 kW), 215/45 (max. 103 kW), 225/45 235/45	
	63 - 132	Za	Anthrazit matt	7,5 x 17	40	5	114,3	Z7517405092115	25	✓			205/50 (max. 103 kW), 215/45 (max. 103 kW), 225/45 235/45	
	63 - 103	D	alle Varianten	7,5 x 17	45	5	114,3	D75174550921..	25	✓	Y64		205/50, 215/45, 225/45, 235/45	
	63 - 132	E	alle Varianten	7,5 x 17	45	5	114,3	E7574550921..	25	✓			205/50 (max. 103 kW), 215/45 (max. 103 kW), 225/45, 235/45	
	63 - 132	H	alle Varianten	7,5 x 17	45	5	114,3	H75174550921..	25	✓			205/50 (max. 103 kW), 215/45 (max. 103 kW), 225/45, 235/45	
	63 - 132	W	alle Varianten	7,5 x 17	45	5	114,3	W75174550921..	25	✓			205/50 (max. 103 kW), 215/45 (max. 103 kW), 225/45, 235/45	
	63 - 132	Y	alle Varianten	7,5 x 17	45	5	114,3	Y75174550921..	25	✓			205/50 (max. 103 kW), 215/45 (max. 103 kW), 225/45, 235/45	
	63 - 132	N	alle Varianten	7,5 x 17	47	5	114,3	N7574750921..	25	✓			205/50 (max. 103 kW), 215/45 (max. 103 kW), 225/45, 235/45	
	63 - 132	V	alle Varianten	8,0 x 17	40	5	114,3	V80174050921..	25	✓			215/45 (max. 103 kW) 205/50 MF (max. 103 kW),...	
	63 - 162	S	alle Varianten	7,5 x 18	48	5	114,3	S75184850921..	25	✓			205/45 (max. 103 kW), 215/40 (max. 103 kW), 225/40	
	63 - 162	P	Silber	7,5 x 18	49	5	114,3	P7518495092118	25	✓			205/45 (max. 103 kW), 215/40 (max. 103 kW), 225/40	
	63 - 162	E	alle Varianten	8,0 x 18	40	5	114,3	E8084050921..	25	✓			215/40 (max. 103 kW) 225/40, 235/35, 245/35	
	63 - 162	H	alle Varianten	8,0 x 18	40	5	114,3	H80184050921..	25	✓			215/40 (max. 103 kW) 225/40, 235/35, 245/35	
	63 - 162	Y	alle Varianten	8,0 x 18	40	5	114,3	Y80184050921..	25	✓			215/40 (max. 103 kW) 225/40, 235/35, 245/35	
	63 - 162	Z	Silber	8,0 x 18	40	5	114,3	Z8018405092118	25	✓			215/40 (max. 103 kW) 225/40, 235/35, 245/35	
	63 - 162	Za	Anthrazit matt	8,0 x 18	40	5	114,3	Z8018405092115	25	✓			215/40 (max. 103 kW) 225/40, 235/35, 245/35	
	63 - 162	D	alle Varianten	8,0 x 18	42	5	114,3	D80184250921..	25	✓			215/40 (max. 103 kW), 225/40 235/35, 245/35	
	63 - 162	O	alle Varianten	8,0 x 18	42	5	114,3	O80184250921..	25	✓			215/40 (max. 103 kW), 225/40 235/35, 245/35	
	63 - 162	F	Schwarz matt	8,0 x 18	45	5	114,3	F8018455092122	25	✓			215/40 (max. 103 kW), 225/40, 235/35 245/35	
	63 - 162	W	alle Varianten	8,0 x 18	50	5	114,3	W80185050921..	25	✓			215/40 (max. 103 kW), 225/40, 235/35	
	63 - 162	V	Kristallsilber	8,5 x 18	40	5	114,3	V8518405092125	25	✓			225/40, 235/35, 245/35	
	63 - 162	X	alle Varianten	8,5 x 18	48	5	114,3	X85184850921..	25	✓			225/40, 235/35	
	63 - 162	O	alle Varianten	8,0 x 19	45	5	114,3	O80194550921..	25	✓			225/35 245/30	
													AUTEC in 20" : www.autec-wheels.de	
Mégane (III) CC	78 - 103	B	Silber	6,5 x 16	45	5	114,3	B656455092118	25	✓			205/55, 215/50, 215/55, 225/50	
Typ Z	78 - 103	P	Silber	6,5 x 16	45	5	114,3	P6516455092118	25	✓			205/55, 215/50, 215/55, 225/50	
	78 - 103	S	alle Varianten	6,5 x 16	45	5	114,3	S65164550921..	25	✓			205/55, 215/50, 215/55, 225/50	
	78 - 103	X	alle Varianten	6,5 x 16	45	5	114,3	X65164550921..	25	✓			205/55, 215/50, 215/55, 225/50	
	78 - 103	N	Silber	6,5 x 16	50	5	114,3	N656505092118	25	✓			205/55, 215/50, 215/55, 225/50	
	78 - 103	Z	Silber	6,5 x 16	50	5	114,3	Z6516505092118	25	✓			205/55, 215/50, 215/55, 225/50	
	78 - 103	Za	Anthrazit matt	6,5 x 16	50	5	114,3	Z6516505092115	25	✓			205/55, 215/50, 215/55, 225/50	
	78 - 103	E	Silber	7,0 x 16	45	5	114,3	E706455092118	25	✓			205/55, 215/50, 215/55, 225/50	
	78 - 103	H	alle Varianten	7,0 x 16	45	5	114,3	H70164550921..	25	✓			205/55, 215/50, 215/55, 225/50	

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part No.	Fitting-Kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
78 - 103	W	alle Varianten	7,0 x 16	45	5	114,3	W70164550921..	25	✓				205/55, 215/50, 215/55, 225/50	
78 - 103	Y	alle Varianten	7,0 x 16	45	5	114,3	Y70164550921..	25	✓				205/55, 215/50, 215/55, 225/50	
78 - 132	P	Silber	7,0 x 17	48	5	114,3	P7017485092118	25	✓				205/50 (max. 103 kW), 215/45 (max. 103 kW), 225/45	
78 - 132	X	alle Varianten	7,0 x 17	49	5	114,3	X70174950921..	25	✓				205/50 (max. 103 kW), 215/45 (max. 103 kW), 225/45	
78 - 132	B	Silber	7,5 x 17	40	5	114,3	B757405092118	25	✓				205/50 (max. 103 kW), 215/45 (max. 103 kW), 225/45	235/45
78 - 132	S	alle Varianten	7,5 x 17	40	5	114,3	S75174050921..	25	✓				205/50 (max. 103 kW), 215/45 (max. 103 kW), 225/45	235/45
78 - 132	Z	Silber	7,5 x 17	40	5	114,3	Z7517405092118	25	✓				205/50 (max. 103 kW), 215/45 (max. 103 kW), 225/45	235/45
78 - 132	Za	Anthrazit matt	7,5 x 17	40	5	114,3	Z7517405092115	25	✓				205/50 (max. 103 kW), 215/45 (max. 103 kW), 225/45	235/45
78 - 103	D	alle Varianten	7,5 x 17	45	5	114,3	D75174550921..	25	✓	Y64			205/50, 215/45, 225/45, 235/45	
78 - 132	E	alle Varianten	7,5 x 17	45	5	114,3	E7574550921..	25	✓				205/50 (max. 103 kW), 215/45 (max. 103 kW), 225/45, 235/45	
78 - 132	H	alle Varianten	7,5 x 17	45	5	114,3	H75174550921..	25	✓				205/50 (max. 103 kW), 215/45 (max. 103 kW), 225/45, 235/45	
78 - 132	W	alle Varianten	7,5 x 17	45	5	114,3	W75174550921..	25	✓				205/50 (max. 103 kW), 215/45 (max. 103 kW), 225/45, 235/45	
78 - 132	Y	alle Varianten	7,5 x 17	45	5	114,3	Y75174550921..	25	✓				205/50 (max. 103 kW), 215/45 (max. 103 kW), 225/45, 235/45	
78 - 132	N	alle Varianten	7,5 x 17	47	5	114,3	N7574750921..	25	✓				205/50 (max. 103 kW), 215/45 (max. 103 kW), 225/45, 235/45	
78 - 132	V	alle Varianten	8,0 x 17	40	5	114,3	V80174050921..	25	✓				215/45 (max. 103 kW)	205/50 MF (max. 103 kW),...
78 - 132	S	alle Varianten	7,5 x 18	48	5	114,3	S75184850921..	25	✓				205/45 (max. 103 kW), 215/40 (max. 103 kW), 225/40	
78 - 132	P	Silber	7,5 x 18	49	5	114,3	P7518495092118	25	✓				205/45 (max. 103 kW), 215/40 (max. 103 kW), 225/40	
78 - 132	E	alle Varianten	8,0 x 18	40	5	114,3	E8084050921..	25	✓				215/40 (max. 103 kW)	225/40, 235/35, 245/35
78 - 132	H	alle Varianten	8,0 x 18	40	5	114,3	H80184050921..	25	✓				215/40 (max. 103 kW)	225/40, 235/35, 245/35
78 - 132	Y	alle Varianten	8,0 x 18	40	5	114,3	Y80184050921..	25	✓				215/40 (max. 103 kW)	225/40, 235/35, 245/35
78 - 132	Z	Silber	8,0 x 18	40	5	114,3	Z8018405092118	25	✓				215/40 (max. 103 kW)	225/40, 235/35, 245/35
78 - 132	Za	Anthrazit matt	8,0 x 18	40	5	114,3	Z8018405092115	25	✓				215/40 (max. 103 kW)	225/40, 235/35, 245/35
78 - 132	D	alle Varianten	8,0 x 18	42	5	114,3	D80184250921..	25	✓				215/40 (max. 103 kW), 225/40	235/35, 245/35
78 - 132	O	alle Varianten	8,0 x 18	42	5	114,3	O80184250921..	25	✓				215/40 (max. 103 kW), 225/40	235/35, 245/35
78 - 132	F	Schwarz matt	8,0 x 18	45	5	114,3	F8018455092122	25	✓				215/40 (max. 103 kW), 225/40, 235/35	245/35
78 - 132	W	alle Varianten	8,0 x 18	50	5	114,3	W80185050921..	25	✓				215/40 (max. 103 kW), 225/40, 235/35	
78 - 132	V	Kristallsilber	8,5 x 18	40	5	114,3	V8518405092125	25	✓					225/40, 235/35, 245/35
78 - 132	X	alle Varianten	8,5 x 18	48	5	114,3	X85184850921..	25	✓				225/40, 235/35	
78 - 132	O	alle Varianten	8,0 x 19	45	5	114,3	O80194550921..	25	✓				225/35	245/30
Mégane (III) GT	120	H	alle Varianten	7,5 x 17	45	5	114,3	H75174550921..	25	✓			225/45, 235/45	
Mégane (III) GT	120, 140	S	alle Varianten	7,5 x 18	48	5	114,3	S75184850921..	25	✓			225/40	
Grandtour	120 - 140	P	Silber	7,5 x 18	49	5	114,3	P7518495092118	25	✓			225/40	
Typ Z	120, 140	E	alle Varianten	8,0 x 18	40	5	114,3	E8084050921..	25	✓				225/40, 235/35, 245/35
	120, 140	H	alle Varianten	8,0 x 18	40	5	114,3	H80184050921..	25	✓				225/40, 235/35, 245/35
	120, 140	Y	alle Varianten	8,0 x 18	40	5	114,3	Y80184050921..	25	✓				225/40, 235/35, 245/35
	120, 140	Z	Silber	8,0 x 18	40	5	114,3	Z8018405092118	25	✓				225/40, 235/35, 245/35
	120, 140	Za	Anthrazit matt	8,0 x 18	40	5	114,3	Z8018405092115	25	✓				225/40, 235/35, 245/35
	120, 140	D	alle Varianten	8,0 x 18	42	5	114,3	D80184250921..	25	✓			225/40	235/35, 245/35
	120, 140	O	alle Varianten	8,0 x 18	42	5	114,3	O80184250921..	25	✓			225/40	235/35, 245/35
	120, 140	F	Schwarz matt	8,0 x 18	45	5	114,3	F8018455092122	25	✓			225/40, 235/35	245/35
	120, 140	W	alle Varianten	8,0 x 18	50	5	114,3	W80185050921..	25	✓			225/40, 235/35	
	120, 140	V	Kristallsilber	8,5 x 18	40	5	114,3	V8518405092125	25	✓				225/40, 235/35, 245/35
	120, 140	X	alle Varianten	8,5 x 18	48	5	114,3	X85184850921..	25	✓			225/40, 235/35	
	120, 140	D	alle Varianten	8,0 x 19	45	5	114,3	D80194550921..	25	✓			225/35	245/30
	120, 140	O	alle Varianten	8,0 x 19	45	5	114,3	O80194550921..	25	✓			225/35	245/30
	120 - 140	S	alle Varianten	8,0 x 19	45	5	114,3	S80194550921..	25	✓			225/35	245/30
	120, 140	W	alle Varianten	8,0 x 19	45	5	114,3	W80194550921..	25	✓			225/35	245/30
	120 - 140	R	alle Varianten	8,5 x 19	45	5	114,3	R85194550921..	25	✓			225/35	245/30
	120 - 140	X	alle Varianten	8,5 x 19	45	5	114,3	X85194550921..	25	✓			225/35	245/30
	120 - 140	U	alle Varianten	8,5 x 19	48	5	114,3	U85194850921..	25	✓			225/35	
AUTECH in 20" : www.autech-wheels.de														
Mégane (III) GT 220	162	S	alle Varianten	7,5 x 18	48	5	114,3	S75184850921..	25	✓			225/40	

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part No.	Fitting-Kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
Grandtour	162	P	Silber	7,5 x 18	49	5	114,3	P7518495092118	25	✓			225/40	
Typ Z	162	E	alle Varianten	8,0 x 18	40	5	114,3	E8084050921..	25	✓				225/40, 235/35, 245/35
	162	H	alle Varianten	8,0 x 18	40	5	114,3	H80184050921..	25	✓				225/40, 235/35, 245/35
	162	Y	alle Varianten	8,0 x 18	40	5	114,3	Y80184050921..	25	✓				225/40, 235/35, 245/35
	162	Z	Silber	8,0 x 18	40	5	114,3	Z8018405092118	25	✓				225/40, 235/35, 245/35
	162	Za	Anthrazit matt	8,0 x 18	40	5	114,3	Z8018405092115	25	✓				225/40, 235/35, 245/35
	162	D	alle Varianten	8,0 x 18	42	5	114,3	D80184250921..	25	✓			225/40	235/35, 245/35
	162	O	alle Varianten	8,0 x 18	42	5	114,3	O80184250921..	25	✓			225/40	235/35, 245/35
	162	F	Schwarz matt	8,0 x 18	45	5	114,3	F8018455092122	25	✓			225/40, 235/35	245/35
	162	W	alle Varianten	8,0 x 18	50	5	114,3	W80185050921..	25	✓			225/40, 235/35	
	162	V	Kristallsilber	8,5 x 18	40	5	114,3	V8518405092125	25	✓				225/40, 235/35, 245/35
	162	X	alle Varianten	8,5 x 18	48	5	114,3	X85184850921..	25	✓			225/40, 235/35	
	162	D	alle Varianten	8,0 x 19	45	5	114,3	D80194550921..	25	✓			225/35	245/30
	162	O	alle Varianten	8,0 x 19	45	5	114,3	O80194550921..	25	✓			225/35	245/30
	162	S	alle Varianten	8,0 x 19	45	5	114,3	S80194550921..	25	✓			225/35	245/30
	162	W	alle Varianten	8,0 x 19	45	5	114,3	W80194550921..	25	✓			225/35	245/30
	162	R	alle Varianten	8,5 x 19	45	5	114,3	R85194550921..	25	✓			225/35	245/30
	162	X	alle Varianten	8,5 x 19	45	5	114,3	X85194550921..	25	✓			225/35	245/30
	162	U	alle Varianten	8,5 x 19	48	5	114,3	U85194850921..	25	✓			225/35	
													AUTEC in 20" : www.autec-wheels.de	
Mégane (III) R.S.	184 - 201	W	alle Varianten	8,0 x 18	50	5	114,3	W80185050921..	25	✓			225/40	235/40, 245/35
Typ Z														
Mégane (IV)	66 - 97	N	Graphit matt	6,0 x 15	44	5	114,3	N605445092129	25	✓	Re1		195/65, 205/60, 215/60	
Mégane (IV)	66 - 97	Z	Silber	6,0 x 15	44	5	114,3	Z6015445092118	25	✓	Re1		195/65, 205/60, 215/60	
Grandtour	66 - 97	Za	Anthrazit matt	6,0 x 15	44	5	114,3	Z6015445092115	25	✓	Re1		195/65, 205/60, 215/60	
Typ RFB	66 - 97	E	Silber	6,5 x 16	32	5	114,3	E656325092118	25	✓			195/55, 195/60	205/55, 215/55, 225/50
	66 - 97	PE	Silber	6,5 x 16	41	5	114,3	PE6516415094518	Serie	✓		✓	205/55	
	66 - 97	B	Silber	6,5 x 16	45	5	114,3	B656455092118	25	✓			195/55, 195/60, 205/55, 215/55, 225/50	
	66 - 97	P	Silber	6,5 x 16	45	5	114,3	P6516455092118	25	✓			195/55, 195/60, 205/55, 215/55, 225/50	
	66 - 97	S	alle Varianten	6,5 x 16	45	5	114,3	S65164550921..	25	✓			195/55, 195/60, 205/55, 215/55, 225/50	
	66 - 97	X	alle Varianten	6,5 x 16	45	5	114,3	X65164550921..	25	✓			195/55, 195/60, 205/55, 215/55, 225/50	
	66 - 97	N	alle Varianten	7,0 x 16	38	5	114,3	N7063850921..	25	✓			195/55, 195/60, 205/55	215/55, 225/50
	66 - 97	Z	Silber	7,0 x 16	42	5	114,3	Z7016425092118	25	✓			195/55, 195/60, 205/55, 215/55	225/50
	66 - 97	Za	Anthrazit matt	7,0 x 16	42	5	114,3	Z7016425092115	25	✓			195/55, 195/60, 205/55, 215/55	225/50
	66 - 97	E	Silber	7,0 x 16	45	5	114,3	E706455092118	25	✓			195/55, 195/60, 205/55, 215/55, 225/50	
	66 - 97	H	alle Varianten	7,0 x 16	45	5	114,3	H70164550921..	25	✓			195/55, 195/60, 205/55, 215/55, 225/50	
	66 - 97	W	alle Varianten	7,0 x 16	45	5	114,3	W70164550921..	25	✓			195/55, 195/60, 205/55, 215/55, 225/50	
	66 - 97	Y	alle Varianten	7,0 x 16	45	5	114,3	Y70164550921..	25	✓			195/55, 195/60, 205/55, 215/55, 225/50	
	66 - 97	B	Silber	7,5 x 16	35	5	114,3	B756355092118	25	✓				205/55, 215/55, 225/50,...
	66 - 97	P	Silber	7,0 x 17	40	5	114,3	P7017405092118	25	✓			205/50, 215/45, 225/45	
	66 - 97	X	alle Varianten	7,0 x 17	40	5	114,3	X70174050921..	25	✓			205/50, 215/45, 225/45	
	66 - 97	S	alle Varianten	7,0 x 17	45	5	114,3	S70174550921..	25	✓			205/50, 215/45, 225/45	
	66 - 97	Z	Silber	7,0 x 17	46	5	114,3	Z7017465092118	25	✓			205/50, 215/45, 225/45	
	66 - 97	Za	Anthrazit matt	7,0 x 17	46	5	114,3	Z7017465092115	25	✓			205/50, 215/45, 225/45	
	66 - 97	B	Silber	7,5 x 17	40	5	114,3	B757405092118	25	✓			215/45	205/50, 225/45, 235/45
	66 - 97	D	alle Varianten	7,5 x 17	45	5	114,3	D75174550921..	25	✓	Y64		205/50, 215/45, 225/45, 235/45	
	66 - 97	E	alle Varianten	7,5 x 17	45	5	114,3	E7574550921..	25	✓			205/50, 215/45, 225/45, 235/45	
	66 - 97	H	alle Varianten	7,5 x 17	45	5	114,3	H75174550921..	25	✓			205/50, 215/45, 225/45, 235/45	
	66 - 97	W	alle Varianten	7,5 x 17	45	5	114,3	W75174550921..	25	✓			205/50, 215/45, 225/45, 235/45	
	66 - 97	Y	alle Varianten	7,5 x 17	45	5	114,3	Y75174550921..	25	✓			205/50, 215/45, 225/45, 235/45	
	66 - 97	N	alle Varianten	7,5 x 17	47	5	114,3	N7574750921..	25	✓			205/50, 215/45, 225/45	
	66 - 97	S	alle Varianten	7,5 x 18	38	5	114,3	S75183850921..	25	✓			205/40, 205/45, 215/40	225/40

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part No.	Fitting-Kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
66 - 97	P	Silber	7,5 x 18	40	5	114,3	P7518405092118	25	✓				205/40, 205/45, 215/40	225/40
66 - 97	W	alle Varianten	8,0 x 18	35	5	114,3	W80183550921..	25	✓					205/40, 215/40, 225/40,...
66 - 97	O	alle Varianten	8,0 x 18	38	5	114,3	O80183850921..	25	✓				205/40	215/40, 225/40, 235/35,...
66 - 97	E	alle Varianten	8,0 x 18	40	5	114,3	E8084050921..	25	✓				205/40, 215/40	225/40, 235/35, 235/40,...
66 - 97	H	alle Varianten	8,0 x 18	40	5	114,3	H80184050921..	25	✓				205/40, 215/40	225/40, 235/35, 235/40,...
66 - 97	Y	alle Varianten	8,0 x 18	40	5	114,3	Y80184050921..	25	✓				205/40, 215/40	225/40, 235/35, 235/40,...
66 - 97	Z	Silber	8,0 x 18	40	5	114,3	Z8018405092118	25	✓				205/40, 215/40	225/40, 235/35, 235/40,...
66 - 97	Za	Anthrazit matt	8,0 x 18	40	5	114,3	Z8018405092115	25	✓				205/40, 215/40	225/40, 235/35, 235/40,...
66 - 97	D	alle Varianten	8,0 x 18	42	5	114,3	D80184250921..	25	✓				205/40, 215/40	225/40, 235/35, 235/40,...
66 - 97	O	alle Varianten	8,0 x 18	42	5	114,3	O80184250921..	25	✓				205/40, 215/40	225/40, 235/35, 235/40,...
66 - 97	F	Schwarz matt	8,0 x 18	45	5	114,3	F8018455092122	25	✓				205/40, 215/40, 225/40	235/35
66 - 97	X	alle Varianten	8,5 x 18	35	5	114,3	X85183550921..	25	✓					215/40, 225/40, 235/35,...
66 - 97	V	Kristallsilber	8,5 x 18	40	5	114,3	V8518405092125	25	✓					215/40, 225/40, 235/35,...
66 - 97	X	alle Varianten	8,5 x 18	40	5	114,3	X85184050921..	25	✓					215/40, 225/40, 235/35,...
66 - 97	P	Silber	7,5 x 19	40	5	114,3	P7519405092118	25	✓				215/35	225/35
66 - 97	D	alle Varianten	8,0 x 19	45	5	114,3	D80194550921..	25	✓				215/35, 225/35	
66 - 97	O	alle Varianten	8,0 x 19	45	5	114,3	O80194550921..	25	✓				215/35, 225/35	
66 - 97	S	alle Varianten	8,0 x 19	45	5	114,3	S80194550921..	25	✓				215/35, 225/35	
66 - 97	W	alle Varianten	8,0 x 19	45	5	114,3	W80194550921..	25	✓				215/35, 225/35	
66 - 97	U	alle Varianten	8,5 x 19	40	5	114,3	U85194050921..	25	✓					215/35, 225/35, 235/30
66 - 97	R	alle Varianten	8,5 x 19	45	5	114,3	R85194550921..	25	✓				215/35	225/35
66 - 97	X	alle Varianten	8,5 x 19	45	5	114,3	X85194550921..	25	✓				215/35	225/35
66 - 97	R	alle Varianten	8,5 x 20	45	5	114,3	R85204550921..	25	✓					225/30 MF
Mégane (IV) GT	120, 151	P	Silber	7,0 x 17	40	5	114,3	P7017405092118	25	✓			225/45	
Mégane (IV) GT	151	X	alle Varianten	7,0 x 17	40	5	114,3	X70174050921..	25	✓			225/45	
Grandtour	120, 151	S	alle Varianten	7,0 x 17	45	5	114,3	S70174550921..	25	✓			225/45	
Typ RFB	120, 151	Z	Silber	7,0 x 17	46	5	114,3	Z7017465092118	25	✓			225/45	
	120, 151	Za	Anthrazit matt	7,0 x 17	46	5	114,3	Z7017465092115	25	✓			225/45	
	151	D	alle Varianten	7,5 x 17	38	5	114,3	D75173850921..	25	✓				225/45, 235/45
	120, 151	B	Silber	7,5 x 17	40	5	114,3	B757405092118	25	✓				225/45, 235/45
	151	E	alle Varianten	7,5 x 17	45	5	114,3	E7574550921..	25	✓			225/45, 235/45	
	120, 151	H	alle Varianten	7,5 x 17	45	5	114,3	H75174550921..	25	✓			225/45, 235/45	
	151	W	alle Varianten	7,5 x 17	45	5	114,3	W75174550921..	25	✓			225/45, 235/45	
	151	Y	alle Varianten	7,5 x 17	45	5	114,3	Y75174550921..	25	✓			225/45, 235/45	
	151	N	alle Varianten	7,5 x 17	47	5	114,3	N7574750921..	25	✓			225/45	
	120, 151	V	alle Varianten	8,0 x 17	40	5	114,3	V80174050921..	25	✓				225/45, 235/40, 235/45,...
	120, 151	S	alle Varianten	7,5 x 18	38	5	114,3	S75183850921..	25	✓				225/40
	120, 151	P	Silber	7,5 x 18	40	5	114,3	P7518405092118	25	✓				225/40
	151	W	alle Varianten	8,0 x 18	35	5	114,3	W80183550921..	25	✓				225/40, 235/35, 235/40,...
	120, 151	D	alle Varianten	8,0 x 18	38	5	114,3	D80183850921..	25	✓				225/40, 235/35, 235/40,...
	120, 151	O	alle Varianten	8,0 x 18	38	5	114,3	O80183850921..	25	✓				225/40, 235/35, 235/40,...
	151	E	alle Varianten	8,0 x 18	40	5	114,3	E8084050921..	25	✓				225/40, 235/35, 245/35
	120, 151	H	alle Varianten	8,0 x 18	40	5	114,3	H80184050921..	25	✓				225/40, 235/35, 245/35
	151	Y	alle Varianten	8,0 x 18	40	5	114,3	Y80184050921..	25	✓				225/40, 235/35, 245/35
	120, 151	Z	Silber	8,0 x 18	40	5	114,3	Z8018405092118	25	✓				225/40, 235/35, 245/35
	120, 151	Za	Anthrazit matt	8,0 x 18	40	5	114,3	Z8018405092115	25	✓				225/40, 235/35, 245/35
	151	D	alle Varianten	8,0 x 18	42	5	114,3	D80184250921..	25	✓				225/40, 235/35
	151	O	alle Varianten	8,0 x 18	42	5	114,3	O80184250921..	25	✓				225/40, 235/35
	151	F	Schwarz matt	8,0 x 18	45	5	114,3	F8018455092122	25	✓			225/40	
	120, 151	X	alle Varianten	8,5 x 18	35	5	114,3	X85183550921..	25	✓				225/40, 235/35, 235/40
	120, 151	V	Kristallsilber	8,5 x 18	40	5	114,3	V8518405092125	25	✓				225/40, 235/35
	120, 151	X	alle Varianten	8,5 x 18	40	5	114,3	X85184050921..	25	✓				225/40, 235/35

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part No.	Fitting-Kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	120, 151	P	Silber	7,5 x 19	40	5	114,3	P7519405092118	25	✓				225/35
	120, 151	O	alle Varianten	8,0 x 19	40	5	114,3	O80194050921..	25	✓				225/35, 245/30
	151	D	alle Varianten	8,0 x 19	45	5	114,3	D80194550921..	25	✓			225/35	
	151	O	alle Varianten	8,0 x 19	45	5	114,3	O80194550921..	25	✓			225/35	
	120, 151	S	alle Varianten	8,0 x 19	45	5	114,3	S80194550921..	25	✓			225/35	
	151	W	alle Varianten	8,0 x 19	45	5	114,3	W80194550921..	25	✓			225/35	
	120, 151	R	alle Varianten	8,5 x 19	40	5	114,3	R85194050921..	25	✓				225/35
	120, 151	U	alle Varianten	8,5 x 19	40	5	114,3	U85194050921..	25	✓				225/35
Modus	48 - 82	P	Silber	6,0 x 15	35	4	100	P6015354031118	642	✓			165/65 wS (max. 58 kW), 175/60 (max. 76 kW), 175/65 wS, 185/55,...	195/55, 205/50
Typ P	48 - 82	N	Silber	6,0 x 15	36	4	100	N605364032118	42	✓			165/65 wS (max. 58 kW), 175/60 (max. 76 kW), 175/65 wS, 185/55,...	195/55, 205/50
	48 - 82	S	alle Varianten	6,0 x 15	40	4	100	S60154040311..	642	✓			165/65 wS (max. 58 kW), 175/60 (max. 76 kW), 175/65 wS, 185/55,...	205/50
	48 - 82	Z	Silber	6,0 x 15	44	4	100	Z6015444031118	642	✓			165/65 wS (max. 58 kW), 175/60 (max. 76 kW), 175/65 wS, 185/55,...	
	48 - 82	Za	Anthrazit matt	6,0 x 15	44	4	100	Z6015444031115	642	✓			165/65 wS (max. 58 kW), 175/60 (max. 76 kW), 175/65 wS, 185/55,...	
	48 - 82	B	Silber	6,5 x 15	42	4	100	B655424032118	42	✓			165/65 wS MF (max. 58 kW), 175/65 wS MF, 185/55, 185/60, 195/55	
	48 - 82	F	Schwarz matt	6,5 x 15	42	4	100	F6515424032122	42	✓			175/65 wS MF, 185/55, 185/60, 195/55	
	48 - 82	W	alle Varianten	6,5 x 15	42	4	100	W65154240321..	42	✓			165/65 wS MF (max. 58 kW), 175/65 wS MF, 185/55, 185/60, 195/55	
	48 - 82	P	Silber	6,5 x 16	44	4	100	P6516444031118	642	✓			185/50 (max. 76 kW), 185/55, 195/45, 195/50, 205/45	
	48 - 82	S	alle Varianten	6,5 x 16	45	4	100	S65164540311..	642	✓			185/50 (max. 76 kW), 185/55, 195/45, 195/50, 205/45	
	48 - 82	Z	Silber	6,5 x 16	48	4	100	Z6516484031118	642	✓			185/50 (max. 76 kW), 185/55, 195/45, 205/45	
	48 - 82	Za	Anthrazit matt	6,5 x 16	48	4	100	Z6516484031115	642	✓			185/50 (max. 76 kW), 185/55, 195/45, 205/45	
	48 - 82	W	alle Varianten	7,0 x 16	35	4	100	W70163540321..	42	✓			195/45	195/50, 205/45, 215/45
	48 - 82	F	Schwarz matt	7,0 x 16	44	4	100	F7016444032122	42	✓			195/45, 205/45	
	48 - 82	H	alle Varianten	7,0 x 16	45	4	100	H70164540321..	42	✓			185/55 MF, 195/45	
	48 - 82	H	alle Varianten	7,5 x 17	38	4	100	H75173840321..	42	✓				205/40, 215/35
													AUTEC in 18" : www.autec-wheels.de	
Scénic	63 - 81	F	Schwarz matt	6,5 x 15	45	5	114,3	F6515455092122	25	✓	Y64		nicht alle Fzg.: 195/70, 205/65, 215/60, 225/60	
Grand Scénic	63 - 81	W	alle Varianten	6,5 x 15	45	5	114,3	W65154550921..	25	✓	Y64		nicht alle Fzg.: 195/65 (1.120 kg), 195/70 (1.090 kg),...	
Typ JZ	63 - 81	Y	alle Varianten	6,5 x 15	45	5	114,3	Y65154550921..	25	✓	Y64		nicht alle Fzg.: 195/65, 195/70, 205/65, 215/60, 225/60	
	63 - 103	P	Silber	6,5 x 16	45	5	114,3	P6516455092118	25	✓			205/55, 205/60, 215/55, 225/50, 225/55	
	63 - 103	S	alle Varianten	6,5 x 16	45	5	114,3	S65164550921..	25	✓			205/55, 205/60, 215/55, 225/50, 225/55	
	63 - 103	X	alle Varianten	6,5 x 16	45	5	114,3	X65164550921..	25	✓			205/55, 205/60, 215/55, 225/50, 225/55	
	63 - 103	N	alle Varianten	7,0 x 16	38	5	114,3	N7063850921..	25	✓			205/55, 205/60, 215/55, 225/50, 225/55	235/50
	63 - 103	B	Silber	7,0 x 16	42	5	114,3	B706425092118	25	✓			205/55, 205/60, 215/55, 225/50, 225/55, 235/50	
	63 - 103	Z	Silber	7,0 x 16	42	5	114,3	Z7016425092118	25	✓			205/55, 205/60, 215/55, 225/50, 225/55, 235/50	
	63 - 103	Za	Anthrazit matt	7,0 x 16	42	5	114,3	Z7016425092115	25	✓			205/55, 205/60, 215/55, 225/50, 225/55, 235/50	
	63 - 103	E	Silber	7,0 x 16	45	5	114,3	E706455092118	25	✓			205/55, 205/60, 215/55, 225/50, 225/55, 235/50	
	63 - 103	H	alle Varianten	7,0 x 16	45	5	114,3	H70164550921..	25	✓			205/55, 205/60, 215/55, 225/50, 225/55, 235/50	
	63 - 103	Y	alle Varianten	7,0 x 16	45	5	114,3	Y70164550921..	25	✓			205/55, 205/60, 215/55, 225/50, 225/55, 235/50	
	63 - 118	P	Silber	7,0 x 17	48	5	114,3	P7017485092118	25	✓			205/50 (max. 103 kW), 205/55 (max. 103 kW), 215/50 (max. 103 kW),...	
	63 - 118	X	alle Varianten	7,0 x 17	49	5	114,3	X70174950921..	25	✓			205/50 (max. 103 kW), 205/55 (max. 103 kW), 215/50 (max. 103 kW),...	
	63 - 118	B	Silber	7,5 x 17	40	5	114,3	B757405092118	25	✓			205/50 (max. 103 kW), 205/55 (max. 103 kW), 215/50 (max. 103 kW),...	225/50
	63 - 118	S	alle Varianten	7,5 x 17	40	5	114,3	S75174050921..	25	✓			205/50 (max. 103 kW), 205/55 (max. 103 kW), 215/50 (max. 103 kW),...	225/50
	63 - 118	Z	Silber	7,5 x 17	40	5	114,3	Z7517405092118	25	✓			205/50 (max. 103 kW), 205/55 (max. 103 kW), 215/50 (max. 103 kW),...	225/50
	63 - 118	Za	Anthrazit matt	7,5 x 17	40	5	114,3	Z7517405092115	25	✓			205/50 (max. 103 kW), 205/55 (max. 103 kW), 215/50 (max. 103 kW),...	225/50
	63 - 81	D	alle Varianten	7,5 x 17	45	5	114,3	D75174550921..	25	✓	Y64		205/50, 205/55, 215/50, 225/45, 225/50, 235/45	
	63 - 118	E	alle Varianten	7,5 x 17	45	5	114,3	E7574550921..	25	✓			205/50 (max. 103 kW), 205/55 (max. 103 kW), 215/50 (max. 103 kW),...	
	63 - 118	H	alle Varianten	7,5 x 17	45	5	114,3	H75174550921..	25	✓			205/50 (max. 103 kW), 205/55 (max. 103 kW), 215/50 (max. 103 kW),...	
	63 - 118	Y	alle Varianten	7,5 x 17	45	5	114,3	Y75174550921..	25	✓			205/50 (max. 103 kW), 205/55 (max. 103 kW), 215/50 (max. 103 kW),...	
	63 - 118	N	alle Varianten	7,5 x 17	47	5	114,3	N7574750921..	25	✓			205/50 (max. 103 kW), 205/55 (max. 103 kW), 215/50 (max. 103 kW),...	
	63 - 118	V	alle Varianten	8,0 x 17	40	5	114,3	V80174050921..	25	✓			205/50 MF (max. 103 kW), 205/55 MF (max. 103 kW),...	225/50, 245/45, 255/45
	63 - 118	S	alle Varianten	7,5 x 18	48	5	114,3	S75184850921..	25	✓			215/45 (max. 103 kW), 225/40, 225/45	
	63 - 118	P	Silber	7,5 x 18	49	5	114,3	P7518495092118	25	✓			215/45 (max. 103 kW), 225/40, 225/45	

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part No.	Fitting-Kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	63 - 118	E	alle Varianten	8,0 x 18	40	5	114,3	E8084050921..	25	✓			215/45 (max. 103 kW), 225/40, 225/45, 235/40	245/40
	63 - 118	H	alle Varianten	8,0 x 18	40	5	114,3	H80184050921..	25	✓			215/45 (max. 103 kW), 225/40, 225/45, 235/40	245/40
	63 - 118	Y	alle Varianten	8,0 x 18	40	5	114,3	Y80184050921..	25	✓			215/45 (max. 103 kW), 225/40, 225/45, 235/40	245/40
	63 - 118	Z	Silber	8,0 x 18	40	5	114,3	Z8018405092118	25	✓			215/45 (max. 103 kW), 225/40, 225/45, 235/40	245/40
	63 - 118	Za	Anthrazit matt	8,0 x 18	40	5	114,3	Z8018405092115	25	✓			215/45 (max. 103 kW), 225/40, 225/45, 235/40	245/40
	63 - 118	D	alle Varianten	8,0 x 18	42	5	114,3	D80184250921..	25	✓			215/45 (max. 103 kW), 225/40, 225/45, 235/40	245/40
	63 - 118	O	alle Varianten	8,0 x 18	42	5	114,3	O80184250921..	25	✓			215/45 (max. 103 kW), 225/40, 225/45, 235/40	245/40
	63 - 118	F	Schwarz matt	8,0 x 18	45	5	114,3	F8018455092122	25	✓			215/45 (max. 103 kW), 225/40, 225/45, 235/40, 245/40	
	63 - 118	W	alle Varianten	8,0 x 18	50	5	114,3	W80185050921..	25	✓			215/45 (1.300 kg), 225/40 (1.300 kg), 225/45 (1.300 kg),...	
	63 - 118	V	Kristallsilber	8,5 x 18	40	5	114,3	V8518405092125	25	✓			225/40, 225/45	235/40, 245/40, 255/35,...
	63 - 118	X	alle Varianten	8,5 x 18	40	5	114,3	X85184050921..	25	✓			225/40, 225/45	235/40, 245/40, 255/35,...
	63 - 118	O	alle Varianten	8,0 x 19	45	5	114,3	O80194550921..	25	✓			225/40, 235/35, 245/35	
AUTEC in 20" : www.autec-wheels.de														
Talisman	81, 96	E	alle Varianten	6,5 x 16	38	5	114,3	E6563850921..	25	✓			215/60, 215/65, 225/60	
Talisman Grandtour	81, 96	S	alle Varianten	6,5 x 16	38	5	114,3	S65163850921..	25	✓			215/60, 215/65, 225/60	
Typ RFD	81, 96	X	alle Varianten	6,5 x 16	40	5	114,3	X65164050921..	25	✓			215/60, 215/65, 225/60	
	81, 96	PE	Silber	6,5 x 16	41	5	114,3	PE6516415094518	Serie	✓		✓	215/60	
	81, 96	P	Silber	6,5 x 16	45	5	114,3	P6516455092118	25	✓			215/60, 215/65, 225/60	
	81, 96	Z	Silber	7,0 x 16	42	5	114,3	Z7016425092118	25	✓			215/60, 215/65, 225/60	245/55
	81, 96	Za	Anthrazit matt	7,0 x 16	42	5	114,3	Z7016425092115	25	✓			215/60, 215/65, 225/60	245/55
	81, 96	W	alle Varianten	7,0 x 16	45	5	114,3	W70164550921..	25	✓			215/60, 215/65 (1.160 kg), 225/60, 245/55	
	81 - 147	S	alle Varianten	7,0 x 17	45	5	114,3	S70174550921..	25	✓			215/55 (max. 96 kW), 225/55, 235/50, 245/50	
	81 - 147	Z	Silber	7,0 x 17	46	5	114,3	Z7017465092118	25	✓			215/55 (max. 96 kW), 225/55, 235/50, 245/50	
	81 - 147	Za	Anthrazit matt	7,0 x 17	46	5	114,3	Z7017465092115	25	✓			215/55 (max. 96 kW), 225/55, 235/50, 245/50	
	81 - 147	P	Silber	7,0 x 17	48	5	114,3	P7017485092118	25	✓			215/55 (max. 96 kW), 225/55, 235/50, 245/50	
	81 - 147	X	alle Varianten	7,0 x 17	49	5	114,3	X70174950921..	25	✓			215/55 (max. 96 kW), 225/55, 235/50, 245/50	
	81 - 147	D	alle Varianten	7,5 x 17	38	5	114,3	D75173850921..	25	✓			215/55 (max. 96 kW), 225/55	235/50, 245/50
	81 - 147	B	Silber	7,5 x 17	40	5	114,3	B7517405092118	25	✓			215/55 (max. 96 kW), 225/55	235/50, 245/50
	81 - 147	E	alle Varianten	7,5 x 17	45	5	114,3	E75174550921..	25	✓			215/55 (max. 96 kW), 225/55, 235/50, 245/50	
	81 - 147	H	alle Varianten	7,5 x 17	45	5	114,3	H75174550921..	25	✓			215/55 (max. 96 kW), 225/55, 235/50, 245/50	
	81 - 147	W	alle Varianten	7,5 x 17	45	5	114,3	W75174550921..	25	✓			215/55 (max. 96 kW), 225/55, 235/50, 245/50	
	81 - 147	Y	alle Varianten	7,5 x 17	45	5	114,3	Y75174550921..	25	✓			215/55 (max. 96 kW), 225/55, 235/50, 245/50	
	81 - 147	N	alle Varianten	7,5 x 17	47	5	114,3	N75174750921..	25	✓			215/55 (max. 96 kW), 225/55, 235/50, 245/50	
	81 - 147	V	alle Varianten	8,0 x 17	40	5	114,3	V80174050921..	25	✓			225/55	235/50, 245/50, 255/45
	81 - 147	S	alle Varianten	7,5 x 18	48	5	114,3	S75184850921..	25	✓			225/45, 225/50, 235/45, 245/45	
	81 - 147	P	Silber	7,5 x 18	49	5	114,3	P7518495092118	25	✓			225/45, 225/50, 235/45, 245/45	
	81 - 147	W	alle Varianten	8,0 x 18	35	5	114,3	W80183550921..	25	✓			225/45	225/50, 235/45, 245/45,...
	81 - 147	O	alle Varianten	8,0 x 18	38	5	114,3	O80183850921..	25	✓			225/45, 235/45	225/50, 245/45, 255/45
	81 - 147	E	alle Varianten	8,0 x 18	40	5	114,3	E8084050921..	25	✓			225/45, 225/50, 235/45, 245/45	255/45
	81 - 147	H	alle Varianten	8,0 x 18	40	5	114,3	H80184050921..	25	✓			225/45, 225/50, 235/45, 245/45	255/45
	81 - 147	Y	alle Varianten	8,0 x 18	40	5	114,3	Y80184050921..	25	✓			225/45, 225/50, 235/45, 245/45	255/45
	81 - 147	Z	Silber	8,0 x 18	40	5	114,3	Z8018405092118	25	✓			225/45, 225/50, 235/45, 245/45	255/45
	81 - 147	Za	Anthrazit matt	8,0 x 18	40	5	114,3	Z8018405092115	25	✓			225/45, 225/50, 235/45, 245/45	255/45
	81 - 147	D	alle Varianten	8,0 x 18	42	5	114,3	D80184250921..	25	✓			225/45, 225/50, 235/45, 245/45	255/45
	81 - 147	O	alle Varianten	8,0 x 18	42	5	114,3	O80184250921..	25	✓			225/45, 225/50, 235/45, 245/45	255/45
	81 - 147	F	Schwarz matt	8,0 x 18	45	5	114,3	F8018455092122	25	✓			225/45, 225/50, 235/45, 245/45, 255/45	
	81 - 147	X	alle Varianten	8,5 x 18	35	5	114,3	X85183550921..	25	✓			225/45, 235/45	225/45, 235/45, 245/45,...
	81 - 147	V	Kristallsilber	8,5 x 18	40	5	114,3	V8518405092125	25	✓			225/45, 235/45	245/45, 255/40, 255/45
	81 - 147	X	alle Varianten	8,5 x 18	40	5	114,3	X85184050921..	25	✓			225/45, 235/45	245/45, 255/40, 255/45
	81 - 147	O	alle Varianten	8,0 x 19	40	5	114,3	O80194050921..	25	✓			225/40, 225/45, 235/40, 245/40	
	81 - 147	D	alle Varianten	8,0 x 19	45	5	114,3	D80194550921..	25	✓			225/40, 225/45, 235/40, 245/40	
	81 - 147	O	alle Varianten	8,0 x 19	45	5	114,3	O80194550921..	25	✓			225/40, 225/45, 235/40, 245/40	

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part No.	Fitting-Kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	81 - 147	S	alle Varianten	8,0 x 19	45	5	114,3	S80194550921..	25	✓			225/40, 225/45, 235/40, 245/40	
	81 - 147	W	alle Varianten	8,0 x 19	45	5	114,3	W80194550921..	25	✓			225/40, 225/45, 235/40, 245/40	
	81 - 147	R	alle Varianten	8,5 x 19	45	5	114,3	R85194550921..	25	✓			225/40, 225/45, 235/40, 245/40	255/35, 255/40
	81 - 147	X	alle Varianten	8,5 x 19	45	5	114,3	X85194550921..	25	✓			225/40, 225/45, 235/40, 245/40	255/35, 255/40
	81 - 147	U	alle Varianten	8,5 x 19	48	5	114,3	U85194850921..	25	✓			225/40, 225/45, 235/40, 245/40, 255/35, 255/40	
	81 - 147	D	alle Varianten	8,5 x 20	42	5	114,3	D85204250921..	25	✓			225/35, 235/35	245/35, 255/30, 255/35
	81 - 147	R	alle Varianten	8,5 x 20	45	5	114,3	R85204550921..	25	✓			225/35, 235/35, 245/35	255/30, 255/35
	81 - 147	V	Kristallsilber	9,0 x 20	38	5	114,3	V9020385092125	25	✓				225/35, 235/35, 245/35,...
	81 - 147	U	alle Varianten	9,0 x 20	45	5	114,3	U90204550921..	25	✓			225/35, 235/35, 245/35	255/30, 255/35
	81 - 147	X	alle Varianten	9,0 x 20	45	5	114,3	X90204550921..	25	✓			225/35, 235/35, 245/35	255/30, 255/35
Talisman 4Control	81 - 147	S	alle Varianten	7,0 x 17	45	5	114,3	S70174550921..	25	✓			225/55, 235/50	245/50
Talisman 4Control	81 - 147	Z	Silber	7,0 x 17	46	5	114,3	Z7017465092118	25	✓			225/55, 235/50	
Grandtour	81 - 147	Za	Anthrazit matt	7,0 x 17	46	5	114,3	Z7017465092115	25	✓			225/55, 235/50	
Typ RFD	81 - 147	P	Silber	7,0 x 17	48	5	114,3	P7017485092118	25	✓			225/55, 235/50	
[Allradlenkung]	81 - 147	X	alle Varianten	7,0 x 17	49	5	114,3	X70174950921..	25	✓			225/55, 235/50	
	81 - 147	E	alle Varianten	7,5 x 17	40	5	114,3	E7574050921..	25	✓			225/55	235/50, 245/50
	81 - 147	H	alle Varianten	7,5 x 17	45	5	114,3	H75174550921..	25	✓			225/55, 235/50	
	81 - 147	W	alle Varianten	7,5 x 17	45	5	114,3	W75174550921..	25	✓			225/55, 235/50	
	81 - 147	Y	alle Varianten	7,5 x 17	45	5	114,3	Y75174550921..	25	✓			225/55, 235/50	
	81 - 147	S	alle Varianten	7,5 x 18	48	5	114,3	S75184850921..	25	✓			245/45	
	81 - 147	P	Silber	7,5 x 18	49	5	114,3	P7518495092118	25	✓			245/45	
	81 - 147	W	alle Varianten	8,0 x 18	35	5	114,3	W80183550921..	25	✓				245/45, 255/45
	81 - 147	O	alle Varianten	8,0 x 18	38	5	114,3	O80183850921..	25	✓				245/45, 255/45
	81 - 147	E	alle Varianten	8,0 x 18	40	5	114,3	E8084050921..	25	✓				245/45, 255/45
	81 - 147	H	alle Varianten	8,0 x 18	40	5	114,3	H80184050921..	25	✓				245/45, 255/45
	81 - 147	Y	alle Varianten	8,0 x 18	40	5	114,3	Y80184050921..	25	✓				245/45, 255/45
	81 - 147	Z	Silber	8,0 x 18	40	5	114,3	Z8018405092118	25	✓				245/45, 255/45
	81 - 147	Za	Anthrazit matt	8,0 x 18	40	5	114,3	Z8018405092115	25	✓				245/45, 255/45
	81 - 147	D	alle Varianten	8,0 x 18	42	5	114,3	D80184250921..	25	✓			245/45	255/45
	81 - 147	O	alle Varianten	8,0 x 18	42	5	114,3	O80184250921..	25	✓			245/45	255/45
	81 - 147	F	Schwarz matt	8,0 x 18	45	5	114,3	F8018455092122	25	✓			245/45	255/45
	81 - 147	X	alle Varianten	8,5 x 18	35	5	114,3	X85183550921..	25	✓				245/45, 255/40, 255/45
	81 - 147	V	Kristallsilber	8,5 x 18	40	5	114,3	V8518405092125	25	✓				245/45, 255/40, 255/45
	81 - 147	X	alle Varianten	8,5 x 18	40	5	114,3	X85184050921..	25	✓				245/45, 255/40, 255/45
	81 - 147	O	alle Varianten	8,0 x 19	40	5	114,3	O80194050921..	25	✓				245/40
	81 - 147	D	alle Varianten	8,0 x 19	45	5	114,3	D80194550921..	25	✓			245/40	
	81 - 147	O	alle Varianten	8,0 x 19	45	5	114,3	O80194550921..	25	✓			245/40	
	81 - 147	S	alle Varianten	8,0 x 19	45	5	114,3	S80194550921..	25	✓			245/40	
	81 - 147	W	alle Varianten	8,0 x 19	45	5	114,3	W80194550921..	25	✓			245/40	
	81 - 147	R	alle Varianten	8,5 x 19	45	5	114,3	R85194550921..	25	✓			245/40	255/35, 255/40
	81 - 147	X	alle Varianten	8,5 x 19	45	5	114,3	X85194550921..	25	✓			245/40	255/35, 255/40
	81 - 147	U	alle Varianten	8,5 x 19	48	5	114,3	U85194850921..	25	✓			245/40, 255/35, 255/40	
	81 - 147	D	alle Varianten	8,5 x 20	42	5	114,3	D85204250921..	25	✓				245/35, 255/30, 255/35
	81 - 147	R	alle Varianten	8,5 x 20	45	5	114,3	R85204550921..	25	✓			245/35	255/30, 255/35
	81 - 147	V	Kristallsilber	9,0 x 20	38	5	114,3	V9020385092125	25	✓				245/35, 255/30
	81 - 147	U	alle Varianten	9,0 x 20	45	5	114,3	U90204550921..	25	✓				245/35, 255/30, 255/35
	81 - 147	X	alle Varianten	9,0 x 20	45	5	114,3	X90204550921..	25	✓				245/35, 255/30, 255/35
													AUTEC in 21" : www.autec-wheels.de	
Trafic (II)	60 - 107	X	alle Varianten	6,5 x 16	47	5	118	X65164751022..	Serie	✓			205/65-C wS, 215/65-C wS	225/60-C
Typ JL, FL, J	60 - 107	Q	alle Varianten	6,5 x 16	50	5	118	Q65165051022..	Serie	✓			205/65-C wS, 215/65-C wS	225/60-C
	60 - 107	X	Silber	7,0 x 17	40	5	118	X7017405102218	Serie	✓				225/55, 235/50
Trafic (III)	66 - 107	E	alle Varianten	6,5 x 16	38	5	114,3	E6563850921..	92	✓			205/65-C wS (1.590 kg) (max. 103 kW), 215/60-C (1.610 kg)	

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part No.	Fitting-Kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
Typ JL, L	66 - 107	E	Silber	6,5 x 16	44	5	114,3	E656445094518	Serie	✓			205/65-C wS (max. 103 kW), 215/60-C, 215/65-C, 225/60-C	
	66 - 107	Q	alle Varianten	6,5 x 16	44	5	114,3	Q65164450945..	Serie	✓			205/65-C wS (max. 103 kW), 215/60-C, 215/65-C, 225/60-C	
	66 - 107	X	alle Varianten	6,5 x 16	44	5	114,3	X65164450945..	Serie	✓			205/65-C wS (max. 103 kW), 215/60-C, 215/65-C, 225/60-C	
	66 - 107	B	Silber	6,5 x 16	45	5	114,3	B656455092118	92	✓			205/65-C wS (1.650 kg) (max. 103 kW), 215/60-C (1.650 kg),...	
	66 - 107	Q	alle Varianten	7,0 x 17	37	5	114,3	Q70173750945..	Serie	✓			215/60-C	225/55-C, 235/50, 235/55
	66 - 107	X	alle Varianten	7,0 x 17	40	5	114,3	X70174050921..	92	✓			215/60-C (1.650 kg)	225/55-C (1.650 kg)
	66 - 107	X	alle Varianten	7,0 x 17	42	5	114,3	X70174250945..	Serie	✓			215/60-C, 225/55-C	
	66 - 107	E	alle Varianten	7,5 x 17	40	5	114,3	E7574050921..	92	✓			215/60	225/55-C
Twingo (II)	43 - 75	P	Silber	6,0 x 15	35	4	100	P6015354031118	642	✓			185/55, 195/45 (max. 56 kW), 195/50	
Typ N	43 - 75	N	Silber	6,0 x 15	36	4	100	N605364032118	42	✓			185/55, 195/45 (max. 56 kW)	
	43 - 75	Z	Silber	6,0 x 15	36	4	100	Z6015364031118	642	✓			185/55, 195/45 (max. 56 kW)	
	43 - 75	Za	Anthrazit matt	6,0 x 15	36	4	100	Z6015364031115	642	✓			185/55, 195/45 (max. 56 kW)	
	43 - 75	W	alle Varianten	6,5 x 15	35	4	100	W65153540321..	42	✓			185/55, 195/45 (max. 56 kW), 205/45	
	43 - 75	H	alle Varianten	7,0 x 16	35	4	100	H70163540321..	42	✓			195/40, 195/45	
	43 - 75	W	alle Varianten	7,0 x 16	35	4	100	W70163540321..	42	✓			195/40, 195/45	
	43 - 75	W	alle Varianten	7,0 x 16	35	4	100	W70163540321..	42	✓			195/40, 195/45	
Twingo (II) RS	98	Z	Silber	6,5 x 16	40	4	100	Z6516404031118	642	✓			195/45 M+S	
Typ N	98	Za	Anthrazit matt	6,5 x 16	40	4	100	Z6516404031115	642	✓			195/45 M+S	
	98	P	Silber	6,5 x 16	44	4	100	P6516444031118	642	✓			195/45 M+S, 205/45 M+S	
	98	S	alle Varianten	6,5 x 16	45	4	100	S65164540311..	642	✓			195/45 M+S, 205/45 M+S	
	98	F	Schwarz matt	7,0 x 16	44	4	100	F7016444032122	42	✓			195/45	205/40, 205/45, 215/40
	98	H	alle Varianten	7,0 x 16	45	4	100	H70164540321..	42	✓			195/45	205/40, 205/45, 215/40
	98	S	alle Varianten	7,0 x 17	48	4	100	S70174840311..	642	✓			195/40	215/35
	98	Z	Silber	7,0 x 17	48	4	100	Z7017484031118	642	✓			195/40	215/35
	98	Za	Anthrazit matt	7,0 x 17	48	4	100	Z7017484031115	642	✓			195/40	215/35
Twingo (III)	51 - 66	P	Silber	6,0 x 15	35	4	100	P6015354031118	642	✓			165/65 VA, 185/60 HA, 195/55 HA	
Typ AH	52, 66	N	Silber	6,0 x 15	36	4	100	N605364032118	42	✓			165/65 VA, 185/60 HA, 195/55 HA, 205/50 HA	
	51 - 66	Z	Silber	6,0 x 15	36	4	100	Z6015364031118	642	✓			165/65 VA, 185/60 HA, 195/55 HA, 205/50 HA	
	51 - 66	Za	Anthrazit matt	6,0 x 15	36	4	100	Z6015364031115	642	✓			165/65 VA, 185/60 HA, 195/55 HA, 205/50 HA	
Twingo (III) GT	80	P	Silber	6,0 x 15	35	4	100	P6015354031118	642	✓			165/65 VA, 175/60 VA, 185/55 VA, 185/60 HA, 195/55 HA	
Typ AH	80	N	Silber	6,0 x 15	36	4	100	N605364032118	42	✓			165/65 VA, 175/60 VA, 185/55 VA, 185/60 HA, 195/55 HA, 205/50 HA	
	80	Z	Silber	6,0 x 15	36	4	100	Z6015364031118	642	✓			165/65 VA, 175/60 VA, 185/55 VA, 185/60 HA, 195/55 HA, 205/50 HA	
	80	Za	Anthrazit matt	6,0 x 15	36	4	100	Z6015364031115	642	✓			165/65 VA, 175/60 VA, 185/55 VA, 185/60 HA, 195/55 HA, 205/50 HA	
	80	Za	Anthrazit matt	6,0 x 15	36	4	100	Z6015364031115	642	✓			165/65 VA, 175/60 VA, 185/55 VA, 185/60 HA, 195/55 HA, 205/50 HA	
Wind												Nähere Informationen in unserem Konfigurator unter: www.autec-wheels.de		
Typ N													Further information in our configurator at: www.autec-wheels.de	
ZOE	43	P	Silber	6,0 x 15	35	4	100	P6015354031118	642	✓			185/65, 195/60	65
Typ AG	43	N	Silber	6,0 x 15	36	4	100	N605364032118	42	✓			185/65, 195/60, 205/55	
	43	PE	Silber	6,0 x 15	40	4	100	PE6015404031118	Serie	✓		✓	185/65	
	43	S	alle Varianten	6,0 x 15	40	4	100	S60154040311..	642	✓			185/65, 195/60, 205/55	
	43	Z	Silber	6,0 x 15	44	4	100	Z6015444031118	642	✓			185/65 (1.120 kg), 195/60 (1.120 kg), 205/55 (1.120 kg)	
	43	Za	Anthrazit matt	6,0 x 15	44	4	100	Z6015444031115	642	✓			185/65 (1.120 kg), 195/60 (1.120 kg), 205/55 (1.120 kg)	
	43	B	Silber	6,5 x 15	42	4	100	B655424032118	42	✓			185/65, 195/60, 205/55	
	43	F	Schwarz matt	6,5 x 15	42	4	100	F6515424032122	42	✓			185/65, 195/60, 205/55	
	43	W	alle Varianten	6,5 x 15	42	4	100	W65154240321..	42	✓			185/65, 195/60, 205/55	
	43	S	alle Varianten	6,5 x 16	40	4	100	S65164040311..	642	✓			185/55, 195/50, 195/55, 205/50	
	43	Z	Silber	6,5 x 16	40	4	100	Z6516404031118	642	✓			195/50, 195/55, 205/50	
	43	Za	Anthrazit matt	6,5 x 16	40	4	100	Z6516404031115	642	✓			195/50, 195/55, 205/50	
	43	P	Silber	6,5 x 16	44	4	100	P6516444031118	642	✓			185/55, 195/50, 195/55, 205/50	
	43	PE	Silber	6,5 x 16	44	4	100	PE6516444031118	Serie	✓		✓	195/55	
	43	W	alle Varianten	7,0 x 16	35	4	100	W70163540321..	42	✓			195/50, 195/55, 205/50,...	
	43	F	Schwarz matt	7,0 x 16	44	4	100	F7016444032122	42	✓			195/50, 195/55	
	43	H	alle Varianten	7,0 x 16	45	4	100	H70164540321..	42	✓			195/50, 195/55	
	43	Z	Silber	7,0 x 17	38	4	100	Z7017384031118	642	✓			205/45	215/40, 215/45 (1.110 kg)

Handelsbezeichnung	kW	Radtyp	Farbe	Größe	ET	LZ	LK	Best-Nr	Zubehör	RDKS	Bremsauflage	ECE	Reifenempfehlung / Tire recommendation	
Manufacturer	kW	Type	Color	Size	Offset	Holes	PCD	Part No.	Fitting-Kit	TPMS	Brake	ECE	ABE (without rework)	TÜV
	43	Za	Anthrazit matt	7,0 x 17	38	4	100	Z7017384031115	642	✓			205/45	215/40, 215/45 (1.110 kg)
	43	H	alle Varianten	7,5 x 17	38	4	100	H75173840321..	42	✓			205/45	215/40, 215/45
	43	W	alle Varianten	7,5 x 17	38	4	100	W75173840321..	42	✓			205/45	215/40, 215/45